UNIVERSIDAD DE MANILA

PRACTICAL # 3 in PLATFORM TECHNOLOGY – PT Integration and Interoperability

Submitted by:

John Benedict D. Esperas


BSIT – 41

Submitted to:


Prof. Truly Enriquez

September 08, 2026


Step 1: Create a project in firebase:




Step 2: Create a database





Next: I used standard edition and start it in Test Mode. I also choose Singapore for the location.






Next: Add a Collection, after adding go to the settings then general and find the </> logo at the bottom of the page then register it. I also use a <script> tag





Step 3: Create an HTML inside the WWWROOT file:



index.html.txt - Notepad

File Edit Format View Help

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Two Truths, One Lie</title>

    <link rel="stylesheet" href="style.css">

    <!-- Firebase -->
    <script src="https://www.gstatic.com/firebasejs/10.12.2/firebase-app-compat.js"></script>
    <script src="https://www.gstatic.com/firebasejs/10.12.2/firebase-firestore-compat.js"></script>
</head>

<body>

    <header>
        <div class="logo">🎭</div>

        <div>
            <h1>Two Truths, One Lie</h1>
            <p>Think you can spot the lie?</p>
            <p>Made by John Benedict Esperas</p>
            <p>Prof. Truly Enriquez</p>

        </div>
    </header>


    <main>

        <!-- CREATE GAME -->
        <section class="card create-card">

            <div class="section-title">
                <span>🖊</span>


                <div>
                    <h2>Create Your Game</h2>
                    <p>Give everyone three statements about you.</p>
                </div>
            </div>


            <form id="gameForm">
```

Ln 1, Col 1 | 100% | Windows (CRLF) | UTF-8

Search | ENG US | 2:25 AM 9/8/2026

Step 4: Create a CSS inside the WWWROOT file:



*style.css.txt - Notepad

File Edit Format View Help

```
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}

body {
    font-family: Arial, sans-serif;
    background: #f5f3ff;
    color: #25213b;
    min-height: 100vh;
}

header {
    background: white;
    padding: 30px 8%;
    display: flex;
    align-items: center;
    gap: 18px;
    border-bottom: 1px solid #e7e3f5;
}

.logo {
    font-size: 45px;
}

header h1 {
    font-size: 30px;
    margin-bottom: 5px;
}

header p {
    color: #77718d;
}


main {
    width: 90%;
    max-width: 1000px;
    margin: 40px auto;
}

.card {
    background: white;
    border-radius: 20px;
    padding: 30px;
    box-shadow: 0 8px 30px rgba(40, 30, 80, 0.08);
}
```


Ln 4, Col 16 | 100% | Windows (CRLF) | UTF-8

Search | ENG US | 2:29 AM 9/8/2026


Step 5: Create a JavaScript insite the WWWROOT file containing the firebase config object:




Step 6: Verify all the files needed for the website:




Actual Output: You need to fill out the form and hit the “Add My Game” button to save your input.




Next: Any person who access the link can play the game by guessing which one of the three is a lie.



Random Game: You can play a random game by clicking the “Random Game” button and it will choose a random guess from everyone who inputs their details.



***For Static Web App*: I used my previous Static Web App and updated my GitHub repository by adding script.js file.**



Current Static Web App: https://proud-hill-05b47ba00.7.azurestaticapps.net/

