


Assignment 6: Upload a static website on S3.

Step 1: Create a public bucket like usual where we will be uploading our static website.



aws Search [Alt+S] Asia Pacific (Mumbai) Jbhawal (0528-0860-2954) Jbhawal

Amazon S3 > Buckets

Successfully created bucket "jb.pub.1"
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

General purpose buckets **ALL AWS Regions** Directory buckets

General purpose buckets (2) Info
Copy ARN Empty Delete Create bucket
Buckets are containers for data stored in S3.
Find buckets by name


Name	AWS Region	Creation date
☒ jb.pub.1	Asia Pacific (Mumbai) ap-south-1	January 28, 2026, 11:08:00 (UTC+05:30)
☐ jb.pvt.1	Asia Pacific (Mumbai) ap-south-1	January 28, 2026, 10:44:05 (UTC+05:30)

Account snapshot Info
Updated daily
[View dashboard](#)
Storage Lens provides visibility into storage usage and activity trends.

External access summary Info
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step 2: Select the public bucket and scroll to the bottom of its Properties to find the Static website hosting section and click Edit.



aws Search [Alt+S] Asia Pacific (Mumbai) Jbhawal (0528-0860-2954) Jbhawal

Amazon S3 > Buckets > jb.pub.1

Requester pays
When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)
Requester pays Disabled Edit


Static website hosting
Use this bucket to host a website or redirect requests. [Learn more](#) Edit

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. [Learn more about Amplify Hosting](#) or [View your existing Amplify apps](#) Create Amplify app

S3 static website hosting Disabled

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step 3: Enable Static website hosting and Host a static website option under Hosting type. Then specify the Index document file name. Here we have index.html as it.



aws Search [Alt+S] Asia Pacific (Mumbai) Jbhawal (0528-0860-2954) Jbhawal

Amazon S3 > Buckets > jb.pub.1 > Edit static website hosting

Edit static website hosting Info

Static website hosting
Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting
☒ Enable

Hosting type
☒ Host a static website
Use the bucket endpoint as the web address. [Learn more](#)
☐ Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#)


For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document
Specify the name of the default page of the website.
index.html


Error document - optional
This is returned when an error occurs.

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


Step 4: Let the rest of the things be default and click on Save Changes.



Step 5: The green confirmation banner marks successful static website hosting.



Step 6: Go to Upload section and upload the html files created for the static website. Click on Upload button next.



Step 7: Confirmation message will appear on successful upload. Click on Close button.

The screenshot shows the Amazon S3 console interface. At the top, a green banner displays the message "Upload succeeded" with a checkmark icon and a close button (X). Below the banner, the "Upload: status" section shows a summary of the upload: "Destination s3://jb.pub.1", "Succeeded 3 files, 409.0 B (100.00%)", and "Failed 0 files, 0 B (0%)". A "Close" button is located in the top right corner of the status section. Below the summary, the "Files and folders" section shows a table of the uploaded files:

Name	Folder	Type	Size	Status	Error
index.html	-	text/html	163.0 B	Succeeded	-
page1.html	-	text/html	123.0 B	Succeeded	-
page2.html	-	text/html	123.0 B	Succeeded	-

Step 8: Select all the files and click on the Actions dropdown button and click on the Make public using ACL option.

The screenshot shows the Amazon S3 console interface for the bucket "jb.pub.1". The "Objects" tab is selected, and a list of three objects is displayed: "index.html", "page1.html", and "page2.html". The "Actions" button is circled, and its dropdown menu is open, showing various options. The option "Make public using ACL" is highlighted with a red arrow.

Step 9: A page like the following will appear. Click on Make public button.

The screenshot shows the Amazon S3 console interface for the bucket "jb.pub.1" with the "Make public" action selected. The page title is "Make public" and it includes a description: "The make public action enables public read access in the object access control list (ACL) settings." A warning message states: "When public read access is enabled and not blocked by Block Public Access settings, anyone in the world can access the specified objects." Below this, the "Specified objects" section shows a table of the objects to be made public:

Name	Type	Last modified	Size
index.html	html	January 28, 2026, 11:14:43 (UTC+05:30)	163.0 B
page1.html	html	January 28, 2026, 11:14:43 (UTC+05:30)	123.0 B
page2.html	html	January 28, 2026, 11:14:44 (UTC+05:30)	123.0 B

At the bottom right, there are two buttons: "Cancel" and "Make public".

Step 10: Confirmation banner indicates succesful public access. Click Close.

The screenshot shows the AWS Management Console interface. At the top, there's a green banner with a checkmark icon and the text "Successfully edited public access" and "View details below.". To the right of the banner is a "Close" button. Below the banner, the heading "Make public: status" is visible. Underneath, a light blue box contains the text: "After you navigate away from this page, the following information is no longer available." Below this, there's a "Summary" section with three columns: "Source" (s3://jb.pub.1), "Successfully edited public access" (3 objects, 409.0 B), and "Failed to edit public access" (0 objects). Below the summary, there are tabs for "Failed to edit public access" and "Configuration". The "Failed to edit public access" tab is active, showing a search bar and a table with columns: Name, Folder, Type, Last modified, Size, and Error. The table is empty, with the text "No objects failed to edit" at the bottom.

Step 11: Open index.html file.

The screenshot shows the AWS Management Console interface for the "jb.pub.1" bucket. The "Objects" tab is selected, showing a list of objects. The "index.html" file is highlighted with a red box. The table has columns: Name, Type, Last modified, Size, and Storage class. The "index.html" file is listed with a size of 163.0 B and a storage class of Standard. Below the table, there's a URL bar showing the full URL: "https://ap-south-1.console.aws.amazon.com/s3/object/jb.pub.1?region=ap-south-1&prefix=index.html".

Step 12: Copy Object URL and paste it in new tab to see the website running.

The screenshot shows the AWS Management Console interface for the "index.html" file. The "Properties" tab is selected, showing the "Object overview" section. The "Object overview" section displays the following information: Owner (c5427d87842623cc9843b1c1f123dbe443bd0684c202edac2dde7fbd0373d29), AWS Region (Asia Pacific (Mumbai) ap-south-1), Last modified (January 28, 2026, 11:14:43 (UTC+05:30)), Size (163.0 B), Type (html), and Key (index.html). To the right, the "S3 URI" is displayed as "s3://jb.pub.1/index.html", the "Amazon Resource Name (ARN)" is "arn:aws:s3::jb.pub.1/index.html", and the "Entity tag (Etag)" is "db8e9985eba4d837c8610f". A notification bubble with a green checkmark and the text "Object URL Copied" is visible. Below the notification, the full URL "https://s3.ap-south-1.amazonaws.com/jb.pub.1/index.html" is displayed.