




Assignment 3: Create IAM user and give full access to S3.

Step 1:

This screenshot shows the AWS IAM console search results for the term 'iam'. The search bar at the top contains 'iam'. The results are categorized into 'Services' and 'Features'. Under 'Services', there are three items: 'IAM' (Manage access to AWS resources), 'IAM Identity Center' (Manage workforce user access to multiple AWS accounts and cloud applications), and 'Resource Access Manager' (Share AWS resources with other accounts or AWS Organizations). Under 'Features', there is one item: 'IAM Access analyzer for S3' (S3 feature). On the right side of the search results, there are buttons for 'Delete' and 'Create user'. The left sidebar shows the 'IAM' menu with options like 'Users', 'Groups', 'Roles', 'Policies', 'Identity providers', 'Account settings', 'Root access management', and 'Temporary credentials'. The bottom of the screenshot shows the URL 'https://us-east-1.console.aws.amazon.com/iam/home?region=ap-south-1#/roles' and the footer with '© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences'.

This screenshot shows the 'Specify user details' page in the AWS IAM console. The page is titled 'Specify user details' and has a sidebar with steps: 'Step 1: Specify user details', 'Step 2: Set permissions', 'Step 3: Review and create', and 'Step 4: Retrieve password'. The main content area is divided into two sections: 'User details' and 'Console password'. In the 'User details' section, the 'User name' field is filled with 'Jbhawal'. Below it, there is a checkbox labeled 'Provide user access to the AWS Management Console - optional'. In the 'Console password' section, the 'Autogenerated password' option is selected. Below it, there is a checkbox labeled 'Show password'. At the bottom of the page, there is a link to 'Learn more'.

This screenshot shows the 'Set permissions' page in the AWS IAM console. The page is titled 'Set permissions' and has a sidebar with steps: 'Step 1: Specify user details', 'Step 2: Set permissions', 'Step 3: Review and create', and 'Step 4: Retrieve password'. The main content area is divided into two sections: 'Permissions options' and 'Get started with groups'. In the 'Permissions options' section, there are three radio buttons: 'Add user to a group', 'Copy permissions', and 'Attach policies directly'. In the 'Get started with groups' section, there is a link to 'Learn more' and a 'Create group' button. At the bottom of the page, there is a link to 'Learn more'.



aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

Jbhawal

Amazon S3 > Buckets

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

General purpose buckets

All AWS Regions

Directory buckets

General purpose buckets (0)

Info

Copy ARN

Empty

Delete

Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

< 1 >

⚙

Name

▲

AWS Region

▼

Creation date

▼

No buckets

You don't have any buckets.

Create bucket

Account snapshot

Info

Updated daily

View dashboard

Storage Lens provides visibility into storage usage and activity trends.

External access summary

Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

Go to Settings to activate Windows.

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

Jbhawal

Amazon S3 > Buckets > Create bucket

Create bucket

Info

Buckets are containers for data stored in S3.

General configuration

AWS Region

Asia Pacific (Mumbai) ap-south-1

Bucket type

Info

☒ General purpose

Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ Directory

Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name

Info

JbBucket

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#)

Copy settings from existing bucket - optional

Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

Object Ownership

Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

☐ ACLs disabled (recommended)

All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☒ ACLs enabled

Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

We recommend disabling ACLs, unless you need to control access for each object individually or to have the object writer own the data they upload. Using a bucket policy instead of ACLs to share data with users outside of your account simplifies permissions management and auditing.

Object Ownership

☒ Bucket owner preferred

If new objects written to this bucket specify the bucket-owner-full-control canned ACL, they are owned by the bucket owner. Otherwise, they are owned by the object writer.

☐ Object writer

The object writer remains the object owner.

If you want to enforce object ownership for new objects only, your bucket policy must specify that the bucket-owner-full-control canned ACL is required for object uploads. [Learn more](#)

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

Jbhawal

Amazon S3 > Buckets > Create bucket

Object Ownership

Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

☐ ACLs disabled (recommended)

All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☒ ACLs enabled

Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

We recommend disabling ACLs, unless you need to control access for each object individually or to have the object writer own the data they upload. Using a bucket policy instead of ACLs to share data with users outside of your account simplifies permissions management and auditing.

Object Ownership

☒ Bucket owner preferred

If new objects written to this bucket specify the bucket-owner-full-control canned ACL, they are owned by the bucket owner. Otherwise, they are owned by the object writer.

☐ Object writer

The object writer remains the object owner.

If you want to enforce object ownership for new objects only, your bucket policy must specify that the bucket-owner-full-control canned ACL is required for object uploads. [Learn more](#)

Block Public Access settings for this bucket

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

Jbhawal

Amazon S3

Buckets

Create bucket

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☐ Block all public access

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☐ Block public access to buckets and objects granted through new access control lists (ACLs)

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐ Block public access to buckets and objects granted through any access control lists (ACLs)

S3 will ignore all ACLs that grant public access to buckets and objects.

☐ Block public access to buckets and objects granted through new public bucket or access point policies

S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☐ Block public and cross-account access to buckets and objects through any public bucket or access point policies

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Turning off block all public access might result in this bucket and the objects within becoming public

AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

☒ I acknowledge that the current settings might result in this bucket and the objects within becoming public.

Bucket Versioning

Activate Windows

Go to Settings to activate Windows.

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

Jbhawal

Amazon S3

Buckets

Create bucket

Add new tag

You can add up to 50 tags.

Default encryption

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type

Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing](#) on the Storage tab of the [Amazon S3 pricing page](#).

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

☐ Disable

☒ Enable

Advanced settings

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

Activate Windows

Go to Settings to activate Windows.

Create bucket

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

Jbhawal

Amazon S3

Buckets

Successfully created bucket "jb.bucket1"

To upload files and folders, or to configure additional bucket settings, choose [View details](#).

General purpose buckets

Directory buckets

General purpose buckets (1)

Buckets are containers for data stored in S3.

Find buckets by name

Name

AWS Region

Creation date

jb.bucket1

Asia Pacific (Mumbai) ap-south-1

January 14, 2026, 11:41:06 (UTC+05:30)

Account snapshot

Storage Lens provides visibility into storage usage and activity trends.

External access summary

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

Activate Windows

Go to Settings to activate Windows.

https://ap-south-1.console.aws.amazon.com/s3/buckets/jb.bucket1?region=ap-south-1

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

jb.bucket1

jb.bucket1

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Objects (0)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Name

Type

Last modified

Size

Storage class

No objects

You don't have any objects in this bucket.

Upload

Activate Windows

Go to Settings to activate Windows.

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

jb.bucket1

Amazon S3

Buckets

jb.bucket1

Upload

Upload

Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (0)

All files and folders in this table will be uploaded.

Find by name

Name

Folder

Type

Size

No files or folders

You have not chosen any files or folders to upload.

Destination

Info

Destination

[s3://jb.bucket1](#)

Destination details

Bucket settings that impact new objects stored in the specified destination.

Permissions

Activate Windows

Go to Settings to activate Windows.

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0860-2954

jb.bucket1

Amazon S3

Buckets

jb.bucket1

Upload

Upload

Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (1 total, 151.7 KB)

All files and folders in this table will be uploaded.

Find by name

Name

Folder

Type

Size

1.png

-

image/png

151.7 KB

Destination

Info

Destination

[s3://jb.bucket1](#)

Destination details

Bucket settings that impact new objects stored in the specified destination.

Permissions

Grant public access and access to other AWS accounts.

Properties

Specify storage class, encryption settings, tags, and more.

Cancel

Upload

Activate Windows

Go to Settings to activate Windows.

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0960-2954

Jbhawal

Amazon S3

Upload succeeded

For more information, see the Files and folders table.

Upload: status

Close

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://jb.bucket1

Succeeded

1 file, 151.7 KB (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 151.7 KB)

Find by name

Name	Folder	Type	Size	Status	Error
1.png	-	image/png	151.7 KB	Succeeded	-

Activate Windows
Go to Settings to activate Windows.

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Click on file anme

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0960-2954

Jbhawal

Amazon S3 > Buckets > jb.bucket1

jb.bucket1

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Find objects by prefix

Name	Type	Last modified	Size	Storage class
1.png	png	January 14, 2026, 11:43:26 (UTC+05:30)	151.7 KB	Standard

Activate Windows
Go to Settings to activate Windows.

https://ap-south-1.console.aws.amazon.com/s3/object/jb.bucket1?region=ap-south-1&prefix=1.png

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0528-0960-2954

Jbhawal

Amazon S3 > Buckets > jb.bucket1 > 1.png

1.png

Info

Copy S3 URI

Download

Open

Object actions

Properties

Permissions

Versions

Object overview

Owner

c5427d878426623cc9843b1c1f123dbe443bd0684c202edac2dde7fbd0373d29

AWS Region

Asia Pacific (Mumbai) ap-south-1

Last modified

January 14, 2026, 11:43:26 (UTC+05:30)

Size

151.7 KB

Type

png

Key

1.png

S3 URI

s3://jb.bucket1/1.png

Amazon Resource Name (ARN)

arnaws:s3::jb.bucket1/1.png

Entity tag (Etag)

b5d5c9347193816efb00b1a1ed8758c

Object URL

https://s3-ap-south-1.amazonaws.com/jb.bucket1/1.png

Object management overview

The following bucket properties and object management configurations impact the behavior of this object.

Bucket properties

Bucket Versioning

Management configurations

Replication status

Activate Windows
Go to Settings to activate Windows.

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

Account ID: 0528-0860-2954

Jbhawal

Amazon S3> Buckets> jbucket1> 1.png

1.png

Copy S3 URIDownloadOpen L2Object actions

PropertiesPermissionsVersions

Access control list (ACL)

Grant basic read/write permissions to AWS accounts. [Learn more](#)

Edit

Grantee	Object	Object ACL
Object owner (your AWS account) Canonical ID: e5427d878d78426623cc9843b1c1f123dbe443bd0684c202edac2dd7fb0373d29	Read	Read, Write
Everyone (public access) Group: http://acs.amazonaws.com/groups/global/AllUsers	-	-
Authenticated users group (anyone with an AWS account) Group: http://acs.amazonaws.com/groups/global/AuthenticatedUsers	-	-

Activate Windows
Go to Settings to activate Windows.

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

aws

Search

[Alt+S]

Account ID: 0528-0860-2954

Jbhawal

Amazon S3> Buckets> jbucket1> 1.png> Edit access control list

Edit access control list

Access control list (ACL)

Grant basic read/write permissions to AWS accounts. [Learn more](#)

Object owner (your AWS account)

Canonical ID: e5427d878d78426623cc9843b1c1f123dbe443bd0684c202edac2dd7fb0373d29

Group: http://acs.amazonaws.com/groups/global/AllUsers

Authenticated users group (anyone with an AWS account)

Group: http://acs.amazonaws.com/groups/global/AuthenticatedUsers

Object ACL

☒ Read
☒ Write

☒ Read
☒ Write

☐ Read
☐ Write

When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access this object.
[Learn more](#)
☒ I understand the effects of these changes on this object.

Access for other AWS accounts

No other AWS accounts associated with the resource.

Add grantee

Specified objects

Name	Type	Last modified	Size
1.png	png	January 14, 2026, 11:45:26 (UTC+05:30)	151.7 KB

Activate Windows
Go to Settings to activate Windows.

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

aws

Search

[Alt+S]

Account ID: 0528-0860-2954

Jbhawal

Amazon S3> Buckets> jbucket1> 1.png> Edit access control list

Edit access control list

Access control list (ACL)

Grant basic read/write permissions to AWS accounts. [Learn more](#)

Object owner (your AWS account)

Canonical ID: e5427d878d78426623cc9843b1c1f123dbe443bd0684c202edac2dd7fb0373d29

Group: http://acs.amazonaws.com/groups/global/AllUsers

Authenticated users group (anyone with an AWS account)

Group: http://acs.amazonaws.com/groups/global/AuthenticatedUsers

Object ACL

☒ Read
☒ Write

☒ Read
☒ Write

☐ Read
☐ Write

When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access this object.
[Learn more](#)
☒ I understand the effects of these changes on this object.

Access for other AWS accounts

No other AWS accounts associated with the resource.

Add grantee

Specified objects

Name	Type	Last modified	Size
1.png	png	January 14, 2026, 11:45:26 (UTC+05:30)	151.7 KB

Activate Windows
Go to Settings to activate Windows.

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences