



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

app/index.jsx

```
import { View } from 'react-native';
import { StatusBar } from "expo-status-bar";
import React from 'react';
import { Image } from 'react-native';
import "../global.css";
const Index = () => {
  return (
    <View className="w-full h-full flex justify-center items-center bg-
primary_red">
      <Image source={require('../assets/icon/bloodlink.png')}
        className="w-[290px]" resizeMode='contain' />
      <StatusBar backgroundColor="#F42F47" style="light" />
    </View>
  );
}
export default Index;
```

app/_layout.jsx

```
import React, { useEffect } from "react";
import { Stack, SplashScreen, useRouter } from "expo-router";
import { AuthProvider, useAuth } from "../context/authContext";
import { supabase } from "../lib/supabase";
import { getUserData } from "../services/userServices";
import { useFonts } from "expo-font";
import { RegistrationProvider } from
"../hooks/sign_up_hooks/useRegistrationStorage";
import { BottomSheetModalProvider } from "@gorhom/bottom-sheet";
import { GestureHandlerRootView } from "react-native-gesture-handler";
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
SplashScreen.preventAutoHideAsync();
const RootLayout = () => {
  const [fontsLoaded, error] = useFonts({
    "Inter_28pt-ExtraBold": require("../assets/fonts/Inter_28pt-ExtraBold.ttf"),
    "Inter_18pt-Regular": require("../assets/fonts/Inter_18pt-Regular.ttf"),
    "Inter_18pt-Bold": require("../assets/fonts/Inter_18pt-Bold.ttf"),
  });

  useEffect(() => {
    if (error) throw error;
    if (fontsLoaded) {
      SplashScreen.hideAsync();
    }
  }, [fontsLoaded, error]);

  if (!fontsLoaded) {
    return null;
  }

  return (
    <RegistrationProvider>
      <AuthProvider>
        <AuthLayout />
      </AuthProvider>
    </RegistrationProvider>
  );
};
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
const AuthLayout = () => {  
  const { setAuth, setUserData } = useAuth();  
  const router = useRouter();  
  
  useEffect(() => {  
    supabase.auth.onAuthStateChange((_event, session) => {  
      if (session) {  
        setAuth(session?.user);  
        updateUserData(session?.user);  
        router.replace("../(tabs)/home");  
      } else {  
        setTimeout(() => {  
          router.replace("../(auth)/sign_in");  
        }, 2000);  
        setAuth(null);  
      }  
    });  
  }, []);  
  
  const updateUserData = async (user) => {  
    let res = await getUserData(user?.id);  
    if (res.success) setUserData(res.data);  
  };  
  
  return (  
    <GestureHandlerRootView>  
      <BottomSheetModalProvider>  
        <Stack>  
          <Stack.Screen name="(tabs)" options={{ headerShown: false }} />  
          <Stack.Screen name="(auth)" options={{ headerShown: false }} />  
          <Stack.Screen name="index" options={{ headerShown: false }} />  
        </Stack>  
      </BottomSheetModalProvider>  
    </GestureHandlerRootView>  
  );  
}
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
<Stack.Screen name="pages" options={{ headerShown: false }} />
</Stack>
</BottomSheetModalProvider>
</GestureHandlerRootView>
);
};
export default RootLayout;

app/(auth)/_layout.jsx
import React from 'react'
import { Stack,} from "expo-router";
const _layout = () => {
  return (
    <Stack>
      <Stack.Screen name="Email"options={{
        title: 'Sign Up',
        headerStyle: {backgroundColor: '#F42F47'},
        headerTintColor: '#fff',
        headerTitleAlign: 'center',
        headerTitleStyle: {fontWeight: 'bold'},
      }}/>
      <Stack.Screen name="sign_up" options={{ headerShown: false }} />
      <Stack.Screen name="sign_in" options={{ headerShown: false }} />
    </Stack>
  )
}
export default _layout;
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

app/(auth)/sign_in.jsx

```
import {Text,View,Image} from 'react-native';
import React, { useState } from 'react';
import { Link } from 'expo-router';
import ThemeButton from '../components/UI/button/themeButton';
import InputBox from '../components/UI/inputs/inputBox';
import ThemeContainer from '../components/UI/themeContainer';
import usePasswordVisible from '../hooks/sign_in_hooks/usePasswordVisible';
import PasswordVisible from '../components/sign_in__componets/passwordVisible';
import useEmailValidation from '../hooks/validation/useEmailValidation';
import usePasswordValidation from '../hooks/validation/usePasswordValidation';
import useSignIn from '../hooks/sign_in_hooks/useSignIn';
const SignIn = () => {
  const [user, setUser] = useState({email: "",password: ""})
  const [isError, setError] = useState(null);
  const {isLoading, error: loginError ,SignInWithEmail} = useSignIn();
  const { isVisible, togglePasswordVisibility } = usePasswordVisible();
  const {emailError,setEmailError } = useEmailValidation(user?.email);
  const {passwordError, setPasswordError} = usePasswordValidation(user?.password)
  const handleInputChange = (field, value) => {
    setUser((prevState) => ({...prevState,[field]: value}));
  };
  const handleSignIn = () => {
    const { email, password } = user;
    if(!email || !password ){
      setEmailError('Email is required!');
      setPasswordError('Password is required!');
    }else if(loginError){
      setError(true)
    }
  }
}
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
}  
else{  
  setError(false);  
}  
SignInWithEmail(email, password);  
};  
function loginFailed(){  
  if(loginError){  
    return(  
      <View className="h-14 w-full flex items-center bg-red-100 justify-center  
rounded-[15px]">  
        <Text className="text-primary_red text-base font-  
interRegularBold">{loginError}</Text>  
      </View>  
    )  
  }  
}  
return (  
  <ThemeContainer bgColor={'white'}>  
    <View className="flex-1 items-center">  
      <View className="w-80 flex-row justify-center mt-28 mb-[40px]">  
        <View className="w-2/5 h-mx ">  
          <Image className="w-24 h-24"  
source={require('../assets/icon/redcross.png')} />  
        </View>  
        <View className="flex-1">  
          <Text className="text-4xl text-primary_gray font-  
interbold">Philippine Red Cross</Text>
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
<Text className="text-base text-primary_gray font-
interbold">Muntinlupa Branch</Text>

</View>
</View>
{loginFailed()}
<View className="w-auto h-auto">
  <InputBox
    keyboardType="email-address"
    value={user.email}
    onChangeText={({val}) => handleInputChange('email', val)}
    title="Enter Email here"
    customize={{ display: "none" }}
    validationError = {emailError || isError}
  />
  <View>
    <InputBox
      value={user.password}
      onChangeText={({val}) => handleInputChange('password', val)}
      title="Enter Password here"
      secureTextEntry = {!isVisible}
      autoCapitalize="none"
      customize={{ display: "none" }} //to remove title of input
      validationError = {passwordError || isError}
    />
    <PasswordVisible onPress={togglePasswordVisibility}
    isVisible={isVisible}/>
  </View>
  <ThemeButton
    title="Sign In"
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
        onPress={handleSignIn}
        disable={isLoading}
        isLoading={isLoading}
      />
      <View className="m-[25]">
        <Text className="color-primary_gray text-base mx-auto">Don't have
an Account?
        <Link href={'./Email'}>
          <Text className="font-interbold text-base color-primary_red">
Sign up</Text>
        </Link>
      </Text>
    </View>
  </View>
</View>
</ThemeContainer>
);};
export default SignIn;
```

app/(auth)/Email.jsx

```
import { View, StatusBar, Alert } from 'react-native';
import { useState } from 'react';
import { useRouter } from 'expo-router';
import ThemeButton from '../components/UI/button/themeButton';
import InputBox from '../components/UI/inputs/inputBox';
import SignUpHeader from '../components/signUpHeader';
import { supabase } from '../lib/supabase';
import { useRegistrationStorage } from
'../hooks/sign_up_hooks/useRegistrationStorage';
```




PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
import useEmailValidation from '../hooks/validation/useEmailValidation';
const Email = () => {
  const [email, setEmail] = useState("");
  const { emailError, setEmailError } = useEmailValidation(email);
  const { addDetails } = useRegistrationStorage();
  const router = useRouter();

  const validateEmail = async () => {
    if(email.trim()=== ""){
      setEmailError('Email is required!')
      return;
    }
    if(emailError) return;
    try {
      const { data, error } = await supabase
        .from('profile')
        .select('email')
        .eq('email', email.toUpperCase());

      if (error) throw new Error(error.message);

      if (data.length > 0) {
        setEmailError('Email is already in used!');
      } else {
        const emailToUpperCase = email.toUpperCase();
        addDetails({ email: emailToUpperCase });
        router.push('sign_up/password');
      }
    } catch (err) {
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```

    Alert.alert('Error', err.message || 'Something went wrong. Please try again.');
```

```

  }
};

return (
  <View className="bg-white h-full flex">
    <SignUpHeader text={`What's your Email?`} />
    <InputBox
      keyboardType="email-address"
      value={email}
      onChangeText={(val) => setEmail(val)}
      title="Enter Email here"
      customize={{ display: 'none' }}
      validationError={emailError}
    />
    <ThemeButton title="Continue" onPress={validateEmail} />
    <StatusBar backgroundColor="#F42F47" style="light" />
  </View>
);
};

export default Email;
```

app/(auth)/sign_up/_layout.jsx

```

import { Stack } from "expo-router";
import React from "react";

const screenOptions = {
  title: "Sign Up",
  headerStyle: { backgroundColor: "#F42F47" },
  headerTintColor: "#fff",
  headerTitleAlign: "center",
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
headerTitleStyle: { fontWeight: "bold" },
};
const _layout = () => {
  const screens = ["phoneNumber", "password", "profile", "address", "bloodType",
"gender", "termAndCondition", ];
  return (
    <Stack>
      {screens.map((screen) => (
        <Stack.Screen key={screen} name={screen} options={screenOptions} />
      ))}
    </Stack>
  );
};
export default _layout;
```

app/(auth)/sign_up/address.jsx

```
import React, { useState, useMemo, useCallback } from 'react';
import { View, ScrollView, Alert } from 'react-native';
import { useRouter } from 'expo-router';
import ThemeButton from '../../../../components/UI/button/themeButton';
import InputBox from '../../../../components/UI/inputs/inputBox';
import DropDown from '../../../../components/UI/inputs/dropDown';
import SignUpHeader from '../../../../components/signUpHeader';
import philData from 'phil-reg-prov-mun-brgy';
import useTextValidation from '../../../../hooks/validation/useTextValidation';
import { useRegistrationStorage } from
'../../../../hooks/sign_up_hooks/useRegistrationStorage';
const Address = () => {
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
const [address, setAddress] = useState({street: "", region: "", province: "",city:
",barangay: ""});
const { addDetails } = useRegistrationStorage();
const { textError: streetError, setTextError: setStreetError } = useTextValidation();
const router = useRouter();
const regionList = useMemo(
  () => philData.regions.map(region => ({ label: region.name, value:
region.reg_code })),[]);
const provinceList = useMemo(() => {
  const provinces = philData.getProvincesByRegion(address.region);
  return provinces.map(province => ({ label: province.name, value:
province.prov_code }));
}, [address.region]);

const cityList = useMemo(() => {
  const cities = philData.getCityMunByProvince(address.province);
  return cities.map(city => ({ label: city.name, value: city.mun_code }));
}, [address.province]);

const barangayList = useMemo(() => {
  const barangays = philData.getBarangayByMun(address.city);
  return barangays.map(barangay => ({ label: barangay.name, value:
barangay.name }));
}, [address.city]);

const getRegionName = useCallback(
  () => philData.regions.find(val => val.reg_code === address.region)?.name ||
'Region not found',
[address.region]);
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
const getProvinceName = useCallback(  
  () => philData.provinces.find(val => val.prov_code === address.province)?.name ||  
  'Province not found', [address.province]);  
  
const getCityName = useCallback(  
  () => philData.city_mun.find(val => val.mun_code === address.city)?.name || 'City  
not found', [address.city]);  
  
const handleProfile = useCallback(() => {  
  const { street, region, province, city, barangay } = address;  
  if (!street || !region || !province || !city || !barangay) {  
    setStreetError('No./Blk./St./Sub. is required');  
    Alert.alert('Complete all fields to continue');  
    return;  
  }  
  setStreetError('');  
  addDetails({  
    address: { street, region: getRegionName(), province: getProvinceName(), city:  
getCityName(), barangay },  
  });  
  router.push('./gender');  
}, [address, addDetails, getRegionName, getProvinceName, getCityName,  
setStreetError, router]);  
  
const updateAddress = (field, value) => {  
  setAddress(prev => ({ ...prev, [field]: value }));  
};
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
return (  
  <View className="bg-white h-full w-full">  
    <ScrollView className="w-full h-full">  
      <SignUpHeader text="What's your Address?" />  
      <DropDown  
        title="Select region"  
        placeholder="Region"  
        list={regionList}  
        onChange={value => updateAddress('region', value)}  
      />  
      <DropDown  
        title="Select province"  
        placeholder="Province"  
        list={provinceList}  
        onChange={value => updateAddress('province', value)}  
      />  
      <DropDown  
        title="Select city"  
        placeholder="City"  
        list={cityList}  
        onChange={value => updateAddress('city', value)}  
      />  
      <DropDown  
        title="Select barangay"  
        placeholder="Barangay"  
        list={barangayList}  
        onChange={value => updateAddress('barangay', value)}  
      />  
      <InputBox
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
detail="No./Blk./St./Sub."
value={address.street}
onChangeText={value => updateAddress('street', value)}
title="No./Blk./St./Sub."
validationError={streetError}

/>

<ThemeButton title="Continue" onPress={handleProfile} />
</ScrollView>
</View>
);
};
export default Address;

app/(auth)/sign_up/bloodType.jsx
import { StyleSheet, Text, TouchableOpacity, View } from "react-native";
import React, { useEffect, useState } from "react";
import ThemeButton from "../../components/UI/button/themeButton";
import { useRouter } from "expo-router";
import SignUpHeader from "../../components/signUpHeader";
import { useRegistrationStorage } from
"../../hooks/sign_up_hooks/useRegistrationStorage";
const BloodType = ({ type, onPress, isSelected }) => {
  return (
    <View>
      <TouchableOpacity
        onPress={() => onPress(type)}
        style={[isSelected && styles.bgBtn]}
        className="w-[75] h-[75] m-1 border-2 border-primary_red rounded-[25px]
flex justify-center items-center"
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
>
  <Text
    style={[isSelected && styles.txtColor]}
    className="text-2xl font-bold text-primary_red"
  >
    {type}
  </Text>
</TouchableOpacity>
</View>
);
};
const styles = StyleSheet.create({
  bgBtn: {
    backgroundColor: "#F42F47",
  },
  txtColor: {
    color: "white",
  },
});
const BloodGroup = () => {
  const [bloodType, getSelectedType] = useState(null);
  const [error, setError] = useState(false);
  const typeList = ["A+", "A-", "B+", "B-", "O+", "O-", "AB+", "AB-"];
  const { addDetails } = useRegistrationStorage();
  const router = useRouter();
  useEffect(() => {
    if (bloodType) {
      setError(false);
    }
  });
}
```




PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```

    }, [bloodType]);
    function handlePressed() {
      if (!bloodType) {
        setError(true);
        return;
      }
      addDetails({ blood_type: bloodType });
      router.push("./termAndCondition");
    }
    return (
      <View className="bg-white h-full">
        <SignUpHeader text={`What's your Blood Type?`} />
        <View className="w-[90%] mx-auto my-2">
          <Text className="text-base text-[#B8B8B8] text-center">
            If you Don't know your blood type just, select any for now.
          </Text>
        </View>
        <View className="w-full mt-8">
          <View className="flex-row flex-wrap justify-center">
            {typeList.map((type, index) => (
              <BloodType
                key={index}
                type={type}
                onPress={() =>
                  type === bloodType
                    ? getSelectedType("--")
                    : getSelectedType(type)
                }
                isSelected={type === bloodType}
              />
            ))}
          </View>
        </View>
      </View>
    );
  }
}

```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
    />
  )))}
</View>
</View>
{error && (
  <Text className="text-center py-5 text-primary_red text-lg font-bold">
    You must select a blood group to proceed
  </Text>
)}
<ThemeButton title={"Continue"} onPress={handlePressed} />
</View>
);
};
export default BloodGroup;

app/(auth)/sign_up/gender.jsx
import { Text, View, Image, TouchableOpacity, StyleSheet } from 'react-native';
import React, { useState } from 'react';
import SignUpHeader from '../components/signUpHeader';
import ThemeButton from '../components/UI/button/themeButton';
import { useRouter } from 'expo-router';
import { useRegistrationStorage } from
'../hooks/sign_up_hooks/useRegistrationStorage';

const Gender = () => {
  const [gender, setGender] = useState("");
  const [error, setError] = useState(false);
  const {addDetails} = useRegistrationStorage();
  const router = useRouter();
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
const handlePress = () => {  
  if (gender === "") {  
    setError(true);  
  } else {  
  
    setError(false);  
    addDetails({gender})  
    router.push('./bloodType');  
  }  
};  
  
return (  
  <View className="bg-white h-full">  
    <SignUpHeader text={`What's your Gender?`} />  
    {error && (  
      <Text style={styles.errorText}>  
        Gender can't be unknown  
      </Text>  
    )}  
    <View className="flex-row justify-center items-center mt-14">  
      <TouchableOpacity className="mx-4 mb-10 rounded-[5px]"  
        style={ gender === 'Male' && styles.selectedButton}  
        onPress={() => setGender('Male')}  
      >  
        <Image className="w-[95px] h-[95px]"  
source={require('../../assets/icon/male.png')} />  
      </TouchableOpacity>  
      <TouchableOpacity className="mx-4 mb-10 rounded-[5px]"
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
      style={ gender === 'Female' && styles.selectedButton}
      onPress={() => setGender('Female')}
    >
      <Image className="w-[95px] h-[95px]"
source={require('../assets/icon/female.png')} />
      </TouchableOpacity>
    </View>
    <ThemeButton
      title={'Continue'}
      onPress={handlePress}
    />
  </View>
);
};

const styles = StyleSheet.create({
  selectedButton: { backgroundColor: '#ECECECE'},
  errorText: {
    color: 'red',
    textAlign: 'center',
  },
});

export default Gender;
```

app/(auth)/sign_up/password.jsx

```
import { View } from 'react-native';
import React, { useState } from 'react';
import ThemeButton from '../components/UI/button/themeButton';
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
import InputBox from '../..../components/UI/inputs/inputBox';
import SignUpHeader from '../..../components/signUpHeader';
import usePasswordVisible from '../..../hooks/sign_in_hooks/usePasswordVisible';
import PasswordVisible from
'../..../components/sign_in__componets/passwordVisible';
import { useRegistrationStorage } from
'../..../hooks/sign_up_hooks/useRegistrationStorage';
import { useRouter } from 'expo-router';

const Password = () => {
  const [password, setPassword] = useState("");
  const [confirmPassword, setConfirmPassword] = useState("");
  const [errors, setErrors] = useState({ password: "", confirmPassword: "" });
  const router = useRouter();
  const { addDetails } = useRegistrationStorage();

  const { isVisible: firstPass, togglePasswordVisibility: toggleFirstPass } =
usePasswordVisible();
  const { isVisible: confirmPass, togglePasswordVisibility: toggleConfirmPass } =
usePasswordVisible();

  const validatePassword = () => {
    let validationErrors = {};

    if (password.trim() === "") {
      validationErrors.password = 'Password is required.';
    } else if (password.length < 6) {
      validationErrors.password = 'Password must be at least 6 characters long.';
    }
  }
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
if (confirmPassword.trim() === "") {  
  validationErrors.confirmPassword = 'Password confirmation is required.';  
} else if (password !== confirmPassword) {  
  validationErrors.confirmPassword = "Passwords don't match!";  
}  
  
if (Object.keys(validationErrors).length > 0) {  
  setErrors(validationErrors);  
  return;  
}  
  
setErrors({});  
addDetails({ password });  
router.push('/phoneNumber');  
};  
  
return (  
  <View className="bg-white h-full">  
    <SignUpHeader text="Create your Password" />  
    <View className="mx-auto">  
      <InputBox  
        value={password}  
        onChangeText={setPassword}  
        title="Enter Password"  
        secureTextEntry={!firstPass}  
        autoCapitalize="none"  
        customize={{ display: 'none' }}  
        validationError={errors.password}
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
</>

<PasswordVisible onPress={toggleFirstPass} isVisible={firstPass} />
</View>
<View className="mx-auto">
  <InputBox
    value={confirmPassword}
    onChangeText={setConfirmPassword}
    title="Confirm Password"
    secureTextEntry={!confirmPass}
    autoCapitalize="none"
    customize={{ display: 'none' }}
    validationError={errors.confirmPassword}
  />
  <PasswordVisible onPress={toggleConfirmPass} isVisible={confirmPass} />
</View>
<ThemeButton onPress={validatePassword} title="Continue" />
</View>
);
};
export default Password;
```

app/(auth)/sign_up/phoneNumber.jsx

```
import {View, SafeAreaView,} from 'react-native'
import {useState} from 'react'
import { StatusBar } from "expo-status-bar"
import React from 'react'
import ThemeButton from '../..../components/UI/button/themeButton'
import InputBoxNum from '../..../components/UI/inputs/inputBoxNum'
import { useRouter } from 'expo-router';
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
import SignUpHeader from '../..../components/signUpHeader'
import { useRegistrationStorage } from
'../..../hooks/sign_up_hooks/useRegistrationStorage'
const sign_up = () => {
  const [number, setPhoneNumber] = useState("");
  const [phoneNumberError, setPhoneNumberError] = useState("");
  const { addDetails } = useRegistrationStorage();
  const router = useRouter();
  const handleSignIn = () => {
    if ( number.trim()=== "" || number.length !== 10) {
      setPhoneNumberError('Invalid Phone Number');
    } else {
      router.push('./profile');
      addDetails({phone_number: number})
    }
  };
  return (
    <View>
      <SafeAreaView className="bg-white h-full">
        <SignUpHeader text={`what's your Phone Number?`} />
        <InputBoxNum
          value={number}
          onChangeText={(numVal) => {
            setPhoneNumberError("");
            setPhoneNumber(numVal);
          }}
          placeholder="Enter your number"
          validationError={phoneNumberError}
        />
      </SafeAreaView>
    </View>
  );
}
```




PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
<ThemeButton title={'Continue'} onPress={handleSignIn}/>
</SafeAreaView>

<StatusBar backgroundColor="#F42F47" style="light" />
</View>
)}

export default sign_up;

app/(auth)/sign_up/profile.jsx
import React, { useState } from 'react';
import { View, ScrollView } from 'react-native';
import { StatusBar } from 'expo-status-bar';
import ThemeButton from '../../components/UI/button/themeButton';
import InputBox from '../../components/UI/inputs/inputBox';
import InputBoxDate from '../../components/UI/inputs/inputBoxDate';
import { useRouter } from 'expo-router';
import SignUpHeader from '../../components/signUpHeader';
import { useRegistrationStorage } from
'../../hooks/sign_up_hooks/useRegistrationStorage';
import useTextValidation from '../../hooks/validation/useTextValidation';
const Profile = () => {
  const [firstName, setFirstName] = useState("");
  const [middleName, setMiddleName] = useState("");
  const [lastName, setLastName] = useState("");
  const [birthDate, setBirthDate] = useState("");
  const { addDetails } = useRegistrationStorage();
  const { textError: firstNameError, setTextError: setFirstNameError } =
useTextValidation();
  const { textError: lastNameError, setTextError: setLastNameError } =
useTextValidation();
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
const { textError: birthDateError, setTextError: setBirthDateError } =
useTextValidation();
const router = useRouter();
const handleProfile = () => {
  let isValid = true;
  if (!firstName.trim()) {
    setFirstNameError('First name is required!');
    isValid = false;
  } else {
    setFirstNameError("");
  }
  if (!lastName.trim()) {
    setLastNameError('Last name is required!');
    isValid = false;
  } else {
    setLastNameError("");
  }
  if (!birthDate) {
    setBirthDateError('Date of birth is required!');
    isValid = false;
  } else {
    setBirthDateError("");
  }
  if (!isValid) return;
  const dateOnly = new Date(birthDate).toISOString().slice(0, 10);
  addDetails({
    first_name: firstName.trim(),
    middle_name: middleName.trim(),
    last_name: lastName.trim(),
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
birth_date: dateOnly,  
});  
router.push('./address');  
};  
return (  
  <View className="bg-white h-full">  
    <ScrollView>  
      <SignUpHeader text="What's your Profile Information?" />  
      <InputBox  
        detail="First Name"  
        value={firstName}  
        onChangeText={(val) => setFirstName(val)}  
        title="Enter First Name"  
        validationError={firstNameError}  
      />  
      <InputBox  
        detail="Middle Name (optional)"  
        value={middleName}  
        onChangeText={(val) => setMiddleName(val)}  
        title="Enter Middle Name"  
        borderWidth={1}  
        borderColor="#EAEAEA"  
      />  
      <InputBox  
        detail="Last Name"  
        value={lastName}  
        onChangeText={(val) => setLastName(val)}  
        title="Enter Last Name"  
        validationError={lastNameError}
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
    />
    <InputBoxDate
      detail="Date of Birth"
      selectedDate={birthDate}
      setSelectedDate={setBirthDate}
      validationError={birthDateError}
    />
    <ThemeButton title="Continue" onPress={handleProfile} />
  </ScrollView>
  <StatusBar backgroundColor="#F42F47" style="light" />
</View>
);
};
export default Profile;

app/(auth)/sign_up/termAndCondition.jsx
import { ScrollView, Text, View,StyleSheet, Image,Pressable} from 'react-native';
import React,{ useState, useEffect } from 'react';
import ThemeButton from '../..../components/UI/button/themeButton'
import { supabase } from '../..../lib/supabase'
import { useRegistrationStorage } from
'../..../hooks/sign_up_hooks/useRegistrationStorage';
const TermAndCondition = () => {
const [condition1, setCondition1] = useState(false);
const [condition2, setCondition2] = useState(false);
const [bgColor1, setBgColor1] = useState("");
const [bgColor2, setBgColor2] = useState("");
const [isLoading, setLoading] = useState(false);
const {data: userDetails} = useRegistrationStorage();
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
useEffect(() => {
  setBgColor1(condition1 ? '#F42F47' : 'transparent');
  setBgColor2(condition2 ? '#F42F47' : 'transparent');
}, [condition1, condition2]);
const handleSubmit=async()=>{
  console.log("read term and Condition", JSON.stringify(userDetail.address, null,2))
  const { error } = await supabase.auth.signUp({
    email: userDetail.email,
    password: userDetail.password,
    options: {
      data:userDetail,
    },
  });
  if (error) {
    console.log("Inserting data Error: ",error.message)
    return;
  }
  console.log('register success')
}
return (
  <View className="flex-1 bg-gray-50">

    <View className="w-full flex-row justify-center mt-10 mb-[40px] mx-auto px-4">

      <View className=" ">
        <Image className="w-16 h-16"
source={require('../../assets/icon/redcross.png')} />
      </View>
      <View className="flex-1 ml-1 justify-center pl-5">
```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```

<Text className="text-2xl text-customgray font-interbold">Philippine Red
Cross</Text>

<Text className="text-base text-customgray font-interbold">Muntinlupa
Branch</Text>

</View>

</View>

<View className="flex-1 justify-end">
  <View className="flex-1">
    <ScrollView className="w-full h-full px-4">
      <Text className="text-base font-bold text-[#3D3D3D]">Term and
      Condition</Text>

      <Text>...</Text>
      <Text>...</Text>
      <Text>...</Text>

      <View className="h-28 w-full flex align-center justify-center px-3">
        <View className="flex-row ">
          <Pressable className="w-4 h-4 border mt-1 mr-2"
style={{backgroundColor: bgColor1}} onPress={()=>setCondition1(!condition1)}/>
          <Text>Accept and understand <Text className="text-primaryRed
font-bold">Term and Conditions.</Text></Text>

        </View>

        <View className="flex-row mt-2">
          <Pressable className="w-4 h-4 border mt-1 mr-2"
style={{backgroundColor: bgColor2}} onPress={()=>setCondition2(!condition2)}/>
          <Text>By using this service, you confirm that you have read,
understand and that you accept our <Text className="text-customgray font-
bold">Term and Conditions.</Text> </Text>

        </View>
      </View>
    </ScrollView>
  </View>
</View>

```



PAMANTASAN NG LUNGSOD NG MUNTINLUPA

```
</ScrollView>

</View>

<View style={{ elevation: 15 }} className=" h-40 pt-8 rounded-t-[40px] bg-
white">

    { condition1 && condition2 ?

        <ThemeButton title={'Submit'} onPress={handleSubmit}
isLoading={isLoading}/>

        :

        <ThemeButton title={'Submit'} disable={true} />

    }

</View>

</View>

</View>

)}

export default TermAndCondition;
```