



ANTI-FATIGUE MATS  
SLIP-RESISTANT MATS  
LOGO MATS  
ENTRANCE MATS AND TILES  
SPECIALTY MATS

**INDUSTRIAL MATTING  
CATALOG**

2020



## M+A Matting · Satisfaction Guaranteed

M+A mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for the life of the product.

At M+A, we are committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet, and rubber waste we generate. Our commitment is also evident in our development of dozens of mat styles that contain recycled raw materials.

For over five decades, M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products, and high performance entrance matting. If you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety, or increase worker comfort, ask for M+A Matting.



## TABLE OF CONTENTS

Product Feature Guide.....	2, 3
Benefits of Anti-Fatigue Mats.....	4
Compression Deflection & Durometer Comparison.....	5
ESD Matting.....	6
Chemical Compatibility of Nitrile Rubber.....	7
Mat Symbols.....	8, 9
Mat Selector Guide.....	10, 11
Product Comparisons (M+A vs The Competition).....	12, 13

PAGE 14

**ANTI-FATIGUE &  
SLIP RESISTANT  
MAT COLLECTION**

PAGE 32

**ERGONOMIC  
MODULAR TILE  
MAT COLLECTION**

PAGE 40

**LOGO MAT, SIGN  
MAT & MESSAGE  
MAT COLLECTION**

PAGE 48

**INTERIOR-EXTERIOR  
MAT AND TILE  
COLLECTION**

PRODUCT NAME	MAT TYPE	PLACEMENT	PAGE#
<b>Types of Industrial Mats &amp; Thickness Guide .....</b>			16
HOG HEAVEN® .....	Anti-Fatigue .....	Dry/Damp .....	17
CUSHION MAX™ .....	Anti-Fatigue .....	Dry/Damp .....	18
HAPPY FEET® .....	Anti-Fatigue .....	Dry/Wet .....	19
HOG HEAVEN® PRIME® .....	Anti-Fatigue .....	Dry/Damp .....	20
HOG HEAVEN® MARBLE .....	Anti-Fatigue .....	Dry .....	20
GETFIT STANDUP® .....	Anti-Fatigue .....	Dry/Damp .....	21
HOG HEAVEN® FASHION .....	Anti-Fatigue .....	Dry/Damp .....	21
COMPLETE COMFORT™ II .....	Anti-Fatigue .....	Dry/Wet .....	22
COMPLETE COMFORT™ .....	Anti-Fatigue .....	Dry/Damp .....	23
CUSHION STATION™ .....	Anti-Fatigue .....	Dry/Wet .....	24
COMFORT FLOW™ & COMFORT SCRAPE™ .....	Slip-Resistant/Anti-Fatigue...Dry/Wet .....	25	
WET STEP® .....	Slip-Resistant/Anti-Fatigue...Dry/Wet .....	26	
KNEELING COMFORT™ .....	Anti-Fatigue .....	Dry/Damp .....	27
SURE CUSHION PRODUCTS & SURE TREAD V-GROOVE .....	Floor Protection .....	Dry .....	28
TRACTION TREAD .....	Slip-Resistant .....	Dry/Damp .....	29
TRACTION TREAD SOFT .....	Slip-Resistant/Anti-Fatigue...Dry/Damp .....	29	
CORRUGATED SWITCHBOARD & DIAMOND SWITCHBOARD .....	Non-Conductive .....	Dry .....	30
MILITARY SWITCHBOARD (DIAMOND & SMOOTH) .....	Non-Conductive .....	Dry .....	31
<b>Site Assessment.....</b>			34
<b>M+A Modular Mats vs. The Competition .....</b>			35
HOG HEAVEN III® COMFORT .....	Anti-Fatigue .....	Dry/Damp .....	36,37
HOG HEAVEN III® TRAFFIC .....	Anti-Fatigue .....	Dry/Damp .....	38
COMFORT FLOW™ HD .....	Slip-Resistant/Anti-Fatigue...Dry/Wet .....	39	
<b>The M+A Logo Mat Program.....</b>			42
WATERHOG IMPRESSIONS HD® .....	Scrapper/Wiper .....	Indoor/Outdoor .....	43
WATERHOG® LOGO INLAY .....	Scrapper/Wiper .....	Indoor/Outdoor .....	44
CLASSIC IMPRESSIONS™ HD & GRAND IMPRESSIONS HD .....	Wiper .....	Indoor .....	45
CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE .....	Wiper .....	Indoor .....	46
COLORSTAR® IMPRESSIONS .....	Wiper .....	Indoor .....	46
HOG HEAVEN® IMPRESSIONS .....	Anti-Fatigue .....	Indoor .....	47
SUPERSCRAPE IMPRESSIONS™ .....	Scrapper .....	Indoor/Outdoor .....	47
<b>The Wonderful World of WaterHog .....</b>			48,49
<b>Preventitive Maintenance, Entrance Mat Types, Slip-and-Fall Facts .....</b>			50
WATERHOG® .....	Scrapper/Wiper .....	Indoor/Outdoor .....	51
WATERHOG® DIAMOND .....	Scrapper/Wiper .....	Indoor/Outdoor .....	52
WATERHOG® GRAND .....	Scrapper/Wiper .....	Indoor/Outdoor .....	53
WATERHOG® ECO GRAND .....	Scrapper/Wiper .....	Indoor/Outdoor .....	54
WATERHOG® ECO ELITE .....	Scrapper/Wiper .....	Indoor/Outdoor .....	55
WATERHOG® ECO PREMIER .....	Scrapper/Wiper .....	Indoor/Outdoor .....	56
WATERHOG® ECO ELITE ROLL GOODS .....	Scrapper/Wiper .....	Indoor/Outdoor .....	57
WATERHOG® DIAMONDCORD .....	Scrapper/Wiper .....	Indoor .....	58
WATERHOG® MASTERPIECE® SELECT .....	Scrapper/Wiper .....	Indoor .....	58
WATERHOG® PLUS .....	Scrapper/Wiper .....	Indoor/Outdoor .....	59
WATERHOG® LOW PROFILE .....	Scrapper/Wiper .....	Indoor/Outdoor .....	59
WATERHOG® TILE .....	Scrapper/Wiper .....	Indoor/Outdoor .....	60
WATERHOG® MODULAR TILE .....	Scrapper/Wiper .....	Indoor/Outdoor .....	60
WATERHOG® FORKLIFT .....	Scrapper/Wiper .....	Indoor/Outdoor .....	61
MELT STEP® .....	Slip-Resistant .....	Outdoor .....	62
FRONTIER .....	Scrapper/Slip-Resistant .....	Indoor/Outdoor .....	63
SUPERSCRAPE™ & SUPERSCRAPE PLUS® .....	Scrapper/Slip-Resistant .....	Indoor/Outdoor .....	63
MICROLUXX™ .....	Wiper .....	Indoor .....	64
COLORSTAR® .....	Wiper .....	Indoor .....	64
ENVIRO PLUS® .....	Wiper .....	Indoor .....	65
PLUSH™ .....	Wiper .....	Indoor .....	65
IMPRESSIONIST .....	Wiper .....	Indoor .....	66
COBBLESTONE .....	Wiper .....	Indoor .....	66
SURE STRIDE® .....	Slip-Resistant .....	Indoor .....	67
SURE STRIDE® PLUSH .....	Slip-Resistant .....	Indoor .....	67
CLEAN STRIDE® .....	Specialty .....	Indoor .....	68
<b>About M+A Matting .....</b>			69
MESSAGE MATS.....	Wiper .....	Indoor .....	70-71
SURE STRIDE® IMPRESSIONS .....	Specialty .....	Indoor .....	71
STICK-AND-STAND™ .....	Specialty .....	Indoor .....	72
SURE STRIDE® DIRECTIONAL .....	Specialty .....	Indoor .....	72
STEPWELL™ SANITIZING MAT .....	Specialty .....	Indoor .....	73
STEPWELL™ SANITIZING TRAY .....	Specialty .....	Indoor .....	73

# M+A Matting Product Feature Guide

Item	Category	Page Number	Wet Areas	Damp Areas	Oil/Grease Resistant	Oil/Grease Proof	Chemical Resistant	Antimicrobial Treated	Welding Safe	Electrically conductive	Static Dissipative	Anti-Static	Non-conductive
<b>Anti-Fatigue</b>													
Comfort Flow		25	X			X	X	X	X	X			
Comfort Flow HD		39	X			X	X	X	X	X			
Comfort Scrape		25	X			X	X	X	X		X		
Complete Comfort		23		X	X		X	X				X	
Complete Comfort II		22	X			X	X	X	X		X		
Cushion Max		18		X	X		X					X	
Cushion Station		24	X			X	X	X	X		X		
GetFit StandUp (fabric and designer top)		21										X	
Happy Feet		19	X			X	X		X	X			
Hog Heaven		17		X		X*	X		X	X			
Hog Heaven Fashion		21										X	
Hog Heaven Marble		20										X	
Hog Heaven Prime		20		X		X*	X		X	X			
Hog Heaven III Comfort		36, 37		X		X*	X		X	X			
Hog Heaven III Traffic		38		X		X	X		X	X			
Kneeling Comfort		27		X		X*	X		X	X			
Sure Cushion Products		28											
Traction Tread Soft		29		X	X		X	X	X		X		
<b>Slip Resistant Matting</b>													
Melt Step		62	X			X	X		X				
SuperScrape & SuperScrape Plus		63	X			X	X		X				
Sure Stride & Sure Stride Plush		67		X				X					
Traction Tread		29		X		X	X		X	X			
Wet Step		26	X			X	X	X	X		X		
<b>Non Conductive Matting</b>													
Switchboard Matting		30-31										X	
<b>Logo Mats</b>													
ColorStar Impressions		46			X								
Classic Impressions HD		45-46		X							X		
Hog Heaven Impressions		47		X	X		X		X				
SuperScrape Impressions		47		X	X								
WaterHog Impressions HD		43		X								X	
WaterHog Inlay		44		X								X	

\*The 100% nitrile rubber surface is grease/oil proof; the nitrile-blended cushion is grease/oil resistant

# M+A Matting Product Feature Guide

Item	Category	Page Number	Wet Areas	Damp Areas	Oil/Grease Resistant	Oil/Grease Proof	Chemical Resistant	Antimicrobial Treated	Welding Safe	Electrically conductive	Static Dissipative	Anti-Static	Non-conductive
<b>Entrance Way Mats</b>													
Brush Hog		-		X									
Classic Brush		-		X									
Cobblestone		66		X									
ColorStar		64		X									
Enviro Plus		65		X							X		
Frontier		63	X										
Impressionist		66		X									
MicroLuxx		64		X									
Plush		65		X									
Stylist		-		X									
SuperScrape & SuperScrape Plus		63	X			X	X		X				
WaterHog		51		X								X	
WaterHog Diamond		52		X								X	
WaterHog Diamondcord		58		X								X	
WaterHog Eco Elite		55		X								X	
WaterHog Eco Grand		54		X								X	
WaterHog Low Profile		59		X								X	
WaterHog Masterpiece Select		58		X								X	
WaterHog Plus		59		X								X	
WaterHog Tile		60		X								X	
Victory		-		X									
<b>Specialty Mats</b>													
Clean Stride		68										X	
Sure Tread V-Groove		28											
WaterHog Forklift		61		X								X	

## The Benefits of Anti-Fatigue Mats



**Anti-Fatigue mats** alleviate stress to the back and legs by providing a cushioned surface to stand on.


**Anti-Fatigue mats** are perfect for people who have to stand or work in the same place for continual periods of time.

**Anti-Fatigue mats** are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

**M+A Matting Anti-Fatigue mats** have been shown to do the following:

- **REDUCE ENERGY CONSUMPTION BY UP TO 50%** in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



### BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

### IMBALANCED

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain



## Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip-and-fall accidents (NSC).
- Compensation and medical costs associated with employee slip-and-fall accidents total approximately \$70 Billion annually (NSC).
- The average cost of a slip-and-fall injury exceeds \$12,000 (Wausau Insurance).
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI).
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates, and absenteeism.
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue.

Testing shows that ergonomic matting can reduce worker fatigue.

# Compression Deflection & Durometer (Hardness) Comparison



## Compression Deflection

### General Principal

1. This test was designed to assess and compare performance characteristics of a variety of industrial anti-fatigue mats submitted for testing. Two specific load levels were applied to the test samples and the results show the deflection measured. The two specific load levels performed were 20 psi, equal to a 150 pound human and 40 psi, equal to a 600 pound human.
2. Readings suggest that less than 20% deflection could be perceived as too hard and readings above 60% deflection could be perceived as too soft. It appears that between 20% and 60% deflection anti-fatigue properties can be felt.

## Durometer/Hardness

### General Principal

The hardness of a test sample is measured by means of a Type A Shore Durometer. The Durometer measures the penetration of its specified indenter forced into the test material under specified conditions. The lower readings indicate softer materials.

## TEST RESULTS



### COMPETITOR'S

<b>Comfort Flow™ &amp; Cushion Station™</b> Comfort Flow: 43.8% deflection @20psi 55.7% deflection @40psi Cushion Station: 41.2% deflection @20psi 57.4% deflection @40psi Durometer/Hardness: Comfort Flow: 45 Cushion Station: 45	<b>Traditional Industrial Red Mat</b> 11% deflection @20psi 22% deflection @40psi Durometer/Hardness: 70
<b>Cushion Max</b> 61.7% deflection @20psi 77.5% deflection @40psi	<b>PVC Foam</b> 38% deflection @20psi 59% deflection @40psi
<b>Hog Heaven® 5/8"</b> 47.8% deflection @20psi 61.6% deflection @40psi Durometer/Hardness: 56	<b>Diamond Plate 5/8"</b> 48% deflection @20psi 65% deflection @40psi Durometer/Hardness: 85



# **ESD Matting**

**ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.**

ESD Matting is divided into three classifications:

1. **Electrically Conductive** is rated  $10^1$  to  $10^5$  and accepts static electricity the quickest. This is the most often used ESD matting.
  2. **Static Dissipative** is rated  $10^6$  to  $10^9$  and is the middle range of ESD matting.
  3. **Anti-Static** is rated  $10^{10}$  to  $10^{12}$  and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.

Electrically Conductive Mats		Static Dissipative Mats	
<b>Comfort Flow™ HD</b>		<b>Comfort Flow™</b>	
Surface to Surface		Surface to Surface	
50% Relative Humidity $4.6 \times 10^4$ Ohms		12% Relative Humidity $6.2 \times 10^4$ Ohms	
<b>Happy Feet®</b>		<b>Comfort Scrape™</b>	
Surface to Surface		Surface to Surface	
50% Relative Humidity $1.9 \times 10^4$ Ohms		12% Relative Humidity $2.0 \times 10^4$ Ohms	
<b>Hog Heaven®</b>		<b>Complete Comfort™ II</b>	
Surface to Surface		Surface to Surface	
50% Relative Humidity $2.6 \times 10^5$ Ohms		12% Relative Humidity $3.0 \times 10^5$ Ohms	
<b>Hog Heaven III® Comfort</b>		<b>Cushion Station™</b>	
Surface to Surface		Surface to Surface	
50% Relative Humidity $9.4 \times 10^5$ Ohms		12% Relative Humidity $3.4 \times 10^9$ Ohms	
<b>Hog Heaven III® Traffic</b>		<b>Traction Tread Soft</b>	
Surface to Surface		Surface to Surface	
50% Relative Humidity $1.7 \times 10^5$ Ohms		12% Relative Humidity $3.9 \times 10^9$ Ohms	
<b>Traction Tread</b>		<b>50% Relative Humidity <math>6.0 \times 10^4</math> Ohms</b>	<b>12% Relative Humidity <math>6.0 \times 10^5</math> Ohms</b>
Surface to Surface		Surface to Surface	
50% Relative Humidity $6.2 \times 10^4$ Ohms		12% Relative Humidity $1.5 \times 10^5$ Ohms	

## Accessories

**Ground Cords** are used to allow static electricity to pass more efficiently to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover.

**Heel Grounders** are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.





Product No. 9911



Product No. 924



## Chemical Compatibility of Nitrile Rubber Products

	Chemical Tested	Rating	Applies to these products:	
A	Aliphatic Hydrocarbons - Kerosene, Etc.	1		
B	Animal & Vegetable Oils	1		
C	Aromatic Hydrocarbons - Benzol, Toluol, Etc.	1		
D	Bleach	1		
E	Concentrated Alkali	1		
F	Cutting Oil	1		
G	Denatured Alcohol	1		
H	Diesel	1		
I	Dilute Alkali	1		
J	Engine Oil	1		
K	Gasoline	1		
L	Hydraulic Fluid Silicate Ester	1		
M	Hydraulic Fluid Water Glycol	1		
N	L.P. Gas, Fuel Oils	1		
O	Lubricating Oils - High Aniline	1		
P	Lubricating Oils - Low Aniline Point	1		
Q	Mineral Spirits	1		
R	Muriatic Acid - 30%, 20 Degrees Baume	1		
S	Phosphoric Acid	1		
T	Pine Cleaner	1		
U	Refrigerants, Ammonia	1		
V	Sodium Hydroxide, Rayon Grade, 25%	1		
W	Sulphuric Acid - 30%	1		
X	Transmission Fluid	1		
Y	WD40	1		
Z	Water	1		
AA	Window Cleaner	1		
BB	Anti-Freeze	2		
CC	Brake Fluid	2		
DD	Calcium Hypochlorite - 12%	2		
EE	Chlorine Bleach - 12.5%	2		
FF	Hydraulic Fluid - Petroleum Base	2		
GG	Steam	2		
HH	Butyl Alcohol	3		
II	Isopropyl Alcohol - 99%	3		
JJ	Acetic Acid - 56%	4		
KK	Acetone	4		
LL	Cyclohexane	4		
MM	Refrigerants, Methyl Chloride	4		

1 = Little or no effect

2 = Minor to moderate effect

3 = Moderate to severe effect

4 = Not recommended

## Mat Symbols

### Anti-Fatigue



Ergonomic mats and floor tiles reduce fatigue by up to 50%. Anti-fatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.

### Safety



Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.

### Chemical Resistant



Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.

### Oily Environment



Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils,etc.

### Wet Areas



Matting recommended for wet areas; mats with this designation will maintain all functionality even in standing water. They have openings designed to let water pass through the mat and keep the work surface dry, or are otherwise designed to be slip-resistant in wet environments.

### Damp Areas



Matting that maintains slip-resistance even when surface is damp or wet temporarily.

### ESD



Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.

### Welding Safe




Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.

## Mat Symbols



### Anti-Slip

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.




### Non-Conductive

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.



### Cart Traffic

Matting and tiles designed to withstand heavy cart traffic, and is also an ideal placement around heavy objects.



### Anti-Microbial

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



### Interlocking Floor Tiles / Mats

Tiles that can be customized to fit large work areas and various shapes around work tables, machinery, conveyors, etc. Interlocking tiles may be easily reconfigured as equipment is moved.



### Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



### Scraper/Wiper


Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.




### Wiper

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.

# Mat Selector G



# uide Industrial



Mat	Area
G,E	Cafeteria/Break
K,A	Clean Room
M,L	Dry Assembly
F,Q	Electric Panel
R, H	Entrance
C,G	Eyewash Stn.
G,C	Food Prep
I,G	Locker Room
L,M	Mail & Samples
L,P	Maintenance
M,L	Manufacturing
M,L	Molding
S,J	Offices
L,M	Quality Control
O,N	Paint
L,M	Quality Control
S,B	Reception
L,M	Rework
L,M	Shipping/Receive
M,L	Stamping
O,N	Test Lab
L,M	Tool Stores
T,U	Vestibule
L,M	Warehouse
M,L	Welding
C,D	Wet Assembly

LTR	Mat Style	Prod. #
A	Clean Stride	#412
B	Classic Solutions	#120
C	Comfort Flow	#420
D	Comfort Flow Mod. Tile	#4430
E	Comfort Scrape	#430
F	Corrugated Switchbrd.	#781
G	Cushion Station	#370 371
H	SuperScrape	#555
I	Frontier	#437
J	GetFit StandUp	#4442
K	Happy Feet	#465
L	Hog Heaven	#424
M	HH3 Comfort Mod. Tile	#4471
N	HH3 Traffic Mod. Tile	#4477
O	Hog Heaven Marble Top	#448
P	Kneeling Comfort	#433
Q	Military Switchbrd. Dmnd.	#789
R	Superscrape Plus	#5558
S	ColorStar	#100
T	WaterHog	#200 280
U	WaterHog Mod. Tile	#2210

The first letter denotes **Best** choice, the second letter is a **Good** secondary option for the corresponding areas of the facility.

These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

## Are you getting the most from your anti-fatigue mats?



**Hog Heaven®**



**Diamond-Plate Select**

Durable nitrile rubber surface; nitrile-blended foam cushion

PVC (vinyl) surface; PVC foam cushion

Slip-resistant, even when wet (0.85 wet per ASTM C1028-96)

Slippery when wet (0.17 wet per ASTM C1028-96)

Welding Safe

Not recommended for welding

Oil/grease proof surface; oil/grease resistant cushion

Not recommended for use around oil/chemicals

Electrically conductive

No anti-static benefits

Rubber borders will not ripple or curl

PVC borders will ripple & curl over time


Cushion is permanently molded to surface

Cushion is glued to surface and can delaminate

100% customer satisfaction guarantee

Limited warranties which vary by manufacturer

## Do you want urethane comfort at an affordable price?



**Hog Heaven Prime®**



**Commercial Grade Urethane**

\$75.00

2' x 3' Retail Price

\$120.00

5/8"

Thickness

3/4"

53% at 20 psi, 67.4% at 40 psi

Compression Deflection

12% at 20 psi, 34% at 40 psi

.61 grams (-1.92%)

Taber Abrasion

-1.20 grams (-3.22%)

28.44 lbs

Tensile Strength

29.47 lbs

21.7 lbs

Tear Strength

8.8 lbs

18.4 lbs

Puncture Test

18.7 lbs

Yes

Electrically Conductive

No

Yes

Welding Safe

No

Yes

Chemical Resistant

No

Yes

Slip Resistant Backing

No

100% customer satisfaction guaranteed


Warranty

Limited

## Are all industrial mats the same?



**Comfort Flow™**




**Traditional Drainable Mats**

Made of durable nitrile rubber foam	Made of rubber
Grease/oil proof & chemical resistant	Claims grease/oil proof & chemical resistance (not made of 100% nitrile, meaning grease/oil will degrade mat)
Superior anti-fatigue properties	Minimal anti-fatigue properties
Anti-microbially treated for odor control	No anti-microbial treatment
Light weight, easy to lift, roll, and clean	Heavy, difficult to move/roll
Beveled edges allow carts to easily roll over	No beveled edges; can create tripping hazard
100% customer satisfaction guaranteed	Limited warranty

## Similar cost... twice the life!




**Cushion Max™**



**PVC Foam Cushion**

Nitrile-blended closed-cell foam	PVC Foam
Durable diamond pattern surface	Ribbed surface (prone to peeling & shaving)
5/8" thickness	3/8" thickness
Drainable; can be used in wet environments	Non-drainable; not suitable for wet environments
Excellent anti-fatigue properties	Minimal anti-fatigue properties
100% customer satisfaction guaranteed	1-year warranty





**ANTI-FATIGUE,  
SLIP-RESISTANT, & FLOOR  
PROTECTION  
MAT COLLECTION**

HOG HEAVEN®

CUSHION MAX™

HAPPY FEET®

HOG HEAVEN PRIME®

HOG HEAVEN® MARBLE

GETFIT STANDUP® MAT

HOG HEAVEN® FASHION

COMPLETE COMFORT™ II

COMPLETE COMFORT™

CUSHION STATION™

COMFORT FLOW™

COMFORT SCRAPE™

WET STEP®

KNEELING COMFORT™

SURE CUSHION RIBBED

SURE CUSHION TEXTURE

SURE CUSHION HEAVY DUTY

SURE CUSHION YELLOW BORDER

SURE TREAD V-GROOVE

TRACTION TREAD

TRACTION TREAD SOFT

CORRUGATED SWITCHBOARD

DIAMOND PLATE SWITCHBOARD

MILITARY SWITCHBOARD

MILITARY SWITCHBOARD SMOOTH



## Anti-Fatigue Mats

Provide Comfort and Increase Productivity

Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.



## Slip Resistant and Safety Mats

Protect Against Slips and Falls


Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



## Flow Through Mats

Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.



## Runner and Floor Protection Matting

Runner matting covers inside walkways and helps reduce slips and falls. Slips and falls are a leading cause of accidents in the workplace and providing sure footing is important to help decrease these types of accidents. Runner matting also protects the floor from parts or other objects being dropped, as well as aids in noise abatement.



## Switchboard Matting

Switchboard matting protects workers from dangerous and harmful deadly shocks that can occur with electrical switchboards. This matting keeps the workers from being grounded and insulates them against high voltage. Switchboard matting is commonly referred to as non-conductive matting.

## Mat Thicknesses





Hog Heaven  
Caution Yellow

## HOG HEAVEN® Anti-Fatigue • Slip-Resistant

5/8" Black Border	Product No. 421
5/8" Yellow Border	Product No. 423
7/8" Black Border	Product No. 422
7/8" Yellow Border	Product No. 424

- Comfortable** – High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe** - Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable** – Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile** - Welding safe; grease/oil proof surface (resistant cushion); chemical resistant; ESD rating of electrically conductive
- Available in 5/8" or 7/8" thicknesses with solid black or with OSHA-approved caution yellow borders
- Can be customized with your logo, design, or message (see Hog Heaven Impressions)

### SIZES

2' x 3'  
3' x 5'  
3' x 12'  
4' x 6'  
4.8' x 8'  
Additional lengths up to 60'.  
See price list for all additional sizes.

Sizes are approximate.



Dry or Damp / Indoor

Hog Heaven  
Black



Black

Caution Yellow





Dry or Damp / Indoor



Cushion Max



Cushion Max  
with holes

## CUSHION MAX™

Anti-Fatigue • Slip-Resistant • Flow Through

5/8" with holes      Product No. 413  
5/8" without holes      Product No. 414

- **Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)

### SIZES

2' x 3'  
3' x 5'  
3' x 12'  
4' x 6'

Additional lengths up to 45'. See price list for all additional sizes.

- **Comfortable** – 5/8" nitrile-blended closed-cell foam provides superior anti-fatigue properties

Sizes are approximate.

- **Durable** – Diamond-pattern surface provides increased durability compared to ribbed surfaces which tend to peel and shave; grease/oil resistant; chemical resistant

- Available with drainage holes for wet area applications





## HAPPY FEET®

Anti-Fatigue • Slip-Resistant

### BLACK BORDER

1/2" Textured Surface

Product No. 465

1/2" Grip Surface

Product No. 475

### CAUTION YELLOW BORDER

1/2" Textured Surface

Product No. 466

1/2" Grip Surface

Product No. 476



### MAT SIZES

2' x 3'

3' x 5'

Sizes are approximate.

- Comfortable** – 1/2" dense foam cushion encapsulated in nitrile rubber provides excellent anti-fatigue qualities
- Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); low profile beveled edges provide a safe floor-to-mat transition
- Durable** – Borders will not crack or curl; nitrile rubber surface is penetration proof
- Versatile** – Welding safe; grease/oil proof; chemical resistant; ESD rating of electrically conductive
- Available in two surface types: textured surface for dry/damp environments or grip surface for wet areas where additional traction is needed; Happy Feet with textured surface can be autoclave sterilized
- Available in solid black or with OSHA-approved caution yellow borders



Happy Feet  
Textured Surface  
Caution Yellow Border





Dry or Damp /  
Indoor



## HOG HEAVEN PRIME®

Anti-Fatigue • Slip-Resistant

5/8" Black

5/8" Caution Yellow

Product No. 4220

Product No. 4221

- Comfortable** – High-density nitrile-blended cushion runs edge to edge and helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); beveled edges will not crack or curl and provide a safe transition from floor to mat
- Durable** – Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile** – High-heel safe; grease/oil proof surface (resistant cushion); chemical resistant; welding safe; ESD rating of electrically conductive
- Available in solid black or with OSHA-approved caution yellow borders

### SIZES

2' x 3'  
3' x 5'  
3' x 10'  
Sizes are approximate.

Black

Caution Yellow



Dry / Indoor

## HOG HEAVEN® MARBLE TOP

Anti-Fatigue • Slip-Resistant

5/8" Product No. 448

7/8" Product No. 449


- Comfortable** – High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort; smooth rubber top allows workers to pivot freely
- Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable** – Rubber surface is molded, not glued, to the nitrile-blended cushion so it will not separate
- Easy to Clean** – Smooth diamond-patterned rubber surface is easy to clean
- Available in 5/8" or 7/8" thicknesses and 3 neutral colors to blend with any décor

### SIZES

2' x 3'  
3' x 5'  
3' x 12'  
4' x 6'

Additional lengths up to 60'. See price list for all additional sizes.

Sizes are approximate.



Midnight Swirl




Blue Merle

Granite Dusk

Midnight Swirl



Dry or Damp / Indoor



## GETFIT STANDUP® MAT

Anti-Fatigue • Slip-Resistant


5/8" Fabric Top  
5/8" Rubber Top

Product No. 4443  
Product No. 4447

- **Comfortable** – 5/8" nitrile-blended cushion provides excellent anti-fatigue properties and alleviates pain from extended standing
  - **Safe** – Beveled edges provide a seamless transition from floor to mat; edges will not crack or curl
  - **Stain-Resistant**
  - Available in 2 surface types – an environmentally-friendly PET fabric top (made from recycled plastic bottles) and a rubber top\* for maximum durability
- \* Rubber top is grease/oil resistant; chemical resistant; welding safe; ESD rating of electrically conductive

### SIZES

22" x 32"  
22" x 50"  
22" x 60"  
34" x 47"  
34" x 60"



Coal Black

Cobalt Blue

Cocoa Brown

Granite

Red

Black Rubber Top

## HOG HEAVEN® FASHION

Anti-Fatigue • Slip-Resistant

5/8" Product No. 441

7/8" Product No. 442

- **Comfortable** – High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** – Solution-dyed fabric surface is fade resistant and molded, not glued, to the nitrile-blended cushion so it will not separate
- **Attractive** – Available in four neutral colors to blend with virtually any décor
- Available in 5/8" or 7/8" thicknesses

### SIZES

2' x 3'  
3' x 5'  
3' x 12'

Additional lengths up to 60'.  
See price list for all additional sizes.

Sizes are approximate.




Dry or Damp / Indoor



Cobalt Blue

Cobalt Blue



Coal Black

Cobalt Blue

Cocoa Brown

Granite





Dry or Wet / Indoor

## COMPLETE COMFORT™ II

Anti-Fatigue • Slip-Resistant

1/2" Product No. 594

- **Comfortable** – 1/2" thick nitrile foam provides superior anti-fatigue properties
- **Clean** – Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** – Beveled edges provide a safe transition from floor to mat
- **Versatile** – Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- **Easy to Clean** – Can be autoclave sterilized; can withstand commercial laundering

### SIZES

2' x 3'

3' x 4'

3' x 5'

4' x 6'

Sizes are approximate.



## COMPLETE COMFORT™

Anti-Fatigue • Slip-Resistant • Flow Through

5/8" without holes      Product No. 494  
5/8" with holes      Product No. 496

- **Comfortable** – 5/8" thick nitrile-blended foam provides superior anti-fatigue properties
- **Clean** – Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Easy to Clean** – Lightweight and flexible for easy handling and cleaning
- Grease/oil resistant; chemical resistant
- Available with drainage holes for use in wet environments

### SIZES

2' x 3'  
3' x 4'  
3' x 5'  
3' x 10'  
4' x 6'  
4' x 8'  
3' and 4' widths available in lengths up to 75'. See price list for all additional sizes.  
Sizes are approximate.



Dry or Damp / Indoor

Complete Comfort with holes





Cushion Station with holes

## CUSHION STATION™

Anti-Fatigue • Slip-Resistant • Flow Through

7/16" without holes	Product No. 370
7/16" with holes	Product No. 371

- Comfortable** – 7/16" nitrile foam provides excellent anti-fatigue properties
- Clean** – Anti-microbial treatment provides lifetime protection from odors and degradation
- Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Versatile** – Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean** – Flexible construction makes this mat easy to clean; can be autoclave sterilized
- Available with drainage holes for wet area applications


### SIZES

2' x 3.2'  
3.2' x 5.3'  
3.2' x 8.3'  
3.2' x 12.3'  
3.2' x 16.1'  
3.2' x 20.1'  
4' x 5.92'  
4' x 8.3'  
4' x 12.3'  
4' x 16.1'  
4' x 20.1'

Sizes are approximate.



Dry or Wet / Indoor



Cushion Station

Cushion Station with holes



Comfort Flow

## COMFORT SCRAPE™

Slip-Resistant • Anti-Fatigue

3/8" Comfort Scrape

Product No. 430

## COMFORT FLOW™

Slip-Resistant • Flow Through • Anti-Fatigue

3/8" Comfort Flow

Product No. 420

- Clean** - Lifetime anti-microbial treatment prevents odors and degradation of the mat
- Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Comfortable** - High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Versatile** - Grease and oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean** - Lightweight flexible design ensures easy handling and cleaning
- Comfort Flow has drainage holes to allow liquids to flow through. Comfort Scrape has a non-draining surface

### SIZES

2' x 3'  
3' x 5'  
4' x 6'  
3' x 9'

Sizes are approximate.



Dry or Wet / Indoor or Outdoor



Comfort Flow



Comfort Scrape





Dry or Wet / Indoor or Outdoor

## WET STEP®


Slip-Resistant • Flow Through • Anti-Fatigue

1/4" Product No. 789

- **Slip-Resistant & Safe** - Drainage holes allow water to freely drain away; certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** -  $\frac{1}{4}$ " thick high-density nitrile rubber foam provides anti-fatigue properties making it very comfortable for bare feet
- **Clean** - Anti-microbially treated to help prevent odors and degradation; can be autoclave sterilized
- **Durable** - Nitrile rubber foam is UV resistant and provides years of service life
- Recommended for pools, spas, showers, locker rooms, and other wet areas

### SIZES

17" x 24"  
2' x 3'  
3' x 5'  
3' x 10'  
3' x 20'  
Additional lengths up to 20'. See price list for all additional sizes.  
Sizes are approximate.



# KNEELING COMFORT™


Anti-Fatigue • Slip-Resistant

7/8" Product No. 433

- **Comfortable** – 7/8" cushion reduces knee trauma and lower back stress
- **Clean** – Closed-cell nitrile rubber foam will not absorb liquids and wipes clean with soap and water
- **Durable** – Grease/oil proof surface (resistant cushion); chemical resistant; welding safe
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); ESD rating of electrically conductive
- **Convenient** – Built-in handle enables easy transportation and storage

## SIZES

12" x 22"  
18" x 30"  
Sizes are approximate.



Kneeling Comfort



Dry or Damp / Indoor or Outdoor



[www.mamatting.com](http://www.mamatting.com)



Dry / Indoor

\* PVC foam mats are not guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.



Floor Protection • Anti-Fatigue

## SURE CUSHION RIBBED

### 3/8" Product No. 415

- Ribbed PVC foam\*

#### SIZES

2' x 3'	2' x 60'
3' x 5'	3' x 60'
3' x 12'	4' X 60'

Additional lengths up to 60'. See price list for all additional sizes.  
Sizes are approximate.

## SURE CUSHION TEXTURE

### 3/8" Product No. 425

- Textured PVC foam\*

#### SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes.  
Sizes are approximate.

## SURE CUSHION HEAVY DUTY

### 1/2" Product No. 428

- PVC foam for heavy use areas\*
- 80 mil solid vinyl surface combined with a non-closed cell vinyl cushion back
- Beveled on all sides for safety

#### SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes.  
Sizes are approximate.

## SURE CUSHION YELLOW BORDER

### 3/8" Product No. 427

- PVC foam with yellow border on two sides\*

#### SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes.  
Sizes are approximate.

## SURE TREAD V-GROOVE

### 1/8" Product No. 505

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines, and ramps
- Can be rolled for easy storage

#### SIZES

3' x 105'  
4' x 105'  
Additional lengths available.  
Sizes are approximate.



## TRACTION TREAD

Slip-Resistant • Floor Protection

1/8" Product No. 50

Traction Tread mats are designed to provide slip-resistant floor protection in a variety of settings.

- **Slip-Resistant & Safe** - Certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** – 1/8" solid nitrile rubber provides years of service life and will not crack or curl
- **Versatile** – Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive

### SIZES

2' x 3'  
3' x 5'  
3' x 9'  
3' x 12'  
4' x 6'  
4' x 9'  
4' x 12'

Sizes are approximate.



Dry or Damp / Indoor



Traction Tread



Dry or Damp / Indoor



Traction Tread Soft

## TRACTION TREAD SOFT

Slip-Resistant • Floor Protection • Anti-Fatigue


1/4" Product No. 56

- **Slip-Resistant & Safe** - Certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** – 1/4" thick high-density nitrile rubber foam provides anti-fatigue properties
- **Odor Resistant** – Anti-microbially treated to help prevent odors and degradation
- **Durable** – Nitrile rubber foam provides years of service life and will not crack or curl
- **Versatile** – Grease/oil resistant; chemical resistant; welding safe; static dissipative

### SIZES

2' x 3'  
3' x 5'  
3' x 9'  
3' x 12'  
4' x 6'  
4' x 9'  
4' x 12'

Sizes are approximate.



## CORRUGATED SWITCHBOARD


Non-conductive

1/4" Product No. 781

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Corrugated Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts

### SIZES

24" x 75'  
36" x 75'  
48" x 75'  
  
Additional lengths up to 75'. See price list for all additional sizes.  
Sizes are approximate.




Dry / Indoor



Corrugated Switchboard



Dry / Indoor



Diamond Plate Switchboard

## DIAMOND PLATE SWITCHBOARD

Non-conductive

1/4" Product No. 783

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Diamond Plate Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts

### SIZES

36" x 75'

Sizes are approximate.



## MILITARY SWITCHBOARD

### DIAMOND

Non-conductive

3/16" Product No. 784

- Non-conductive
- Meets strict Military specification standard MIL-DTL 15562G
- Type III - PVC runner material protects workers in high voltage use areas
- Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G

#### SIZES

36" x 75'

Sizes are approximate.



Military Switchboard Diamond



Dry / Indoor



Military Switchboard Smooth

## MILITARY SWITCHBOARD

### SMOOTH

Non-conductive

1/8" Product No. 782

- Non-conductive

- Meets strict Military specification standard MIL-DTL 15562G


- Type II - PVC runner material protects workers in high voltage use areas

- Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G


#### SIZES

36" x 75'

Sizes are approximate.







## ERGONOMIC MODULAR TILE MAT COLLECTION

HOG HEAVEN III® COMFORT MODULAR TILE

HOG HEAVEN III® COMFORT LINKABLE MATS

HOG HEAVEN III® COMFORT WORKSTATION MATS

HOG HEAVEN III® TRAFFIC MODULAR TILE

HOG HEAVEN III® TRAFFIC LINKABLE MATS

COMFORT FLOW™ HD MODULAR TILE

COMFORT FLOW™ HD LINKABLE MATS

COMFORT FLOW™ HD WORKSTATION MATS

# Site Audit/Assessment

**STEP  
1**


M+A MATTING

M+A Matting Tile Worksheet

Facility Name: D+D Industrial	Facility Name: T & T Manufacturing	Name of Area: Line # 1
Facility Contact: Bob Hause	Facility Contact: Justin Moore	
Comments:		
<input checked="" type="checkbox"/> Heavy Modular Mat Comfort <input type="checkbox"/> Anti-Slip <input type="checkbox"/> Comfort Floor HD Modular Mat <input type="checkbox"/> Anti-Slip <input type="checkbox"/> Comfort Step HD Modular Mat <input type="checkbox"/> Anti-Slip <input type="checkbox"/> Comfort Station HD Modular Mat with holes <input type="checkbox"/> Anti-Slip <input type="checkbox"/> Heavy Modular Mat with holes <input type="checkbox"/> Anti-Slip <input type="checkbox"/> Heavy Modular Mat Traffic <input type="checkbox"/> Anti-Slip <input type="checkbox"/> Heavy Modular Mat Traffic Translucent <input type="checkbox"/> Anti-Slip <input type="checkbox"/> Heavy Modular Mat Fashion <input type="checkbox"/> Anti-Slip <input type="checkbox"/> Heavy Modular Mat Mobility		
Width: 4' 0"	Length: 8' 0"	Remarks: Work elevated 30' (8m) on drawing below.
Width: 8' 0" x 36"	Length: 10' 0"	Width: Drive to next larger tile Length: Drive to next smaller tile Length: Drive to next regular tile
Draw area for matting or tiles with complete and detailed measurements. There should be 4 dimensions for every side of the mat.		

**STEP  
2**

Email assessment to  
quotes@mamatting.com  
for the proof



M+A Matting Tiles Contact		
PART	QTY	
01-MIDDLE	120	
04-YELLOW	56	
05-BLACK	6	
07		
ADDITIONAL: 10' x 10' x 1/8" (8x8x0.125 TILES)	PC48LLOW	4
ST100 SLIDE: Not Recommended	ED-BLACK	4

\* = Recommended Starting Point for Installation | OUTLINE = Dashed Line | NO CUT = Solid Line | DIMENSIONS IN RED = Inconsistent Measurement  
SLIDE Offered in Zus Bottles & Ass Bottles | ADDIT DESIGN = YEL/BLK = Liquid gelcoat; BLK = Solid black

**STEP  
3**



## A Site Audit by an M+A Matting Expert Includes:

- A complete assessment of your facility
- Review of the findings with you
- Development of a plan based on your budget and timeline
- Delivery of a report based on the information above

## Benefits to Employees:

1. Reduced fatigue and improved skeletal structure alignment
2. Increased productivity
3. Improved morale
4. Reduced slips, trips, and falls

## M+A Matting Modular Tiles vs. The Competition




**Hog Heaven III® Comfort Tiles**



**Ergonomic PVC Tiles**

Durable nitrile rubber	Material	PVC
3/4"	Thickness	7/8"
43.9% @ 20 psi; 60.2% @ 40 psi	Compression Deflection	14.15%
Electrically Conductive 9.4 x 10 <sup>5</sup> ohms	ESD Rating	No rating
Yes	Chemical/Oil Resistant	Far less resistant than nitrile
0.74 Dry, 0.77 Wet per ASTM C1028-96	Coefficient of Friction	0.65 Dry, 0.42 Wet per ASTM F1677
Yes	Welding Safe	No
Yes, nitrile/PVC blended cushion	Cushion Backing	No



**Hog Heaven III® Traffic Tiles**




**Heavy Duty Hard PVC Tiles**

Durable nitrile rubber	Material	PVC
5/8"	Thickness	7/8"
12.4% @ 20 psi; 20.5% @ 40 psi	Compression Deflection	4.84%
Electrically Conductive 1.7 x 10 <sup>5</sup> ohms	ESD Rating	No rating
Yes	Chemical/Oil Resistant	Far less than nitrile
.74 Dry, .77 Wet per ASTM C1028-96	Coeffecient of Friction	0.65 Dry, 0.42 Wet per ASTM F1677
Yes	Welding Safe	No
Flammability DOC-FF-1-70: Pass	Flammability	Flammability MVSS 302: 'A' Rating



**Comfort Flow™ HD Modular Tiles**



**Ergonomic Drain Through Tiles**

Durable nitrile rubber	Material	Durable nitrile rubber
1/2"	Thickness	3/4"
13.4% @ 20 psi; 22.6% @ 40 psi	Compression Deflection	Unpublished
Electrically Conductive 4.6 x 10 <sup>4</sup> ohms	ESD Rating	Static Dissipative 10 <sup>9</sup> ohms
Yes	Chemical/Oil Resistant	Yes
0.87 Dry, 0.83 Wet per ASTM C1028-96	Coefficient of Friction	0.965, 1.08 (with grit) per ASTM D1677
Yes, tested up to 1800°F	Welding Safe	Yes, but no published high temperature
Flammability DOC-FF-1-70: Pass	Flammability	Flammability DOC-FF-1-70: Pass
Prop 65 compliant	Prop 65	Prop 65 warning

## HOG HEAVEN III® COMFORT TILES & MATS

Anti-Fatigue • Slip-Resistant

<b>3/4"</b> Modular Tile 18" x 18"	<b>Product No. 4471</b>
<b>3/4"</b> Modular Tile 36" x 36"	<b>Product No. 4472</b>
<b>3/4"</b> Linkable Mats Black border	<b>Product No. 4497</b>
<b>3/4"</b> Linkable Mats Yellow Border	<b>Product No. 4498</b>
<b>3/4"</b> Workstation Black Border	<b>Product No. 4493</b>
<b>3/4"</b> Workstation Yellow Border	<b>Product No. 4494</b>

- Comfortable** – High-density, closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); beveled edges provide a safe transition from floor to mat and will not crack or curl
- Durable** – Nitrile-blended cushion provides years of useful life and is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile** – Welding safe; grease/oil resistant\*; chemical resistant; ESD rating of electrically conductive
- Mats and tiles are  $\frac{3}{4}$ " thick and available with black or OSHA-approved caution yellow border
- Recommended for distribution, manufacturing, and retail facilities for picking lines, assembly lines, workstations, check-out stations, and more

\*The 100% nitrile rubber surface of Hog Heaven III Comfort is grease/oil proof while the nitrile-blended cushion is grease/oil resistant.

### MODULAR TILE SIZES

18" x 18"  
Center-01  
18" x 18" x 3/4"  
Side Black-02  
18" x 21.875" x 3/4"  
Corner Black-03  
21.875" x 21.875" x 3/4"  
Side Yellow-04  
18" x 21.875" x 3/4"  
Corner Yellow-05  
21.875" x 21.875" x 3/4"

36" x 36"  
Center-01  
36" x 36" x 3/4"  
Side Black-02  
36" x 39.875" x 3/4"  
Corner Black-03  
39.875" x 39.875" x 3/4"  
Side Yellow-04  
36" x 39.875" x 3/4"  
Corner Yellow-05  
39.875" x 39.875" x 3/4"

**Color:** Black with black border or yellow caution border

### LINKABLE MAT SIZES

Mat End  
39.875 x 43.75" x 3/4"  
Mat Middle  
36" x 43.75" x 3/4"  
**Color:** Black with black border or yellow caution border

### WORKSTATION MAT SIZE

43.75 x 43.75" x 3/4"  
US Patent 8,919,054




Dry or Damp / Indoor



Hog Heaven III Comfort Modular Tiles



Hog Heaven III Comfort Workstation Mats Caution Yellow Border





Dry or Damp / Indoor



#### HOG HEAVEN III TRAFFIC MODULAR TILES



Hog Heaven III Traffic Modular Tile

#### MODULAR TILE SIZES

18" x 18"  
Center-01  
18" x 18" x 5/8"  
Side-02  
18" x 21.875" x 5/8"  
Corner-03  
21.875" x 21.875" x 5/8"

36" x 36"  
Center-01  
36" x 36" x 5/8"  
Side-02  
36" x 39.875" x 5/8"  
Corner-03  
39.875" x 39.875" x 5/8"

#### LINKABLE MAT SIZES

Mat End  
39.875 x 43.75" x 5/8"  
Mat Middle  
36" x 43.75" x 5/8"  
US Patent 8,919,054

#### HOG HEAVEN III TRAFFIC LINKABLE MATS

Black Border

Caution Yellow Border



## HOG HEAVEN III® TRAFFIC TILES & MATS

Anti-Fatigue • Slip-Resistant

5/8"	Modular Tile 18"x 18"	Product No. 4477
5/8"	Modular Tile 36"x 36"	Product No. 4478
5/8"	Linkable Mats Black Border	Product No. 4491
5/8"	Linkable Mats Yellow Border	Product No. 4492

Hog Heaven III Traffic mats and tiles provide a customizable matting solution for workstations with cart traffic. They offer ergonomic qualities yet are firm enough to support traffic from heavy carts.

- **Firm & Durable** – Solid nitrile rubber foam lasts for years, even under heavy cart traffic
- **Comfortable** - High-density, closed-cell nitrile rubber provides anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- **Versatile** – Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Mats and tiles are 5/8" thick and available with black or OSHA-approved caution yellow border

## COMFORT FLOW™ HD TILES & MATS

Slip-Resistant • Flow Through • Anti-Fatigue

1/2" Comfort Flow HD Modular Tile	Product No. 4430
1/2" Comfort Flow HD Linkable Mats	Product No. 4434
1/2" Comfort Flow HD Workstation Mat	Product No. 4439

- **Clean** – Bi-level design traps dirt/debris to prevent tracking; lifetime anti-microbial treatment prevents odors and degradation of the mat
- **Safe** – Beveled edges provide a safe transition from floor to mat
- **Comfortable** – High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- **Versatile** – Grease and oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- **Easy to Clean** – Lightweight and flexible design ensures easy handling and cleaning
- Comfort Flow HD has drainage holes to allow liquid to flow through

### MODULAR TILE SIZES

Corner tile  
19.125" x 19.125" x 5/8"  
37.375" x 37.375" x 5/8"  
Side tile  
18" x 19.125" x 5/8"  
36" x 37.375" x 5/8"  
Center tile  
18" x 18" x 5/8"  
36" x 36" x 5/8"

### LINKABLE MAT SIZES

Mat End  
37.125" x 39" x 5/8"  
Mat Middle  
36" x 39" x 5/8"

### WORKSTATION MAT SIZES


39" x 39" x 5/8"

Comfort Flow HD  
Modular Tile




Dry or Wet / Indoor or Outdoor

### COMFORT FLOW HD MODULAR TILE



### COMFORT FLOW HD LINKABLE MATS



Comfort Flow HD Modular Tile



Comfort Flow HD Workstation Mats



*Signature Desserts  
and Coffees!*





**M + A MATTING**

## LOGO MAT COLLECTION

WATERHOG IMPRESSIONS HD®

WATERHOG® LOGO INLAY

CLASSIC IMPRESSIONS™ HD

GRAND IMPRESSIONS HD

SIC IMPRESSIONS™ HD CUSTOM SHAPE

COLORSTAR® IMPRESSIONS

HOG HEAVEN® IMPRESSIONS

SUPERSCAPE IMPRESSIONS™



## The M+A Matting Logo Mat Program

### M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

### Ordering Logo Mats is as easy as 1-2-3:

1) Visit [www.mamatting.com](http://www.mamatting.com) to submit your logo file using our easy to use web page.

2) Log into your account and select “Submit Design” from the “My Account” menu.

3) Complete the necessary information on the submit page, attach your logo file and then click on “Send your design”. Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:

- 1) Approve or make necessary changes to the proof.
- 2) Return the art proof with any changes or approved art proof with purchase order and quantity of mats to [artwork5@mamatting.com](mailto:artwork5@mamatting.com).



Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

\*Color prints, if available, may be submitted to show color placement for a design.



### Create your own proofs with The M+A Matting Mobile App!

Visit your app store and search “M+A Matting” to download app.

**The M+A Matting Mobile App provides an easy way for users to search and view existing mat designs as well as create their own proofs using our simple tools.**

**Each user will be able to:**

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

**M+A Matting's user friendly app is compatible with any mobile device.**

**Below is a condensed list of compatible devices:**

- Android
- Android tablets
- iPhone\*
- iPad\*
- iPod Touch\*

\*all Apple products require iOS 6.0 or later





WaterHog  
Impressions HD with  
Classic Border


## WATERHOG IMPRESSIONS HD®

Logo • Scraper/Wiper • Slip-Resistant

3/8" Classic Border      Product No. 2381  
3/8" Fashion Border      Product No. 2380



Indoor or Outdoor



Color options

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- 57 standard color options; available with choice of Classic (rubber) border or Fashion (fabric) border
- Features 65-mil nitrile rubber with choice of smooth or universal cleated backing

### SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	6' x 8'
3' x 10'	6' x 10'
3' x 12'	6' x 12'
3' x 16'	6' x 16'
3' x 20'	6' x 20'

See price list for  
all additional  
sizes.

Sizes are  
approximate.





## WATERHOG® LOGO INLAY

Logo • Scraper/Wiper • Slip-Resistant

3/8" Classic Border  
3/8" Fashion Border

Product No. 234  
Product No. 235

- Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable & Fade Resistant** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed fabric is fade-resistant
- Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute
- 19 fabric colors to choose from; available with choice of Classic (rubber) border or Fashion (fabric) border
- Features 78-mil SBR rubber with choice of smooth or universal cleated backing

### SIZES


2' x 3'    4' x 8'  
3' x 4'    4' x 10'  
3' x 5'    4' x 12'  
3' x 6'    4' x 16'  
3' x 10'    4' x 20'  
3' x 12'    6' x 8'  
3' x 16'    6' x 12'  
3' x 20'    6' x 16'  
4' x 6'    6' x 20'

See price list for all additional sizes.

Sizes are approximate.



Indoor or Outdoor



WaterHog Classic Border



WaterHog Fashion Border



\*These colors are ONLY available in 3' and 4' widths.





Classic Impressions HD Logo

## CLASSIC IMPRESSIONS™ HD LOGO

Logo • Wiper • Dust Control • Slip-Resistant

3/8" SBR Rubber Border and Backing  
3/8" Vinyl Border and Backing

Product No. 73  
Product No. 73

## GRAND IMPRESSIONS HD LOGO

Logo • Wiper • Dust Control • Slip-Resistant

3/8" Serged Border, SBR Rubber Backing

Product No. 64



Indoor

- Photographic-Quality Print** – Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- Resilient** – High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- Classic Impressions HD mats are available with SBR or vinyl backing; Grand Impressions HD mats are only available with 68-mil SBR smooth backing and serged borders

### SIZES

2' x 3'  
3' x 4'  
3' x 5'  
3' x 10'  
4' x 6'  
4' x 8'  
5' x 8'  
5' x 10'  
6' x 10'  
6' x 12'

See price list for all additional sizes. PMS custom color available at an additional charge.

Sizes are approximate.



Classic Impressions HD Logo



## CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE

Logo • Wiper • Dust Control • Slip-Resistant

3/8" Product No. 733

- **Photographic-Quality Print** – Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- **Resilient** – High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- Backed with durable nitrile rubber



Classic Impressions HD  
Custom Shape



## COLORSTAR® IMPRESSIONS

Logo • Wiper • Dust Control • Slip-Resistant

3/8" SBR Rubber Backing      Product No. 60

- **Photographic-Quality Printing** - Logos and designs are digitally printed at 76 dpi (dots per inch), making fine details, shading, and 3-D images achievable
- **Eco-Friendly** – PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- **Fade Resistant** - PET yarn has excellent color-fastness and is resistant to fading from repeated washing/cleaning
- **Stain Resistant** - PET yarn is naturally resistant to staining
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI)
- Choose from 60 standard colors
- SBR (48 mil) rubber backing

### SIZES

2' x 3'  
3' x 4'  
3' x 5'  
3' x 10'  
4' x 6'  
4' x 8'  
5' x 8'  
5' x 10'  
6' x 10'  
6' x 12'

See price list for all additional sizes.

Sizes are approximate.



## HOG HEAVEN® IMPRESSIONS

Logo • Anti-Fatigue • Slip-Resistant

5/8" Product No. 3422

- Comfortable** – 5/8" high-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- Durable** – Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile** – Welding safe; grease/oil resistant; chemical resistant; ESD rating of electrically conductive



### SIZES

2' x 3'  
3' x 5'  
3' x 12'  
4' x 6'


Sizes are approximate. See price list for all additional sizes. PMS custom color available at an additional charge.



Indoor



Indoor or Outdoor



## SUPERSCRAPE IMPRESSIONS™ LOGO

Logo • Scraper

3/16" Product No. 3559

- Features your logo or image printed on a SuperScrape mat
- Clean** – Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe** – Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean** – Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered
- 3/16" thick nitrile rubber with circular surface cleats

### SIZES

2.5' x 3'  
3' x 4'  
3' x 5'  
3' x 10'  
4' x 6'  
4' x 8'  
6' x 6'  
6' x 8'

PMS custom color available at an additional charge.

Sizes are approximate.



# The Wonderful World of

Since its introduction in 1986, the WaterHog has become American's best-selling mat. Renowned for its bi-level design and water dam border, it's highly effective at stopping dirt and moisture, keeping floors clean and dry.

The WaterHog product line has grown substantially over the last three decades to include a wide array of patterns, colors, and sizes. With so many options and a unique nomenclature, selecting a WaterHog mat can seem challenging at first, but these steps are designed to simplify the selection process.

## 1. Pick Your Fabric Weight

### WaterHog®



24-ounce PET

### WaterHog® Eco



30-ounce PET

## 2. Pick Your Pattern and Color

The WaterHog (24-ounce) line comes in three designs with 19 color options. The WaterHog Eco (30-ounce) line comes in four designs with 8 color options.

WaterHog  
(the original)



Waffle

WaterHog  
Diamond



Diamond

WaterHog  
Legacy



Hexagon

WaterHog  
Eco Premier



Diamond

WaterHog  
Eco Elite



Herringbone

WaterHog  
Eco Legacy




Hexagon

WaterHog  
Plus



Swirl

A grid of 19 small circular color swatches arranged in four rows. The top row contains five swatches: teal, dark grey, brown, tan, and dark grey. The second row contains five swatches: brown, dark green, gold, green, and blue. The third row contains five swatches: brown, grey, dark blue, red, and purple. The bottom row contains four swatches: maroon, red, light grey, and gold.

A grid of 8 small circular color swatches arranged in two rows. The top row contains four swatches: dark grey, dark brown, grey, and dark blue. The bottom row contains four swatches: brown, dark red, maroon, and dark green.



### 3. Pick Your Border



Classic Rubber Border

Fashion Fabric Border

### 4. Pick Your Backing

All WaterHog mats are backed with rubber. The standard backing is a 78-mil SBR (styrene-butadiene rubber) with either a smooth surface for placement on smooth/hard floors (like marble, tile, or wood) or with a universal cleated surface for placement on carpeted floors. Select WaterHog mats with a classic border are available with Anchor Safe® backing, a 100-mil nitrile backing with a heavy tread design to ensure the mats stays in place, even with heavy traffic.



Smooth Backing  
78-mil SBR

Recommended for hard floor surfaces



Universal Cleated Backing  
78-mil SBR

Designed to perform on both carpeted  
and smooth floors



Anchor Safe® Backing  
100-mil nitrile

Recommended for surfaces with  
heavy traffic or cart use


### 5. Add Some Optional “Grandeur”

If you're interested in adding a little grandeur to your entrance matting, you may want to consider a *WaterHog Grand* or *WaterHog Eco Grand* mat. The luxurious rounded mats can be placed at either or both ends of:


- » WaterHog Diamond
- » WaterHog Legacy
- » WaterHog Eco Elite
- » WaterHog Eco Legacy
- » WaterHog Eco Premier



Half Oval



One End



Two Ends



## Scraper Entrance Mats

### Your First Line of Defense

Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



## Scraper/Wiper Entrance Mats

### The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside in covered areas.



## Wiper Entrance Mats


### The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building.

## Preventative Maintenance

### Mats are the first defense to stop dirt and moisture from entering your building.

Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.



### Consider These Facts...

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommended by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets

WaterHog  
Fashion Border  
Evergreen



Indoor or Outdoor


## WATERHOG® DRAINABLE

3/8" Product No. 250


WaterHog Drainable  
Evergreen

SEE PRICE BOOK FOR DETAILS

Waterhog Classic



Waterhog Fashion



Bordeaux



Medium Brown

Medium Grey

Navy

Orange\*

Purple\*

Red/Black

Solid Red\*

White\*

Yellow\*

\*These colors are ONLY available in 3' and 4' widths.





WaterHog Diamond  
Classic Border  
Red/Black

## WATERHOG® DIAMOND

Scraper/Wiper • Slip-Resistant

3/8" Classic Border Product No. 208  
3/8" Fashion Border Product No. 221




- Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant** – Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 19 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

### SIZES

2' x 3'	4' x 8.4'
3' x 4'	4' x 10'
3' x 5'	4' x 12.2'
3' x 6'	4' x 16'
3' x 8.4'	4' x 20'
3' x 10'	6' x 6'
3' x 12.2'	6' x 8.4'
3' x 16'	6' x 12.2'
3' x 20'	6' x 16'
4' x 6'	6' x 20'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



\*These colors are ONLY available in 3' and 4' widths.



## WATERHOG® GRAND

Scraper/Wiper • Slip-Resistant

3/8" Half Oval: No. 272    One End: No. 273    Two Ends: No. 274

- Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant** – Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 19 colors with 78-mil SBR rubber with universal cleated backing or smooth backing

### SIZES

	TWO ENDS
HALF OVAL	3' x 1.8'
	4' x 2.3'
	6' x 3.3'
ONE END	3' x 19.4'
	3' x 5.5'
	3' x 10'
	3' x 13.9'
	3' x 17.7'
	3' x 21.6'
	4' x 5.9'
	4' x 10.5'
	4' x 14.4'
	4' x 18.2'
	4' x 22'
	6' x 7'
	6' x 11.6'
	6' x 15.4'
	6' x 19.3'
	6' x 23.1'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing.

Sizes are approximate.



Indoor or Outdoor





Half Oval  
Product No. 272




One End  
Product No. 273



Two Ends  
Product No. 274



WaterHog Grand  
Dark Brown





\*These colors are ONLY available in 3' and 4' widths.





Indoor or Outdoor



## WATERHOG® ECO GRAND

Scraper/Wiper • Slip-Resistant

3/8" Half Oval: No. 2246   One End: No. 2243   Two Ends: No. 2244

- Clean & Dry** - Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly** - PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable** - Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant** - Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with 78-mil SBR rubber with universal cleated backing or smooth backing**

### SIZES

HALF OVAL	TWO ENDS
3' x 1.8'	3' x 7.1'
4' x 2.3'	3' x 11.7'
6' x 3.3'	3' x 15.5'
ONE END	3' x 19.4'
3' x 5.5'	3' x 23.2'
3' x 10'	4' x 8'
3' x 13.9'	4' x 12.6'
3' x 17.7'	4' x 16.5'
3' x 21.6'	4' x 20.3'
4' x 5.9'	6' x 10.1'
4' x 10.5'	6' x 14.8'
4' x 14.2'	6' x 18.6'
4' x 18.2'	6' x 22.4'
4' x 22'	
6' x 7'	
6' x 11.6'	
6' x 15.4'	
6' x 19.3'	
6' x 23.1'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing.

Sizes are approximate.



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine





Classic Border  
Maroon

## WATERHOG® ECO ELITE

Scraper/Wiper • Slip-Resistant

**3/8"** Classic Border Product No. 2240

**3/8"** Fashion Border Product No. 2241

- Clean & Dry** - Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly** - PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable** - Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant** - Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

### SIZES

2' x 3'	4' x 10'
3' x 4'	4' x 12.2'
3' x 5'	4' x 16'
3' x 6'	4' x 20'
3' x 8.4'	6' x 6'
3' x 10'	6' x 8.4'
3' x 12.2'	6' x 12.2'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
4' x 6'	
4' x 8.4'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Indoor or Outdoor

Fashion Border  
Southern Pine

WaterHog Eco Elite

WaterHog Eco Elite Fashion


Rubber reinforced textile      Rubber border

Rubber reinforced textile      Fabric border

WaterHog Eco Elite  
Khaki



Black Smoke



Chestnut Brown



Grey Ash



Indigo



Khaki



Maroon



Regal Red



Southern Pine






Grey Ash



Indoor or Outdoor




WaterHog Eco Premier



Rubber reinforced textile      Rubber border

WaterHog Eco Premier Fashion



Rubber reinforced textile      Fabric border



Khaki

## WATERHOG® ECO PREMIER

Scraper/Wiper • Slip-Resistant

3/8" Classic Border Product No. 2295

3/8" Fashion Border Product No. 2297

- Clean & Dry** - Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly** - PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant** - Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

### SIZES

2' x 3'	4' x 10'
3' x 4'	4' x 12.2'
3' x 5'	4' x 16'
3' x 6'	4' x 20'
3' x 8.4'	6' x 6'
3' x 10'	6' x 8.4'
3' x 12.2'	6' x 12.2'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
4' x 6'	
4' x 8.4'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine





Maroon

## WATERHOG® ECO ELITE ROLL GOODS

Scraper/Wiper • Slip-Resistant

3/8" Product No. 2271\* and 2272\*\*



Indoor or Outdoor



Grey Ash


- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable & Fade Resistant** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed polypropylene fabric is fade-resistant
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** - PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 8 colors with 78-mil smooth SBR rubber backing
- Designed to be installed like carpeting or loose-laid like a mat

**\*CUSTOM  
SIZES**

See price list  
for additional  
information.

**\*\*ROLL SIZE**

(Does not include  
nosing)  
6' x 67'



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine



## WATERHOG® DIAMONDCORD

Scraper/Wiper • Slip-Resistant

3/8" Product No. 296

- Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant** - Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 2 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

### SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	4' x 10'
3' x 6'	6' x 6'
3' x 8.4'	6' x 8.4'
3' x 10'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Indoor



Indoor

## WATERHOG® MASTERPIECE® SELECT

Scraper/Wiper • Slip-Resistant

3/8" Product No. 265


- Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant** - Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 4 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

### SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	4' x 10'
3' x 8'	6' x 8'
3' x 10'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



# WATERHOG® PLUS

Scraper/Wiper • Slip-Resistant

3/8" Product No. 185

Features a 100% PET recycled surface with a durable nitrile rubber backing.

- **Clean and Dry** - Water dam border holds moisture; raised nubs are resistant to crushing and keep dirt below foot level
- **Environmentally-Friendly** - Constructed with 100% post-consumer PET polyester (made from recycled plastic)
- **Safe** - Beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable 90 mil nitrile rubber backing ensures the mat lays flat and remains in place


## SIZES

2' x 3'  
3' x 4'  
3' x 5'  
3' x 10'  
4' x 6'  
4' x 8'  
5' x 7'\*  
5' x 10'\*  
6' x 12'

Sizes are approximate.



Indoor or Outdoor



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine

# WATERHOG® LOW PROFILE

Scraper/Wiper • Slip-Resistant

1/4" Product No. 251

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** – Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** – Low-profile borders help reduce potential tripping hazards; certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 3 neutral colors to blend with virtually any décor
- Feature Anchor Safe® backing (made from durable 100-mil nitrile rubber) designed to keep mats in place

## SIZES

3' x 5'  
3' x 10'  
4' x 6'  
4' x 10'

Sizes are approximate.



Indoor



Coal Black

Anchor Safe  
Backing Design



Coal Black

Cocoa Brown

Granite





Indoor or Outdoor

WaterHog Tile  
Geometric Pattern  
Dark Brown**WATERHOG® CLASSIC TILE**

Scraper/Wiper • Slip-Resistant

1/4" and 7/16"

No. 210-square, No. 216-diamond, No. 219-diagonal, No. 220-geometric

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 4 colors with choice of 4 patterns: waffle, diamond, diagonal, or geometric
- Available with choice of 100-mil or 200-mil SBR cleated rubber backing

**SIZE**

18" x 18"




Charcoal

Dark Brown

Evergreen

Medium Grey



Medium Grey

**SIZES**

18" x 18" x 7/16"	36" x 36" x 7/16"
18" Side Border	36" Side Border
18" Corner Border	36" Corner Border

**WATERHOG® MODULAR TILE**

Scraper/Wiper • Slip-Resistant

7/16" Product No. 2210

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Easy to Install** – Tiles link together easily and are designed to be installed without glue or the need for professional installers; side and corner borders (sold separately) securely link to the outer perimeter of the installation
- Available in 18" or 36" tiles with 4 color options
- Feature 200-mil SBR cleated rubber backing



Indoor or Outdoor

Charcoal

Dark Brown

Evergreen

Medium Grey





Charcoal


## **WATERHOG® FORKLIFT**

Scrapper/Wiper • Slip-Resistant

**3/8" Product No. 1253**  
**3" x 108' Roll Double Sided Tape Product No. 1049**



Indoor



- **Durable** – Reinforced rubber nubs, backing, and fabric top are designed to withstand forklift traffic up to 14,000 pounds
- **Clean and Dry** – Bi-level surface removes dirt and moisture from wheels and trap it to minimize tracking; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- **Easy to Install** – Modular mats are easy to install and scalable for large applications; aggressive adhesive taping system (sold separately) keeps tiles from moving
- Available in 6 colors with 100 mil SBR smooth rubber backing

**SIZE**  
4' x 6'

Sizes are  
approximate.



Charcoal

Dark Brown

Medium Brown

Medium Grey

Navy

Red/Black




[www.mamatting.com](http://www.mamatting.com)



Melt Step



Outdoor



#### ACCESSORIES



## MELT STEP®

Slip-Resistant

3/8" One Connector Product No. 886

3/8" Two Connector Product No. 887

Accessories Product No. 889

- **Effective** – Mat will heat to approximately 40-45°F above ambient air temperature
- **Safe** – Waterproof electrical connection system with GFCI switch prevents electrical shock hazard; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** – Molded nitrile rubber construction is waterproof, UV-resistant, and flexible even in freezing temperatures
- **Scalable** – Up to 4 mats can be connected in sequence to cover up to 20 linear feet of walkway
- All Melt Step mats are 3' x 5' with choice of one connector or two connectors; unique reversible design of the mat permits electrical connection on the right or left side of the walkway
- 6' power cord (120 volts) with GFCI switch as well as 6' extension cord are both sold separately

#### SIZE

3' x 5'  
Sizes are  
approximate.

## FRONTIER

Slip-Resistant • Scraper



Indoor or Outdoor

### 3/8" Product No. 437

- Spaghetti-like design filters dirt and moisture away from the surface
- Designed for indoor or outdoor usage
- Available with or without edging

#### SIZES

2' x 3'	4' x 8'
3' x 5'	3' x 60'
3' x 10'	4' x 60'
4' x 6'	
Additional lengths up to 40' in 3' and 4' widths Sizes are approximate.	

Dark Grey




Frontier without edging



Indoor or Outdoor



SuperScrape



## SUPERSCAPE™

Scraper • Slip-Resistant

### 3/16" Product No. 555

- **Clean** – Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- **Safe** – Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- **Suitable for Harsh Environments** – Grease/oil proof; chemical resistant
- **Easy to Clean** – Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber

#### SIZES

2'6" x 3'
3' x 5'
3' x 10'
4' x 6'
*4' x 8'
*6' x 6'
*6' x 8'

Sizes are approximate.

## SUPERSCAPE PLUS®

Scraper • Slip-Resistant

### 3/16" Product No. 5558

- **Clean** – Multi-directional surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking; drainable borders filter water off mat
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI)
- **Suitable for Harsh Environments** – Grease/oil proof; chemical resistant
- **Easy to Clean** – Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber construction

#### SIZES

2'6" x 3'
3' x 5'
3' x 10'
4' x 6'

Sizes are approximate.



Indoor or Outdoor

SuperScrape Plus



# MICROLUXX™

Wiper • Dust Control • Slip-Resistant

3/8" Product No. 1201

Features traditional nylon fibers blended with finer denier fibers that work together to absorb high levels of dirt and moisture.

- Superior dust and moisture control** - Absorbs and retains 2.5 times more moisture than standard carpeted mats
- Fade resistant** - Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- Safe** - Beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable nitrile rubber backing (available in 52, 65, or 90 mil)

## SIZES

2' x 3'	4' x 8'
2.5' x 3'	5' x 8'
2.5' x 4'	5' x 10'
3' x 4'	5' x 12'
3' x 5'	6' x 8'
3' x 10'	6' x 10'
4' x 6'	6' x 12'
Custom sizes up to 40'	
Sizes are approximate.	



Indoor



Black


Blue/Black

Brown/Black

Midnight Grey

Red Pepper

Slate Grey



# COLORSTAR®

Wiper • Dust Control • Slip-Resistant

3/8" Product No. 100

- Resilient** – The PET fabric makes this mat stain resistant, fade resistant, UV resistant, and heat resistant
- Eco-friendly** – PET (polyester) carpet is made from recycled plastic reclaimed from drink bottles (contains 50% recycled content)
- Safe** – Certified high-traction by the National Floor Safety Institute
- Available in 24 colors with choice of SBR (48 mil) or nitrile rubber (52 mil, 65 mil, 90 mil) or vinyl backing



Autumn Brown

Black Opal

Blueberry Frost

Brownstone

Burgundy Berry

Navy



Cabot Grey



Charcoal



Chocolate



Cranberry



Dark Granite



Emerald Green



Glen Green



Grey



Midnight Blue



Navy



Platinum



Red/Black



Silver



Slate



Solid Black



Solid Red



Stardust Grey



Steel Blue



Suede



## ENVIRO PLUS®

Wiper • Dust Control • Slip-Resistant

3/8" Product No. 2202

- Clean** - Stops dirt and moisture at your door
- Environmentally-friendly** - Made with 100% post-consumer recycled PET fabric reclaimed from plastic drink bottles; crumb rubber backing contains post-consumer recycled tires
- Durable** - PET fabric is stain-resistant and fade-resistant
- Available with smooth backing only**

Sizes are approximate. See price list for any additional sizes.

### SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	4' x 10'
3' x 8'	4' x 12'
3' x 10'	6' x 8'
3' x 12'	6' x 12'



Black Smoke



Chestnut



Grey Ash



Indigo



Indoor

## PLUSH™

Wiper • Dust Control • Slip-Resistant



3/8" Product No. 180

- Superior Moisture & Dust Control** – Heavy carpet pile absorbs and retains 50% more moisture and dust than standard mats
- Resilient** – High-twist, heat-set nylon resists crushing to better trap dirt and extend the useful life of the mat
- Fade Resistant** – Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- Safe** – Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 8 color options backed with durable 90-mil nitrile rubber**

### SIZES

2' x 3'
3' x 4'
3' x 10'
4' x 6'
4' x 8'

See price list for all additional sizes  
Sizes are approximate.



Black

Brown/Black

Dark Green

Deeper Navy

Golden Brown

Midnight Grey

Red Pepper

Slate Grey



## IMPRESSIONIST

Wiper • Dust Control • Slip-Resistant

3/8" Product No. 871

- Durable olefin yarn resists fading and straining
- Designed to release dirt easily with daily vacuuming, or can be cleaned with commercial carpet cleaning system; not launderable
- Available in 8 colors with 70-mil smooth vinyl backing


### SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	3' x 60'
3' x 6'	4' x 60'
3' x 10'	

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths up to 40'.



Academy Blue



Academy Blue



Academy Blue

Black

Burgundy

Cardinal

Forest Green

Navy

Sable

Salt & Pepper



Indoor



Brick

- Durable polypropylene surface scrapes and traps dirt and moisture in the recessed grooves; dries quickly
- Designed to release dirt easily with daily vacuuming, or can be cleaned with hose or pressure washer; not launderable
- Available in 6 colors with 70-mil smooth vinyl backing

### SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	3' x 60'
3' x 6'	4' x 60'
3' x 10'	

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths up to 40'.



Brick



Blue

Brick

Brownstone

Charcoal

Green

Silver



## SURE STRIDE®

Slip-Resistant

3/32"      Product No. 4450  
 Cutting Board      Product No. 4459  
 Cutting Knife      Product No. 4460

- **Keeps Floors Dry** – Moisture barrier keeps liquids from soaking through to the floor
- **Stays in Place** – Tacki-Back adhesive keeps mat flat and in place, even with cart and buggy traffic
- **Dries Quickly** – Mat dissipates water quickly for fast drying time
- **Easy to Install** – Cut individual mats as needed from the roll
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI)
- **Odor Resistant** – Fabric is treated with an anti-microbial agent to help prevent odors
- Will perform up to 4 months under normal use



**SIZE**  
 2' x 25'  
 3' x 100'  
 rolls

Indoor



Indoor



## SURE STRIDE® PLUSH

Slip-Resistant

3/16"      Product No. 4457

- **Keeps Floors Dry** – Retains more than 1 gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor
- **Stays in Place** – Tacki-Back adhesive system keeps mat flat and in place, even with wheelchair, cart, and buggy traffic
- **Dries Quickly** – Eco-friendly PET fabric dissipates water quickly for fast drying time
- **Odor Resistant** – Fabric is treated with an anti-microbial agent to help prevent odors
- **Easy to Install** – Cut individual mats as needed from the roll
- **Safe** – Certified high-traction by the National Floor Safety Institute
- Will perform for up to 4 months under normal use

**SIZE**  
 3' x 30'  
 roll



100%  
 customer satisfaction  
 GUARANTEED

NFSI  
 HIGH-TRACTION

MADE  
 IN THE  
 USA

www.mamatting.com

# CLEAN STRIDE®



Indoor

3/8" Frame Only	Product No. 410
3/8" Frame with Carpet Inserts(60sheets)	Product No. 411
	Product No. 412

- **Clean & Dry** - Raised nubs on the WaterHog mat remove dirt and moisture from shoes and trap it below foot level while the adhesive insert removes any remaining dirt or dust particles
- Not recommended for wet areas

## RUBBER FRAME SIZES

26.5" x 32"  
36.5" x 46"

## CARPET/ RUBBER FRAME SIZES


26.5" x 63.5"  
36.5" x 92.5"  
Clean Stride Mat  
Frames **do not**  
include Clean  
Stride Inserts

## INSERT SIZES

24" x 30"  
34" x 44"



Red/Black



Aquamarine

Bluestone

Bordeaux

Camel

Charcoal

Dark Brown

Evergreen

Gold

Light Green

Medium Blue



Medium Brown

Medium Grey

Navy

Orange

Purple

Red/Black

Solid Red

White

Yellow



# About M+A Matting

The M+A name represents two powerful brands – Mountville and Andersen – with nearly a century of combined experience developing and manufacturing mats designed to make environments safer, cleaner, and more comfortable.

## A Brief History

In 1963, the late Emmet Hart, with his wife Nancy by his side, established Mountville Mills. A little over a decade later, in 1974, the late Walter Andersen established The Andersen Company. Throughout the years, the companies drove innovations in their respective markets; Mountville in the textile rental market, and Andersen in the janitorial/sanitary supply markets. Driven by quality, innovation, and customer service, they paved the way for future generations of Harts and Andersens to expand the business. In 1999, these flagship brands joined forces to become the largest mat manufacturer in the world, and in 2018 we made the union official with a name change to M+A Matting.

For decades, we've been a symbol of quality and customer service. We're the driving force in the mat industry, developing the next generation of mats designed to provide superior safety, cleanliness, and comfort to workers and customers across the world. Whether you need entrance matting, logo matting, or anti-fatigue matting, M+A has you covered.

There are three principles that guide every action we take, every decision we make, and every mat we produce:

- Do the right thing.
- Do what is best for the customer.
- Drive improvements and innovation.

It is these core values that drive us to provide our customers with high-performance, high-quality matting and unparalleled customer satisfaction.



Mountville Mills and The Andersen Company,  
the businesses you've trusted for more than  
half a century, have joined together.

# COVID-19 Response Products



Size: 3' x 5'

Design Number: 3017378

## Social Distancing Runner Mats

### Add Your Logo

Customize with your logo & colors of your choosing



KEEP YOUR DISTANCE



Size: 3' x 10'  
Design Number:  
3024243

Size: 3' x 13'

When customizing reference design  
number 3024244

## Message Mats

These mats were designed to promote frequent hand washing/sanitizing, social distancing, and safety.

- **Photographic-Quality Printing** - Designs are digitally printed at 76 dpi (dots per inch), making these mats vibrant and easy-to-read
- **Eco-Friendly** – PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- **Fade & Stain Resistant** - PET yarn has excellent color-fastness and is resistant to fading from repeated washing/cleaning; PET yarn is naturally resistant to staining
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI)



Size: 3' x 5'

Design Number: 3024242



Size: 3' x 5'

Design Number: 3017380



Size: 2' x 3'

Design Number: 3017627

Size: 3' x 5'

Design Number: 3017625

## Message Mats

These mats were designed to promote frequent hand washing/sanitizing, social distancing, and safety.



## Sure Stride® Impressions Mats

Logo • Specialty • Indoor

Custom Designs  
Stock Messages

Product No. 4427  
Product No. 4428

- **Provides Clear Messages** - Mats can be placed at pivotal locations to provide important messages or reminders
- **Stays in Place** – Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- **Hassle Free** - Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- **Won't Leave Residue** - Sure Stride mats are less likely to leave a sticky residue than floor decals
- **Odor Resistant** - Anti-microbially treated for protection from odors
- **Slip Resistant** - Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use
- Sold in case/box; 6 mats per case

**SIZES**  
17" x 17"  
17" x 23.5"

Sizes are approximate.

### Stock designs:



# COVID-19 Response Products



## Stick-and-Stand™ Mats

Social Distancing Floor Markers • Specialty • Indoor

3/32" Product No. 4464

- **Provides Clear Direction** - Universal "stop sign" shape with shoe prints marks where customers should stand; mats can be placed at safe intervals in virtually any configuration
- **Stays in Place** – Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- **Hassle Free** - Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- **Won't Leave Residue** - Stick-and-Stand mats are less likely to leave a sticky residue than floor decals
- **Odor Resistant** - Anti-microbially treated for protection from odors
- **Slip Resistant** - Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use

**SIZES**  
17" x 17"

Sizes are approximate.



## Sure Stride® Directional Mats

Floor Marker • Specialty • Indoor

3/32" Product No. 4466

- **Provides Clear Direction** - Mats can be rotated to provide directional cues in any direction
- **Stays in Place** – Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- **Hassle Free** - Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- **Won't Leave Residue** - Sure Stride mats are less likely to leave a sticky residue than floor decals
- **Odor Resistant** - Anti-microbially treated for protection from odors
- **Slip Resistant** - Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use

**SIZES**  
17" x 17"

Sizes are approximate.



These mats feature a 2' x 3' well that holds an abrasive insert and your preferred liquid sanitizer, followed by a 3' x 5' carpeted section to help remove any excess moisture from shoes, reducing the likelihood of slips following sanitation. Wash, wipe, and walk on safely!



**Nylon Carpet**

Nylon carpet dries shoes to reduce risk of slip-and-fall accidents and protect floors from moisture



**Well with Insert**

2'x3' well holds liquid sanitizer and abrasive insert to clean and disinfect shoes

## StepWell™ Sanitizing Mats

Specialty • Indoor


**3' x 7' Mat with Insert  
Inserts**

**Product No. 835  
Product No. 836**

- Available in three designs
- The insert serves as a splash guard and helps dislodge any dirt or debris from the bottom of shoes so the fluid can reach the entire sole surface
- Each mat includes one insert; additional inserts are available in packs of four
- Well holds one insert and approximately 84 ounces (2.5 L) of sanitizing solution (not included)
- Compatible with most sanitizing/disinfecting solutions. Works best with quaternary and hydrogen peroxide sanitizing solutions.

**SIZES**  
3' x 7' Mat  
20.5" x 33" Inserts

Sizes are approximate.



## StepWell™ Sanitizing Tray

Specialty • Indoor

**2' x 3' Tray with Insert  
Inserts**

**Product No. 834  
Product No. 836**

Like the StepWell Mat, this product is designed for shoe sanitation. It features a 2' x 3' well that holds an abrasive insert and your preferred liquid sanitizer. A walk-off mat is recommended to follow the StepWell Tray in order to help remove excess moisture from shoes, reducing the likelihood of slips and falls.



The StepWell Mat and StepWell Tray work best with quaternary and hydrogen peroxide sanitizing solutions; can be used with chlorine bleach solutions, but failure to adhere to recommended concentrate can damage the product.

- Quaternary ammonium should be used per recommended dilution instructions on the label (for sanitizing level protection).
- 3% hydrogen peroxide solutions can be used without further dilution.
- 6% chlorine bleach should be used at a concentration of 0.4% (0.5 oz. per gallon). Caution: Do not use mat as a work surface to prepare bleach solution, as undiluted bleach may cause permanent color loss.





[www.mamatting.com](http://www.mamatting.com)

M+A MATTING • 340 CROSS PLAINS BLVD • DALTON, GA 30721  
TOLL FREE 800.241.4696 • 706.277.2551 • FAX 706.277.3170