Examen Practico – Juan Pablo Castaño Uribe

⚠️ **Cuidado!:** Cree una VPC desde cero. (NO olvidar de Borrar).

1. Creacion Key pairs



Cree un Key pair llamado key-pair-pablocastano6

2. Creacion VPC



Decidi crear una VPC desde cero, cree 2 subnets publicas AZ A y AZ C. Las conecte a internet Gateway (Tambien creado). A continuación muestro foto de cada uno creado:

2 subredes publicas. 1 en AZ A y otra en AZ C





Route table


Arc File Edit View Spaces Tabs Archive Extensions Window Help
Thu 12 Feb 7:32 PM
Search [Option+S]
United States (N. Virginia)
Entrenamiento (6546-5447-8122)
pablocastano6@gmail.com
VPC > Route tables > Create route table
Create route table Info
A route table specifies how packets are forwarded between the subnets within your VPC, the internet, and your VPN connection.
Route table settings
Name - optional
Create a tag with a key of 'Name' and a value that you specify.
rt-publicC-pablocastano6
VPC
The VPC to use for this route table.
vpc-0943484f244e9ce0a (vpc-pablocastano6)
Tags
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.
Key
Value - optional
Name
rt-publicC-pablocastano6
Remove
Add new tag
You can add 49 more tags.
Cancel
Create route table
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Security Group



Cree un SG public, que se le pondrá a ambas subnets publicas que tengo.

VPC Terminada

Ambas subnets publicas apuntan al internet Gateway



EC2



Asigne la EC2 a la VPC creada anteriormente.

User Data



Arc File Edit View Spaces Tabs Archive Extensions Window Help
66 %
Thu 12 Feb 7:46 PM
aws
Search
[Option+S]
United States (N. Virginia)
Entrenamiento (6546-5447-8122)
pablocastano6@gmail.com
EC2 > Instances > Launch an instance
Metadata response hop limit Info
2
Allow tags in metadata Info
Select
User data - optional Info
Upload a file with your user data or enter it in the field.
Choose file
Update system
dnf update -y
Install required packages
dnf install -y httpd wget php php-fpm php-mysqli php-json php-devel php-mbstring mariadb105 unzip
Enable and start Apache
systemctl enable httpd
systemctl start httpd
Install web app
cd /var/www/html
if [! -f immersion-day-app-php7.zip]; then
wget -O immersion-day-app-php7.zip https://static.us-east-1.prod.workshops.aws/public/0cf8e0cc-9aa4-41b3-aae7-ea46d24b239e/assets/immersion-day-app-php7.zip
unzip immersion-day-app-php7.zip
User data has already been base64 encoded
Summary
Number of instances Info
1
Amazon Linux 2023 AMI 2023.10....read more
ami-0c1fe732b5494dc14
Virtual server type (instance type)
t3.micro
Firewall (security group)
public-SG-pablocastano6
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free
Cancel
Launch instance
Preview code
CloudShell Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy Terms Cookie preferences

Resumen EC2



Visualizacion de la Pagina http://100.27.8.96



Ingreso por SSH



Se instalo correctamente todo lo relacionado al user data.

Agregar nuevo EBS



Creacion de EBS de 1gb con TAG

Atachar EBS



Arc File Edit View Spaces Tabs Archive Extensions Window Help
Thu 12 Feb 7:52 PM
Search [Option+S]
United States (N. Virginia)
Entrenamiento (6546-5447-8122)
pablocastano6@gmail.com
EC2 > Volumes > vol-0118b1175126200c7 > Attach volume
Attach volume Info
Attach a volume to an instance to use it as you would a regular physical hard disk drive.
Basic details
Volume ID
vol-0118b1175126200c7 (pablocastano6)
Availability Zone
use1-az1 (us-east-1a)
Instance Info
i-04745497dda99a809
(ec2-pablocastano6) (running)
Only instances in the same Availability Zone as the selected volume are displayed.
Device name Info
/dev/sdj
Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.
Newer Linux kernels may rename your devices to /dev/xvdf through /dev/xvdp internally, even when the device name entered here (and shown in the details) is /dev/sdf through /dev/sdp.
Cancel
Attach volume
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Montar y enlazar EBS al EC2

```
[ec2-user@ip-10-0-1-79 html]$ lsblk
NAME          MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1       259:0    0   8G  0 disk
├─nvme0n1p1   259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part
└─nvme0n1p128 259:3    0  10M  0 part /boot/efi
nvme1n1       259:4    0   1G  0 disk
[ec2-user@ip-10-0-1-79 html]$ sudo mkdir pablocastano6
[ec2-user@ip-10-0-1-79 html]$ ls
__MACOSX          get-index-meta-data.php     load.php       put-cpu-load.php    rds-write-config
db-update.php     immersion-day-app-php7.zip  menu.php       rds-initialize.php  rds.conf.php
get-cpu-load.php  index.php                   pablocastano6  rds-read-data.php   rds.php
[ec2-user@ip-10-0-1-79 html]$ sudo mount /dev/sdj /pablocastano6
mount: /pablocastano6: mount point does not exist.
[ec2-user@ip-10-0-1-79 html]$ sudo mkdir /pablocastano6
[ec2-user@ip-10-0-1-79 html]$ ls
__MACOSX          get-index-meta-data.php     load.php       put-cpu-load.php    rds-write-config
db-update.php     immersion-day-app-php7.zip  menu.php       rds-initialize.php  rds.conf.php
get-cpu-load.php  index.php                   pablocastano6  rds-read-data.php   rds.php
[ec2-user@ip-10-0-1-79 html]$ sudo mount /dev/sdj /pablocastano6
[ec2-user@ip-10-0-1-79 html]$ lsblk
NAME          MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1       259:0    0   8G  0 disk
├─nvme0n1p1   259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part
└─nvme0n1p128 259:3    0  10M  0 part /boot/efi
nvme1n1       259:4    0   1G  0 disk /pablocastano6
[ec2-user@ip-10-0-1-79 html]$
```

```
nvme1n1       259:4    0   1G  0 disk /pablocastano6
[ec2-user@ip-10-0-1-79 html]$ df -h
Filesystem        Size  Used Avail Use% Mounted on
devtmpfs          4.0M     0  4.0M   0% /dev
tmpfs             459M     0  459M   0% /dev/shm
tmpfs             184M  456K  183M   1% /run
/dev/nvme0n1p1    8.0G  2.1G  5.9G  26% /
tmpfs             459M     0  459M   0% /tmp
/dev/nvme0n1p128   10M  1.3M  8.7M  13% /boot/efi
tmpfs              92M     0   92M   0% /run/user/1000
/dev/nvme1n1      960M   40M  921M   5% /pablocastano6
[ec2-user@ip-10-0-1-79 html]$
```

Disco montado en /pablocastano6

EC2 con 2 EBS



EC2 con EBS de 8gb y el nuevo con 1gb

BUCKET S3


Arc File Edit View Spaces Tabs Archive Extensions Window Help
76 %
Thu 12 Feb 8:04 PM
aws
Search
[Option+S]
United States (N. Virginia)
Entrenamiento (6546-5447-8122)
pablocastano6@gmail.com
Amazon S3
Upload succeeded
For more information, see the Files and folders table.
Upload: status
Close
After you navigate away from this page, the following information is no longer available.
Summary
Destination
s3://pablocastano6-bucket-s3
Succeeded
1 file, 46.0 B (100.00%)
Failed
0 files, 0 B (0%)
Files and folders
Configuration
Files and folders (1 total, 46.0 B)
Find by name
1
Name
Folder
Type
Size
Status
Error
pablocastano6.txt
-
text/plain
46.0 B
Succeeded
-
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences