

Examen Practico – Juan Pablo Castaño Uribe

EC2 RESUMEN

The screenshot displays the AWS Management Console interface on a Mac. The top navigation bar includes the AWS logo, a search bar, and account information for 'United States (N. Virginia)' with account ID '6546-5447-8122'. The left sidebar shows the 'EC2' menu with options like Dashboard, AWS Global View, Events, Instances, Instance Types, Launch Templates, Spot Requests, Savings Plans, Reserved Instances, Dedicated Hosts, Capacity Reservations, and Capacity Manager. The main content area shows the 'Instance summary for i-0ae1956fa79890639 (ec2-pablocastano6)'. The instance is in a 'Running' state. Key details include: Instance ID: i-0ae1956fa79890639, Public IPv4 address: 44.201.96.3, Private IPv4 addresses: 172.31.70.146, Public DNS: ec2-44-201-96-3.compute-1.amazonaws.com, Instance type: t3.micro, VPC ID: vpc-00f479057476a2db8, Subnet ID: subnet-0c90bb685bbbd4f4c, and Instance ARN: arn:aws:ec2:us-east-1:654654478122:instance/i-0ae1956fa79890639. A warning message from AWS Compute Optimizer is also visible, stating that the user is not authorized to perform the 'compute-optimizer:GetEnrollmentStatus' action. The bottom of the screen shows the macOS dock with various application icons.

Instance summary for i-0ae1956fa79890639 (ec2-pablocastano6) Info

Updated less than a minute ago

Instance ID
i-0ae1956fa79890639

IPv6 address
-

Hostname type
IP name: ip-172-31-70-146.ec2.internal

Answer private resource DNS name
-

Auto-assigned IP address
44.201.96.3 [Public IP]

Public IPv4 address
44.201.96.3 | [open address](#)

Instance state
Running

Private IP DNS name (IPv4 only)
ip-172-31-70-146.ec2.internal

Instance type
t3.micro

VPC ID
vpc-00f479057476a2db8 (VPC-Produccion) | [open](#)

Subnet ID
subnet-0c90bb685bbbd4f4c | [open](#)

Instance ARN
arn:aws:ec2:us-east-1:654654478122:instance/i-0ae1956fa79890639

Private IPv4 addresses
172.31.70.146

Public DNS
ec2-44-201-96-3.compute-1.amazonaws.com | [open address](#)

Elastic IP addresses
-

AWS Compute Optimizer finding
User: arn:aws:iam::654654478122:user/students/pablocastano6@gmail.com is not authorized to perform: compute-optimizer:GetEnrollmentStatus on resource: * because no identity-based policy allows the compute-optimizer:GetEnrollmentStatus action
[Retry](#)


Auto Scaling Group name
-

Managed
false

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


Security groups

Publica:




Security Group público, con solo SSH



Privada:





SG privada (donde esta el RDS) con permiso de Mysql para el SG publico


Creacion Base de datos Mysql








Esta en Default VPC. Acceso privado con SG privado. En AZ-1f



En configuración adicional cree de una vez el database llamado:
laboratoriopablocastano6



Me conecto entonces con:

```
mysql -h database-1.czckyeamig9k.us-east-1.rds.amazonaws.com \-u admin \-p  
laboratoriopablocastano6
```

```
Terminal Shell Edit View Window Help
Downloads — ec2-user@ip-172-31-70-146:~ — ssh -i key-pair-pablocastano6.pem ec2-user@ec2-44-201-96-3.compute-1.amazonaws.com — 121x33

[ec2-user@ip-172-31-70-146 ~]$
[ec2-user@ip-172-31-70-146 ~]$ mysql -h database-pablocastano6.czckyeamig9k.us-east-1.rds.amazonaws.com -u admin -p demo
Enter password:
ERROR 1049 (42000): Unknown database 'demo'
[ec2-user@ip-172-31-70-146 ~]$ mysql -h database-1.czckyeamig9k.us-east-1.rds.amazonaws.com \
-u admin \
-p laboratoriopablocastano6
Enter password:
ERROR 2005 (HY000): Unknown MySQL server host 'database-1.czckyeamig9k.us-east-1.rds.amazonaws.com' (-2)
[ec2-user@ip-172-31-70-146 ~]$ mysql -h database-pablocastano6.czckyeamig9k.us-east-1.rds.amazonaws.com \
-P 3306 \
-u admin \
-p laboratoriopablocastano6
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MySQL connection id is 28
Server version: 8.4.7 Source distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MySQL [laboratoriopablocastano6]>
MySQL [laboratoriopablocastano6]>
```

```
Terminal Shell Edit View Window Help
Downloads — ec2-user@ip-172-31-70-146:~ — ssh -i key-pair-pablocastano6.pem ec2-user@ec2-44-201-96-3.compute-1.amazonaws.com — 121x33

-u admin \
-p laboratoriopablocastano6
Enter password:
ERROR 2005 (HY000): Unknown MySQL server host 'database-1.czckyeamig9k.us-east-1.rds.amazonaws.com' (-2)
[ec2-user@ip-172-31-70-146 ~]$ mysql -h database-pablocastano6.czckyeamig9k.us-east-1.rds.amazonaws.com \
-P 3306 \
-u admin \
-p laboratoriopablocastano6
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MySQL connection id is 28
Server version: 8.4.7 Source distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MySQL [laboratoriopablocastano6]>
MySQL [laboratoriopablocastano6]>
MySQL [laboratoriopablocastano6]>
MySQL [laboratoriopablocastano6]> show databases;
+-----+
| Database |
+-----+
| information_schema |
| laboratoriopablocastano6 |
| mysql |
| performance_schema |
| sys |
+-----+
5 rows in set (0.025 sec)

MySQL [laboratoriopablocastano6]>
```

```
Terminal Shell Edit View Window Help
Downloads — ec2-user@ip-172-31-70-146:~ — ssh -i key-pair-pablocastano6.pem ec2-user@ec2-44-201-96-3.compute-1.amazonaws.com — 121x33
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MySQL [laboratoriopablocastano6]>
MySQL [laboratoriopablocastano6]>
MySQL [laboratoriopablocastano6]>
MySQL [laboratoriopablocastano6]> show databases;

+-----+
| Database |
+-----+
| information_schema |
| laboratoriopablocastano6 |
| mysql |
| performance_schema |
| sys |
+-----+
5 rows in set (0.025 sec)

MySQL [laboratoriopablocastano6]> create database laboratorio;
Query OK, 1 row affected (0.039 sec)

MySQL [laboratoriopablocastano6]> show databases;

+-----+
| Database |
+-----+
| information_schema |
| laboratorio |
| laboratoriopablocastano6 |
| mysql |
| performance_schema |
| sys |
+-----+
6 rows in set (0.064 sec)
```