


Key Findings

Data exfiltration occurred on December 16th from 5:00 to 5:07

Overview


Fig. 1 - All Network Traffic Visualization



Areas of Interest

Dec 16, 5:00 -> 5:10


Fig 1 - All network traffic



Dest IP


- 10.1.20.10 - 143,874 records
- 216.74.105.201 - 41,055 records
- 1.1.1.1 - 307 records
- 192.168.0.103 - 194 records
- Other - ~250 records

Fig. 2 - Destination Ports



- 41,137 packets with **port 80 (HTTP)** as the destination
- 307 packets with **port 53 (DNS)** as the destination
- The rest are ephemeral ports

Fig. 3 - Source Ports



- 143,870 packets with **port 80 (HTTP)**
- The rest are ephemeral ports


Port breakdown tells a suspicious story:

- 143,870 packets had **port 80 as the source port** — meaning **10.1.20.10** is likely a web server responding to requests
- 41,137 packets had **port 80 as the destination** — traffic being sent to the external IP over HTTP

- Only 307 DNS packets (to 1.1.1.1) appear, suggesting relatively few new domain lookups


What this looks like: The pattern is consistent with a **data exfiltration event**. A device on the internal network appears to be sending a huge volume of HTTP traffic to an external IP (216.74.105.201) over a very short window. The symmetry between the source-port-80 traffic and the volume hitting the internal server also suggests potential **simultaneous HTTP flood or scraping activity** against the internal web server.

Dec 16, 00:00 -> 00:10




Dest IP:

- 10.1.20.30 - 33,062 packets
- 216.74.105.202 - 11,386 packets
- 74.114.119.201 - 1,603 packets
- 192.168.0.163 - 673 packets
- 1.1.1.1 - 562




Source Port:



- Port 80 - 13,075 packets
- Port 53 - 562 packets
- The rest are ephemeral ports

Dest Port:



- **Port 80** - 33,060 packets
- The rest are ephemeral ports

Port breakdown:

- 33,060 packets with **port 80 as the destination** — so this time the internal machine is being *hit*, not responding
- Only 13,075 with port 80 as source — much less outbound HTTP than the 5:00 event

The ransomware deployment is plausible. The pattern here looks more like an **inbound attack/payload delivery** than the 5:00 event. The key differences that support this:

- Traffic is *incoming* to the internal host (high dest port 80)
- It hits a different internal server (**10.1.20.30**)
- Multiple external IPs involved, possibly C2 infrastructure
- The midnight timing is a classic ransomware deployment window

Together, the two events could tell a sequential story: the 5:00 AM event being **data exfiltration** (before encryption), and the midnight event being the **initial compromise or ransomware detonation**, though which came first chronologically depends on whether Dec 16 midnight precedes or follows the 5:00 AM window.