



Web Vulnerability Assessment Report

Target Scanned: www.newgens.com.sg

Report Generated: Thu Jun 27 09:20:24 2019

Identified Vulnerabilities: 45

Threat Level: Medium



Screenshot of www.newgens.com.sg HomePage





© GamaSec Web Vulnerability Assessment Report

Target Scanned :	www.newgens.com.sg:443
Report Generated :	Thu Jun 27 09:20:24 2019

GamaScan has identified over 20 vulnerabilities, you should manually verify them to eliminate False-Positive results.

Table Of Contents

Introduction	2
Executive Summary	3
Technical Details	9

Introduction

"Explore Your Web Vulnerabilities"

A remote web vulnerability assessment was conducted by GamaScan against the web-interfaced system. The purpose of this assessment was to remotely identify and quantify vulnerabilities or potential threats in the web-interfaced system before they are exploited by attackers. The tests performed by GamaScan are customized dynamically to the scanned target and includes thousands of known vulnerabilities, dynamic tests and web application vulnerabilities.

By assessing the web-interfaced system remotely GamaScan accurately mimicking the attacker's view.

GamaScan Automated Web-Application Vulnerability Assessment Service Key features:


- 🔗 Zero time setup.
- 🔗 No software installation.
- 🔗 No special hardware.
- 🔗 No special training.
- 🔗 Pre defined or customizable scans.
- 🔗 Detailed, Crystal clear, reports.
- 🔗 Constant updates.

Executive Summary

This section provides an overview of the vulnerability assessment results and shows the distribution of vulnerabilities by severity level and by category.

Security Threat Level



This graph presents the security threat level based on the vulnerabilities identified by GamaScan. The "Threat Level" is classified as being of Informational, Low, Medium or High severity.



Vulnerabilities by Severity

This section shows the number of vulnerabilities identified by GamaScan, grouped according to their severity levels. vulnerabilities are classified as being of High, Medium, Low or Informational severity.

High	0
Medium	43
Low	2
Info	2





Tests Overview

This section shows the performed security tests and their results.

Test Category	Test Result
Web Servers	Fail
Web Server Technologies	Pass
HTTP Methods	Pass
Directory Indexing	Pass
Directory Access	Fail
Directory Permissions	Pass
Sensitive/Common Files	Fail
Backup Files	Pass
SQL Injection	Pass
XPath Injection	Pass
CRLF Injection	Pass
LDAP Injection	Pass
Cookie Manipulation	Pass
Source Code Disclosure	Pass
Directory Traversal	Pass
Installation Path Disclosure	Pass
Platform Exception	Fail
Script Language Error	Pass
Cross-Site Scripting	Pass
Cross-Frame Scripting	Pass
URL Redirection	Pass
Command Execution	Pass
PHP Code Injection	Pass
Remote File Inclusion	Pass
Internal IP Disclosure	Pass



Vulnerability Descriptions

This section shows the common application vulnerabilities with their risk.

Vulnerability	Description
SQL injection	SQL injection may allow a remote attacker to inject or manipulate SQL queries in the back-end database, allowing for the manipulation or disclosure of arbitrary data.
CRLF Injection	CRLF Injection may allow an attacker to inject CRLF sequences within a Location element of an HTTP response header, helping to facilitate XSS and other attacks.
LDAP Injection	LDAP Injection may allow an attacker to inject arbitrary LDAP queries, this can lead to disclosure of sensitive information.
XPath Injection	XPath Injection may allow an attacker to inject or manipulate XQueries, this can lead to disclosure of sensitive information.
Cross-Site Scripting (XSS)	Cross-Site Scripting may allow an attacker to create a specially crafted request that would execute arbitrary script code in a user's browser session within the trust relationship between their browser and the server.
Cross-Frame Scripting (XFS)	Cross-Frame Scriptings may allow an attacker to use one web page to load content from another, concealing the origin of one web site. This method is useful in phishing attacks, to load legitimate content from one site, while loading a malicious form embedded in that content.
URL Redirection	URL Redirection may allow an attacker to create a specially crafted URL, that if clicked, would redirect a victim from the intended legitimate web site to an arbitrary web site of the attacker's choosing. Such attacks are useful as the crafted URL initially appear to be a web page of a trusted site. This could be leveraged to direct an unsuspecting user to a web page containing attacks that target client side software such as a web browser or document rendering programs.
Cookie Manipulation	Cookie Manipulation may allow an attacker to alter or modify the cookies values on the clients web browser. This flaw may lead to an attacker gaining unauthorised access, leading to a loss of integrity.
Installation Path Disclosure	Installation Path Disclosure vulnerability disclose the web root's installation path resulting in a loss of confidentiality, it is often useful in carrying out additional, more focused attacks.
Internal IP Disclosure	Internal IP Disclosure may allow an attacker to gain better knowledge of the internal networking scheme, making subsequent attackers more easy.
Directory Traversal	Directory Traversal may allow an attacker to access arbitrary files outside of the web path.
Exception Handling	Exception error message may provide attacker useful attack information, it is often useful in carrying out additional, more focused attacks.
Source Code Disclosure	Source Code Disclosure vulnerability disclose the source code of the application to a remote attacker.
Command Execution	Command Execution may allow an attacker to inject arbitrary OS commands that will be executed on the web server, this can lead to complete host takeover.
PHP Code Injection	PHP Code Injection may allow an attacker to inject PHP code that will be executed on the web server.
Remote File Inclusion	Remote File Inclusion may allow an attacker to include a file from a third-party remote host that contains commands or code that will be executed by the vulnerable script with the same privileges as the web server.
HTTP Methods	Misconfigured web server supporting a potentially dangerous HTTP methods like DELETE, PUT, TRACE, TRACK may lead to disclosure of sensitive information and to additional, more focused attacks.
Security / Server Misconfiguration	Security Misconfiguration may allow an attacker to gain access to default files, sample files, configuration files, sensitive files, common files, unprotected files, unprotected directories and unsecure admin interface. this can lead to disclosure of sensitive information and to complete host takeover.




Vulnerabilities by Category



This section shows the number of vulnerabilities identified by GamaScan, grouped according to their categories.

Number of Vulnerabilities by Category

Category	Number Of Vulnerabilities	
Web Servers	2	4.44%
Directory Access	1	2.22%
Sensitive/Common Files	1	2.22%
Platform Exception	41	91.11%




Percent of Vulnerabilities by Category






Vulnerabilities by Attacks Category

This chart shows the distribution of vulnerabilities by "Known Vulnerabilities" and by "Web Application Vulnerabilities". "Known Vulnerabilities" are identified using known attack signatures. "Web Application Vulnerabilities" are identified using web attacks customized to the scanned web application.



Vulnerabilities by "Web Application" Category

This chart shows the distribution of vulnerabilities identified using web attacks customized to the scanned web application.





Technical Details

This section provides details on the open ports, web server, vulnerabilities and threats identified on the web-interfaced system.

Port Scan

This table shows the open ports on the system. not each open port is a security threat, but open ports on the system are invitations to attackers. In general, the number of open ports should be kept to a minimum and only the mission-critical ports should be open.

Port Number	Service	Description
21 (tcp)	ftp	File Transfer [Control]
80 (tcp)	http	World Wide Web HTTP
443 (tcp)	https	secure http (SSL)

Web Server

This table provides general details on the web server identified by GamaScan.

Target Banner	Microsoft-IIS/7.5
HTTP Methods	OPTIONS, TRACE, GET, HEAD, POST
Cookie	ASP.NET_SessionId=ax1owfgxtrlv443oolprgxqh; path=/; HttpOnly
SSL-Cert-Issuer	/C=US/O=DigiCert Inc/CN=DigiCert SHA2 Secure Server CA
SSL-Cipher	AES128-SHA




Vulnerability Findings

This section provides technical details on the vulnerabilities identified by GamaScan, vulnerabilities are classified as being of High, Medium, Low or Informational severity and grouped according to their severity levels.


Medium Severity Findings

An unhandled exception (Microsoft .NET)

Script: about-us.aspx **Variable:** ctl00_ctl00_MainContent_Idialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
Recommendation	www.newgens.com.sg:443/webpages/about-us.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	 Microsoft Article ID: 308132	




An unhandled exception (Microsoft .NET)																											
Script: about-us.aspx Variable: ctl00_ctl00_MainContent_mdialog_ClientState																											
Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
	text																										
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/about-us.aspx																										
Recommendation	Create a custom error page to handle the exception.																										
	External References:																										
	 Microsoft Article ID: 308132																										




An unhandled exception (Microsoft .NET)


Script: about-us.aspx **Variable:** ctl00_ctl00_MainContent_mdialog2_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/about-us.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	 Microsoft Article ID: 308132	



An unhandled exception (Microsoft .NET)																					
Script: about-us.aspx Variable: ctl00_ctl00_MainContent_RadWindowManager1_ClientState																					
Value: %3b																					
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																				
	Form Method: POST																				
	The Form Inputs																				
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	Type	Name																			
	hidden	__WPPS																			
	hidden	__EVENTTARGET																			
	hidden	__EVENTARGUMENT																			
	hidden	__VIEWSTATE																			
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																			
hidden	ctl00_ctl00_MainContent_mdialog_ClientState																				
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																				
text																					
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																				
Scan Request	www.newgens.com.sg:443/webpages/about-us.aspx																				
Recommendation	Create a custom error page to handle the exception.																				
	External References:  Microsoft Article ID: 308132																				



An unhandled exception (Microsoft .NET)																											
Script: banking-solution.aspx Variable: ctl00_ctl00_MainContent_Idialog_ClientState																											
Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
text																											
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/banking-solution.aspx																										
Recommendation	Create a custom error page to handle the exception. External References:  Microsoft Article ID: 308132																										




An unhandled exception (Microsoft .NET)

Script: banking-solution.aspx **Variable:** ctl00_ctl00_MainContent_mdialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/banking-solution.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	Microsoft Article ID: 308132	




An unhandled exception (Microsoft .NET)																					
Script: banking-solution.aspx Variable: ctl00_ctl00_MainContent_mdialog2_ClientState																					
Value: %3b																					
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																				
	Form Method: POST																				
	The Form Inputs																				
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	Type	Name																			
	hidden	__WPPS																			
	hidden	__EVENTTARGET																			
	hidden	__EVENTARGUMENT																			
	hidden	__VIEWSTATE																			
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																			
hidden	ctl00_ctl00_MainContent_mdialog_ClientState																				
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																				
text																					
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																				
Scan Request	www.newgens.com.sg:443/webpages/banking-solution.aspx																				
Recommendation	Create a custom error page to handle the exception.																				
	External References:  Microsoft Article ID: 308132																				



An unhandled exception (Microsoft .NET)


Script: banking-solution.aspx **Variable:** ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
Scan Request	www.newgens.com.sg:443/webpages/banking-solution.aspx	
Recommendation	<p>Create a custom error page to handle the exception.</p> <p>External References:</p> <p> Microsoft Article ID: 308132</p>	



An unhandled exception (Microsoft .NET)


Script: business-resumption-planning.aspx **Variable:** ctl00_ctl00_MainContent_Idialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	Create a custom error page to handle the exception.	
	External References:  Microsoft Article ID: 308132	




An unhandled exception (Microsoft .NET)


Script: business-resumption-planning.aspx **Variable:** ctl00_ctl00_MainContent_mdialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
Scan Request	www.newgens.com.sg:443/webpages/business-resumption-planning.aspx	
Recommendation	<p>Create a custom error page to handle the exception.</p> <p>External References:</p> <p> Microsoft Article ID: 308132</p>	



An unhandled exception (Microsoft .NET)																											
Script: business-resumption-planning.aspx Variable: ctl00_ctl00_MainContent_mdialog2_ClientState Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
text																											
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/business-resumption-planning.aspx																										
Recommendation	Create a custom error page to handle the exception. External References:  Microsoft Article ID: 308132																										



An unhandled exception (Microsoft .NET)																					
Script: business-resumption-planning.aspx Variable: ctl00_ctl00_MainContent_RadWindowManager1_ClientState																					
Value: %3b																					
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																				
	Form Method: POST																				
	The Form Inputs																				
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	Type	Name																			
	hidden	__WPPS																			
	hidden	__EVENTTARGET																			
	hidden	__EVENTARGUMENT																			
	hidden	__VIEWSTATE																			
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																			
hidden	ctl00_ctl00_MainContent_mdialog_ClientState																				
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																				
text																					
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																				
Scan Request	www.newgens.com.sg:443/webpages/business-resumption-planning.aspx																				
Recommendation	Create a custom error page to handle the exception.																				
	External References:  Microsoft Article ID: 308132																				



An unhandled exception (Microsoft .NET)
Script: careers.aspx **Variable:** ctl00_ctl00_MainContent_Idialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/careers.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	🔗 Microsoft Article ID: 308132	



An unhandled exception (Microsoft .NET)


Script: careers.aspx **Variable:** ctl00_ctl00_MainContent_mdialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/careers.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	Microsoft Article ID: 308132	




An unhandled exception (Microsoft .NET)

Script: careers.aspx **Variable:** ctl00_ctl00_MainContent_mdialog2_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/careers.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	 Microsoft Article ID: 308132	




An unhandled exception (Microsoft .NET)																											
Script: careers.aspx Variable: ctl00_ctl00_MainContent_RadWindowManager1_ClientState																											
Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
text																											
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/careers.aspx																										
Recommendation	Create a custom error page to handle the exception.																										
	External References:																										
	 Microsoft Article ID: 308132																										



An unhandled exception (Microsoft .NET)


Script: contact-us.aspx **Variable:** ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
Value: <GS>

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtemail
	textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtmsg
	submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
	hidden	__EVENTVALIDATION
Scan Request	www.newgens.com.sg:443/webpages/contact-us.aspx	
Recommendation	Create a custom error page to handle the exception.	
	External References:  Microsoft Article ID: 308132	




An unhandled exception (Microsoft .NET)

Script: contact-us.aspx **Variable:** ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
Value: <GS>

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullName
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtemail
	textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtmsg
	submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
	hidden	__EVENTVALIDATION
Scan Request	www.newgens.com.sg:443/webpages/contact-us.aspx	
Recommendation	Create a custom error page to handle the exception.	
	External References:  Microsoft Article ID: 308132	


Script: contact-us.aspx **Variable:** ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtemail
Value: <GS>

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtemail
	textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtmsg
	submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdiallog_ClientState
	hidden	ctl00_ctl00_MainContent_mdiallog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
	hidden	__EVENTVALIDATION
Scan Request	www.newgens.com.sg:443/webpages/contact-us.aspx	
Recommendation	<p>Create a custom error page to handle the exception.</p> <p>External References:</p> <p> Microsoft Article ID: 308132</p>	



An unhandled exception (Microsoft .NET)

Script: contact-us.aspx **Variable:** ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtmsg
Value: <GS>

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
	text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtemail
	textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtmsg
	submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
	hidden	__EVENTVALIDATION
Scan Request	www.newgens.com.sg:443/webpages/contact-us.aspx	
Recommendation	Create a custom error page to handle the exception.	
	External References:  Microsoft Article ID: 308132	



An unhandled exception (Microsoft .NET)

Script: contact-us.aspx **Variable:** ctl00_ctl00_MainContent_Idialog_ClientState
Value: %3b

Description

ASP.NET produces an error page when an application throws an unhandled exception. The error page might contain sensitive information. This flaw exists because ASP.NET is configured to show verbose error messages.

Form Method: POST

The Form Inputs

Type	Name
hidden	__WPPS
hidden	__EVENTTARGET
hidden	__EVENTARGUMENT
hidden	__VIEWSTATE
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtemail
textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtmsg
submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
hidden	ctl00_ctl00_MainContent_Idialog_ClientState
hidden	ctl00_ctl00_MainContent_mdialog_ClientState
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
text	
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
hidden	__SCROLLPOSITIONX
hidden	__SCROLLPOSITIONY
hidden	__VIEWSTATEENCRYPTED
hidden	__EVENTVALIDATION

Scan Request

www.newgens.com.sg:443/webpages/contact-us.aspx

Recommendation

Create a custom error page to handle the exception.

External References:

 [Microsoft Article ID: 308132](https://docs.microsoft.com/en-us/aspnet/web-security/secure-aspnet-error-pages)



An unhandled exception (Microsoft .NET)

Script: contact-us.aspx **Variable:** ctl00_ctl00_MainContent_mdialog_ClientState
Value: %3b

Description

ASP.NET produces an error page when an application throws an unhandled exception. The error page might contain sensitive information. This flaw exists because ASP.NET is configured to show verbose error messages.

Form Method: POST

The Form Inputs

Type	Name
hidden	__WPPS
hidden	__EVENTTARGET
hidden	__EVENTARGUMENT
hidden	__VIEWSTATE
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtemail
textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtmsg
submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
hidden	ctl00_ctl00_MainContent_Idialog_ClientState
hidden	ctl00_ctl00_MainContent_mdialog_ClientState
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
text	
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
hidden	__SCROLLPOSITIONX
hidden	__SCROLLPOSITIONY
hidden	__VIEWSTATEENCRYPTED
hidden	__EVENTVALIDATION

Scan Request

www.newgens.com.sg:443/webpages/contact-us.aspx

Recommendation

Create a custom error page to handle the exception.

External References:

 [Microsoft Article ID: 308132](https://docs.microsoft.com/en-us/aspnet/web-security/secure-aspnet-error-pages)



An unhandled exception (Microsoft .NET)

Script: contact-us.aspx **Variable:** ctl00_ctl00_MainContent_mdialog2_ClientState
Value: %3b

Description

ASP.NET produces an error page when an application throws an unhandled exception. The error page might contain sensitive information. This flaw exists because ASP.NET is configured to show verbose error messages.

Form Method: POST

The Form Inputs

Type	Name
hidden	__WPPS
hidden	__EVENTTARGET
hidden	__EVENTARGUMENT
hidden	__VIEWSTATE
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtemail
textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtmsg
submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
hidden	ctl00_ctl00_MainContent_Idialog_ClientState
hidden	ctl00_ctl00_MainContent_mdialog_ClientState
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
text	
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
hidden	__SCROLLPOSITIONX
hidden	__SCROLLPOSITIONY
hidden	__VIEWSTATEENCRYPTED
hidden	__EVENTVALIDATION

Scan Request

www.newgens.com.sg:443/webpages/contact-us.aspx

Recommendation

Create a custom error page to handle the exception.

External References:

 [Microsoft Article ID: 308132](#)



An unhandled exception (Microsoft .NET)

Script: contact-us.aspx **Variable:** ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Value: %3b

Description

ASP.NET produces an error page when an application throws an unhandled exception. The error page might contain sensitive information. This flaw exists because ASP.NET is configured to show verbose error messages.

Form Method: POST

The Form Inputs

Type	Name
hidden	__WPPS
hidden	__EVENTTARGET
hidden	__EVENTARGUMENT
hidden	__VIEWSTATE
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtemail
textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtmsg
submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
hidden	ctl00_ctl00_MainContent_Idialog_ClientState
hidden	ctl00_ctl00_MainContent_mdiallog_ClientState
hidden	ctl00_ctl00_MainContent_mdiallog2_ClientState
text	
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
hidden	__SCROLLPOSITIONX
hidden	__SCROLLPOSITIONY
hidden	__VIEWSTATEENCRYPTED
hidden	__EVENTVALIDATION

Scan Request

www.newgens.com.sg:443/webpages/contact-us.aspx

Recommendation

Create a custom error page to handle the exception.

External References:

 [Microsoft Article ID: 308132](https://docs.microsoft.com/en-us/aspnet/web-security/secure-aspnet-error-pages)



An unhandled exception (Microsoft .NET)

Script: contact-us.aspx **Variable:** __EVENTVALIDATION
Value: %3b

Description

ASP.NET produces an error page when an application throws an unhandled exception. The error page might contain sensitive information. This flaw exists because ASP.NET is configured to show verbose error messages.

Form Method: POST

The Form Inputs

Type	Name
hidden	__WPPS
hidden	__EVENTTARGET
hidden	__EVENTARGUMENT
hidden	__VIEWSTATE
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtfullname
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtcontactno
text	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$txtemail
textarea	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$xtmsg
submit	ctl00\$ctl00\$WebPartmgr\$wp586218816\$wp278219993\$btnsend
hidden	ctl00_ctl00_MainContent_Idialog_ClientState
hidden	ctl00_ctl00_MainContent_mdiallog_ClientState
hidden	ctl00_ctl00_MainContent_mdiallog2_ClientState
text	
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
hidden	__SCROLLPOSITIONX
hidden	__SCROLLPOSITIONY
hidden	__VIEWSTATEENCRYPTED
hidden	__EVENTVALIDATION

Scan Request

www.newgens.com.sg:443/webpages/contact-us.aspx


Recommendation

Create a custom error page to handle the exception.


External References:

 [Microsoft Article ID: 308132](https://docs.microsoft.com/en-us/aspnet/web-forms/overview/getting-started/getting-started-aspnet-45-web-forms/using-the-aspnet-debugger-to-troubleshoot-unhandled-exceptions)




An unhandled exception (Microsoft .NET)																											
Script: hardware-and-services.aspx Variable: ctl00_ctl00_MainContent_Idialog_ClientState Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
text																											
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/hardware-and-services.aspx																										
Recommendation	Create a custom error page to handle the exception. External References:  Microsoft Article ID: 308132																										



An unhandled exception (Microsoft .NET)																											
Script: hardware-and-services.aspx Variable: ctl00_ctl00_MainContent_mdialog_ClientState																											
Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
	text																										
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/hardware-and-services.aspx																										
Recommendation	Create a custom error page to handle the exception.																										
	External References:																										
	 Microsoft Article ID: 308132																										




An unhandled exception (Microsoft .NET)																											
Script: hardware-and-services.aspx Variable: ctl00_ctl00_MainContent_mdialog2_ClientState																											
Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
text																											
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/hardware-and-services.aspx																										
Recommendation	Create a custom error page to handle the exception.																										
	External References:  Microsoft Article ID: 308132																										



An unhandled exception (Microsoft .NET)

Script: hardware-and-services.aspx **Variable:** ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
Scan Request	www.newgens.com.sg:443/webpages/hardware-and-services.aspx	
Recommendation	<p>Create a custom error page to handle the exception.</p> <p>External References:</p> <p> Microsoft Article ID: 308132</p>	




An unhandled exception (Microsoft .NET)
Script: partners.aspx **Variable:** ctl00_ctl00_MainContent_Idialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/partners.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	Microsoft Article ID: 308132	



An unhandled exception (Microsoft .NET)

Script: partners.aspx **Variable:** ctl00_ctl00_MainContent_mdialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
Scan Request	www.newgens.com.sg:443/webpages/partners.aspx	
Recommendation	<p>Create a custom error page to handle the exception.</p> <p>External References:</p> <p> Microsoft Article ID: 308132</p>	




An unhandled exception (Microsoft .NET)


Script: partners.aspx **Variable:** ctl00_ctl00_MainContent_mdialog2_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/partners.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	Microsoft Article ID: 308132	




An unhandled exception (Microsoft .NET)																											
Script: partners.aspx Variable: ctl00_ctl00_MainContent_RadWindowManager1_ClientState																											
Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
text																											
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/partners.aspx																										
Recommendation	Create a custom error page to handle the exception.																										
	External References:																										
	 Microsoft Article ID: 308132																										




An unhandled exception (Microsoft .NET)																					
Script: solution-professional.aspx Variable: ctl00_ctl00_MainContent_Idialog_ClientState																					
Value: %3b																					
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																				
	Form Method: POST																				
	The Form Inputs																				
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	Type	Name																			
	hidden	__WPPS																			
	hidden	__EVENTTARGET																			
	hidden	__EVENTARGUMENT																			
	hidden	__VIEWSTATE																			
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																			
hidden	ctl00_ctl00_MainContent_mdialog_ClientState																				
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																				
text																					
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																				
Scan Request	www.newgens.com.sg:443/webpages/solution-professional.aspx																				
Recommendation	Create a custom error page to handle the exception.																				
	External References:  Microsoft Article ID: 308132																				



An unhandled exception (Microsoft .NET)																											
Script: solution-professional.aspx Variable: ctl00_ctl00_MainContent_mdialog_ClientState																											
Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
	text																										
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/solution-professional.aspx																										
Recommendation	Create a custom error page to handle the exception.																										
	External References:  Microsoft Article ID: 308132																										




An unhandled exception (Microsoft .NET)																					
Script: solution-professional.aspx Variable: ctl00_ctl00_MainContent_mdialog2_ClientState																					
Value: %3b																					
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																				
	Form Method: POST																				
	The Form Inputs																				
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	Type	Name																			
	hidden	__WPPS																			
	hidden	__EVENTTARGET																			
	hidden	__EVENTARGUMENT																			
	hidden	__VIEWSTATE																			
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																			
hidden	ctl00_ctl00_MainContent_mdialog_ClientState																				
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																				
text																					
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																				
Scan Request	www.newgens.com.sg:443/webpages/solution-professional.aspx																				
Recommendation	Create a custom error page to handle the exception.																				
	External References:  Microsoft Article ID: 308132																				



An unhandled exception (Microsoft .NET)

Script: solution-professional.aspx **Variable:** ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Value: %3b


Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
	hidden	__SCROLLPOSITIONX
	hidden	__SCROLLPOSITIONY
	hidden	__VIEWSTATEENCRYPTED
Scan Request	www.newgens.com.sg:443/webpages/solution-professional.aspx	
Recommendation	<p>Create a custom error page to handle the exception.</p> <p>External References:</p> <p> Microsoft Article ID: 308132</p>	



An unhandled exception (Microsoft .NET)
Script: home.aspx **Variable:** ctl00_ctl00_MainContent_Idialog_ClientState
Value: %3b

Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/home.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	Microsoft Article ID: 308132	



An unhandled exception (Microsoft .NET)																											
Script: home.aspx Variable: ctl00_ctl00_MainContent_mdialog_ClientState																											
Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState																									
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																									
text																											
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/home.aspx																										
Recommendation	Create a custom error page to handle the exception.																										
	External References:																										
	 Microsoft Article ID: 308132																										




An unhandled exception (Microsoft .NET)

Script: home.aspx **Variable:** ctl00_ctl00_MainContent_mdialog2_ClientState
Value: %3b


Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.	
	Form Method: POST	
	The Form Inputs	
	Type	Name
	hidden	__WPPS
	hidden	__EVENTTARGET
	hidden	__EVENTARGUMENT
	hidden	__VIEWSTATE
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog_ClientState
	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState
	text	
	hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState
Scan Request	www.newgens.com.sg:443/webpages/home.aspx	
	Create a custom error page to handle the exception.	
Recommendation	External References:	
	Microsoft Article ID: 308132	



An unhandled exception (Microsoft .NET)																											
Script: home.aspx Variable: ctl00_ctl00_MainContent_RadWindowManager1_ClientState Value: %3b																											
Description	ASP.NET produces an error page when an application throws an unhandled exceptionthe error page might contain sensitive information.This flaw exists because ASP.NET is configured to show verbose error messages.																										
	Form Method: POST																										
	The Form Inputs																										
	<table><tr><th>Type</th><th>Name</th></tr><tr><td>hidden</td><td>__WPPS</td></tr><tr><td>hidden</td><td>__EVENTTARGET</td></tr><tr><td>hidden</td><td>__EVENTARGUMENT</td></tr><tr><td>hidden</td><td>__VIEWSTATE</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_Idialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog_ClientState</td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_mdialog2_ClientState</td></tr><tr><td>text</td><td></td></tr><tr><td>hidden</td><td>ctl00_ctl00_MainContent_RadWindowManager1_ClientState</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONX</td></tr><tr><td>hidden</td><td>__SCROLLPOSITIONY</td></tr><tr><td>hidden</td><td>__VIEWSTATEENCRYPTED</td></tr></table>	Type	Name	hidden	__WPPS	hidden	__EVENTTARGET	hidden	__EVENTARGUMENT	hidden	__VIEWSTATE	hidden	ctl00_ctl00_MainContent_Idialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog_ClientState	hidden	ctl00_ctl00_MainContent_mdialog2_ClientState	text		hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState	hidden	__SCROLLPOSITIONX	hidden	__SCROLLPOSITIONY	hidden	__VIEWSTATEENCRYPTED
	Type	Name																									
	hidden	__WPPS																									
	hidden	__EVENTTARGET																									
	hidden	__EVENTARGUMENT																									
	hidden	__VIEWSTATE																									
	hidden	ctl00_ctl00_MainContent_Idialog_ClientState																									
hidden	ctl00_ctl00_MainContent_mdialog_ClientState																										
hidden	ctl00_ctl00_MainContent_mdialog2_ClientState																										
text																											
hidden	ctl00_ctl00_MainContent_RadWindowManager1_ClientState																										
hidden	__SCROLLPOSITIONX																										
hidden	__SCROLLPOSITIONY																										
hidden	__VIEWSTATEENCRYPTED																										
Scan Request	www.newgens.com.sg:443/webpages/home.aspx																										
Recommendation	Create a custom error page to handle the exception. External References:  Microsoft Article ID: 308132																										


Directory Access	
Description	It is possible to browse the directory
Scan Request	www.newgens.com.sg:443/admin/
Recommendation	If the directory contents are sensitive you should restrict remote access to the directory External References: Securing Web Servers:




Possibility of Login Interface / Sensitive Information	
Description	This file/interface may contain logins, passwords or other sensitive information.
Scan Request	www.newgens.com.sg:443/Admin/WhatsNew/tabid/67/ctl/Login/Default.aspx
Recommendation	<p>It is possible to correct the flaw by implementing the following fix: Verify these files are not present, or permissioned so that remote users can not access them.</p> <p>External References:</p> <p> Web Security Glossary</p>



Low Severity Findings

Microsoft ASP.NET Error Message (Version)	
Description	<p>Web Services running on ASP.NET framework contains a flaw that may lead to an ASP.NET version disclosure. the error message disclose the version.</p> <p>Identified Version: Microsoft .NET Framework Version:4.0.30319; ASP.NET Version:4.0.30319.18034</p>
Scan Request	www.newgens.com.sg:443/Version.asmx
Recommendation	<p>create a custom error page for a 404 "File Not Found" error.</p> <p>External References:</p> <p> Microsoft Article ID: 308132</p>

Microsoft ASP.NET Error Message (Version)	
Description	<p>Web Services running on ASP.NET framework contains a flaw that may lead to an ASP.NET version disclosure. the error message disclose the version.</p> <p>Identified Version: Microsoft .NET Framework Version:4.0.30319; ASP.NET Version:4.0.30319.18034</p>
Scan Request	www.newgens.com.sg:443/Version.aspx
Recommendation	<p>create a custom error page for a 404 "File Not Found" error.</p> <p>External References:</p> <p> Microsoft Article ID: 308132</p>



Info Severity Findings

Directory Enumeration	
Description	GamaScan has identified a directory on the server.
Scan Request	www.newgens.com.sg:443/files/
Recommendation	No fix is required. External References: Web Security Glossary

Directory Enumeration	
Description	GamaScan has identified a directory on the server.
Scan Request	www.newgens.com.sg:443/Scripts/
Recommendation	No fix is required. External References: Web Security Glossary

This product includes data from the Open Source Vulnerability Database developed by OSVDB (www.osvdb.org) and its contributors.



Please consider your environmental responsibility before printing this report.



GamaSec's Data Breach Limited Warranty

PEACE OF MIND: PROTECTING BUSINESSES WITH FINANCIAL ASSURANCE

Available in the United States, Canada & Puerto Rico

GamaSure combines Automated cloud-based tools serve as a virtual hacker to identify web application vulnerabilities as well as dangerous malware, and provides an simple, yet detailed reporting on how to find problems and eradicate them, with the peace of mind that comes with a Data Breach Limited Warranty. Backed by U.S. based Assurant, the Data Beach Limited Warranty helps businesses get back on their feet after damages from website attacks.

GamaSec's Remediation-as-a-Service

WE CAN DO THE FIXING GamaSec doesn't let a customer's limited resources impact their website security.

GamaSec offers the know-how and trusted security experts that will remediate vulnerabilities on your behalf.

- GamaSec provides access to specialists who will conduct and manage the entire remediation process on your behalf.
- Both manual and automated processes rid websites of web application vulnerabilities and dangerous malware identified by GamaShield's virtual hacker.
- Re-scans validate and document full eradication allowing customers to focus on your business while GamaSec provides fast, comprehensive remediation.

GamaSec's GamaWAF

WEBSITE ATTACK PREVENTION A Shield in front of your website.

Available to add to any GamaSec plan, GamaSec's always-on, cloud-based Web Application Firewall (WAF) and advanced Distributed Denial of Service (DDoS) protection consistently guard against web attacks. Powered by Cloudbric, the WAF and DDoS protection constantly monitor your website traffic, only forwarding trustworthy traffic on to your site.

- Preemptive detection systems block all known and new threats immediately.
- Proven, proactive protection against hackers, spammers, crawlers, bots and DDoS attacks.
- Block threats while not impacting performance.
- One of the highest detection accuracy rates on the market.
- PCI-certified.



Technical	support@gamasec.com
Sales	sales@gamasec.com
Information	info@gamasec.com
Partner Program	partnerprogram@gamasec.com



By displaying the GamaSec security seal your customers know your website is secure.



GamaSec next generation of Web application Security Scanner and malware detection allow you to identify and eradicate Web Vulnerabilities and destructive Malware.

GAMASEC VERIFIED THIS WEBSITE

Domain Name	www.gamasec.com
Valid	DD/MM/YYYY
Service	GamaShield - Application Scanner & Malware Detection

GamaSec runs a number of cloud security services. The security seal specifies that the website uses one of the services developed by GamaSec.

Seal Disclaimer:GamaSec makes no warranty or guarantee of any kind of the accuracy of information presented on the Site, nor that the Site is completely secure or safe, nor that user data can't be compromised by hackers or other third parties. Furthermore, GamaSec is in no way responsible for and shall be held harmless against any claims for the security of or use of any information stored or utilized on the Site.

For more info Visit our website : www.gamasec.com

