Truth-tellers,
Liars,
and
Propositional Logic

1.3

Topics:

- 1) Figuring out formulas from sequences of numbers
- 2) Recursive Formulas
- 3) Closed Formulas
- 4) Summations

Sometimes when we look at a sequence of numbers, we can easily tell what comes next:

Sometimes the pattern may not be so obvious, and we need to analyze the sequence further in order to figure it out.

1, 2, 6, 24, 120, 720, ____

1, 9, 17, 25, 33, 41, ____

1, 4, 9, 16, 25, 36, ____

There are two ways we can write this pattern down:

What the value of a number is based on the previous value...

Or the value of a number based on its position in the sequence...

Definition: Recursive Formula

A recursive formula for a sequence is a formula where each term is described in relation to a previous term (or terms) of the sequence.

Definition: Closed Formula

A closed formula for a sequence is a formula where each term is described only in relation to its position in the list.

Definition: Recursive Formula

Example: $a_1 = 2$

$$a_n = a_{n-1} + 2$$

Result: 2, 4, 6, 8, 10, ...

Definition: Closed Formula

Example: $a_n = 2n$

Result: 2, 4, 6, 8, 10, ...

Definition: Recursive Formula

Example: $a_1 = 2$

$$a_n = a_{n-1} + 2$$

Result: 2, 4, 6, 8, 10, ...

Definition: Closed Formu

Example: $a_n = 2n$

With a recursive sequence, because each term is written based on the *last* term, we <u>must</u> specify the first element of the sequence (The item at position 1.)

Result: 2, 4, 6, 8, 10, ...

Definition: Recursive Formula

Example: $a_1 = 2$

$$a_n = a_{n-1} + 2$$

Result: 2, 4, 6, 8, 10, ...

Definition: Closed Formula

Example: $a_n = 2n$

With a closed formula, the value is based on whatever the element's position is in the list, such as item #1, item #2, item #3, and so on...

Result: 2, 4, 6, 8, 10, ...

Definition: Recursive Formula

Example: $a_1=2$

$$a_n = a_{n-1} + 2$$

Stepping through...

 a_1 Is already given as part of the formula.

Definition: Recursive Formula

Example: $a_1=2$

$$a_n = a_{n-1} + 2$$

Stepping through...

 a_1 Is already given as part of the formula.

$$a_2 = a_1 + 2 = 2 + 2 = 4$$

Definition: Recursive Formula

Example: $a_1 = 2$

$$a_n = a_{n-1} + 2$$

Stepping through...

 a_1 Is already given as part of the formula.

$$a_2 = a_1 + 2 = 2 + 2 = 4$$

$$a_3 = a_2 + 2 = 4 + 2 = 6$$

Definition: Recursive Formula

Example: $a_1 = 2$

$$a_n = a_{n-1} + 2$$

Stepping through...

 a_1 Is already given as part of the formula.

$$a_2 = a_1 + 2 = 2 + 2 = 4$$

$$a_3 = a_2 + 2 = 4 + 2 = 6$$

And so on...

Definition: Closed Formula

Example: $a_n = 2n$

Stepping through...

$$a_1 = 2 \times 1 = 2$$

Definition: Closed Formula

Example: $a_n = 2n$

Stepping through...

$$a_1 = 2 \times 1 = 2$$

$$a_2 = 2 \times 2 = 4$$

Definition: Closed Formula

Example: $a_n = 2n$

Stepping through...

$$a_1 = 2 \times 1 = 2$$

$$a_2 = 2 \times 2 = 4$$

$$a_3 = 2 \times 3 = 6$$

Definition: Closed Formula

Example: $a_n = 2n$

Stepping through...

$$a_1 = 2 \times 1 = 2$$

$$a_2 = 2 \times 2 = 4$$

$$a_3 = 2 \times 3 = 6$$

And so on...

It can be a little tricky to figure out the formula based on a sequence of numbers. The main things to keep in mind are...

- Is addition involved?
- Is subtraction involved?
- Is multiplication involved?
- Are exponents involved?

The more practice you get with this, the easier it will be.

Example 1

Find the closed formula and recursive formula for the sequence

1, 3, 5, 7, 9, ...

Example 1

Find the closed formula and recursive formula for the sequence

1, 3, 5, 7, 9, ...

For the closed formula, it might help to associate each number with its index to try to uncover a pattern that way...

$$a_1 = 1$$

$$a_{2} = 3$$

$$a_{3} = 5$$

$$a_1 = 1$$
 $a_2 = 3$ $a_3 = 5$ $a_4 = 7$ $a_5 = 9$

$$a_{5} = 9$$

Example 1

Find the closed formula and recursive formula for the sequence

1, 3, 5, 7, 9, ...

It might also be useful to look at the differences between each element...

$$a_1 = 1$$
 $a_2 = 3$ $a_3 = 5$ $a_4 = 7$ $a_5 = 9$

Example 1

Find the closed formula and recursive formula for the sequence

1, 3, 5, 7, 9, ...

And to think of any patterns that might look similar, such as "2, 4, 6, 8, 10"... What is the offset?

$$a_1 = 1$$
 $a_2 = 3$ $a_3 = 5$ $a_4 = 7$ $a_5 = 9$

$$2(2) - 1$$

$$a_3 = 5$$

$$a_{-}=9$$

Example 1

Find the closed formula and recursive formula for the sequence

1, 3, 5, 7, 9, ...

Closed Formula:
$$a_n = 2n - 1$$

Recursive Formula:
$$a_1 = 1$$

$$a_n = a_{n-1} + 2$$

$$a_1 = 1$$

$$a_3 = 5$$

$$a_1 = 1$$
 $a_2 = 3$ $a_3 = 5$ $a_4 = 7$ $a_5 = 9$

Sometimes you have to try a few different approaches before you find the pattern – that's ok; you don't have to know what it is automatically. That's why we *analyze it*.

Keep in mind that there could be multiplication, addition, subtraction, and/or exponents involved!

Example 2 – Try to solve it before I do in the video

Sequence: 1, 9, 17, 25, 33, 41, ____

Example 3 – Try to solve it before I do in the video

Sequence: 1, 4, 9, 16, 25, 36, ____

Example 4 – Try to solve it before I do in the video

Sequence: 2, 4, 8, 16, 32, 64, ____

Example 5 – Try to solve it before I do in the video

Sequence: 1, 2, 6, 24, 120, 720, ____

Summations

Definition: For a sequence of numbers a_k with $k \ge 1$, we use the notation

$$\sum_{k=1}^{n} a_k$$

To denote the sum of the first *n* terms of the sequence. This is called *sigma notation* for the sum.

Summations

Example – Evaluate the following sums:

(a)
$$\sum_{k=1}^{6} (2k-1)$$

(b)
$$\sum_{k=0}^{4} 3^k$$

(c)
$$\sum_{k=3}^{3} k^2$$

(d)
$$\sum_{k=1}^{5} \frac{1}{k(k+1)}$$

Summations

Example – Evaluate the following sums:

(a)
$$\sum_{k=1}^{6} (2k-1)$$

(b)
$$\sum_{k=0}^{4} 3^k$$

(c)
$$\sum_{k=3}^{3} k^2$$

(d)
$$\sum_{k=1}^{5} \frac{1}{k(k+1)}$$

Bonus: If you have any experience with programming, you can write a program to solve summations for you.