ASTRA INTERIORS

Mr. Manoker – Wardrobe cut list (4 bedrooms)

Date: 11-11-2026

Wardrobe	Width	Height	Cupboard box	Loft	Pieces	18 mm sheets	6 mm sheets	LED strip
GF Bedroom	2526	2857	2000 mm	90 mm frame, 857 H	59	5	3	3 pcs / 4.92 m
1st Floor M.Bedroom	2349	2905	2000 mm	90 mm frame, 905 H	53	5	2	3 pcs / 4.87 m
1st Floor Bedroom 2	2319	2895	2000 mm	90 mm frame, 895 H	53	5	3	3 pcs / 4.48 m
2nd Floor Bedroom	2349	2825	2000 mm	90 mm frame, 825 H	53	5	3	3 pcs / 4.48 m

- Board: 18 mm ply for all carcass, shelves and drawers. Back panels: 6 mm ply OUTER TO OUTER, 2000 high, screwed on the back edges (no groove); joints on partition centres.
- Depth: all wardrobes 500 total = carcass 494 (side / top / bottom / full-height partitions, doors are fixed on them) + 6 mm back. Inside partitions (dressing / bangle column) = 494. Shelves = 474 (set back 20 mm).
- Every wardrobe is a CUPBOARD BOX 2000 mm high (an 8 ft ply sheet is only 2400 mm long).
- LOFT above the cupboard = 90 mm FRAME ONLY: 90 mm uprights at the ends and partitions + 90 mm top and bottom rails. No loft box, no loft back panel. Loft floor = cupboard top panel.
- GF Bedroom is wider than 2400 mm, so it has 2 cupboard boxes side by side and the loft rails are in 2 pieces – no piece is longer than 2400 mm.
- LED strip-light groove: one vertical groove per cupboard section, 12 mm wide × 8 mm deep, 100 mm from the front edge, on the side / partition face.
- Drawers: bottom 2 drawers only in every bedroom, opening 173, drawer box 150 high. 18 mm frame (sides + front/back inner) with an 8 mm wide x 10 mm deep groove: leave 12 mm from the bottom edge, groove from 12 to 20 mm; the 6 mm drawer bottom slides into the groove (size = inside + 18 mm: 10 mm groove each side, 1 mm play).
- Cut L / Cut W = panel-saw size (front edge minus 0.5 mm edge tape). Add saw kerf when marking out.
- Shutters: 5 doors per bedroom (2 + 1 + 2, centre door = dressing; GF centre door glass with 90 border), 18 mm ply + laminate, full overlay; gaps 2 mm between doors, 3 mm next to side cover / strip, 2 mm cupboard-to-loft door, 1 mm bottom and top; 2 mm edge tape on 4 sides (Cut = finished - 4 mm). Drawer section: doors only above the drawers; the 2 drawers have outside fronts in shutter material.

GF Bedroom wardrobe

2526 W × 2857 H × 500 D · cupboard box 2000 mm + loft 90 mm frame only · cupboard clear 1884 mm



2D drawing (owner's AutoCAD): cupboard box 2000 mm high; loft above = 90 mm frame only (uprights + top/bottom rails). LED strip groove in each cupboard section.

GF Bedroom – shutters with Merino laminate



GF Bedroom – 3D model – assembled box without doors (off-white carcass, LED strips, drawer fronts)



GF Bedroom – 3D model – exploded view of the pieces



GF Bedroom – All pieces drawn to scale – # = row number in the cut list



GF Bedroom wardrobe – cut list

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
Cupboard box										
1	Cupboard box	Side panel (cupboard, 2000 high)	18 mm ply	4	2000	494	**2000**	**493**	0.5 mm, 1 long	6 mm back screwed on back edge
2	Cupboard box	Partition (full height, doors fixed)	18 mm ply	1	1884	494	**1884**	**493**	0.5 mm, 1 long	back panel joint on its back edge (centre)
3	Cupboard box	Bottom panel	18 mm ply	1	1477	494	**1477**	**493**	0.5 mm, 1 long	
4	Cupboard box	Top panel	18 mm ply	1	1477	494	**1477**	**493**	0.5 mm, 1 long	
5	Cupboard box	Bottom panel	18 mm ply	1	977	494	**977**	**493**	0.5 mm, 1 long	
6	Cupboard box	Top panel	18 mm ply	1	977	494	**977**	**493**	0.5 mm, 1 long	
Loft frame 90 mm										
7	Loft frame 90 mm	Top rail	18 mm ply	1	1477	90	**1477**	**89**	0.5 mm, 1 long	fix to ceiling
8	Loft frame 90 mm	Bottom rail (front, on cupboard top)	18 mm ply	1	1477	90	**1477**	**89**	0.5 mm, 1 long	
9	Loft frame 90 mm	Top rail	18 mm ply	1	977	90	**977**	**89**	0.5 mm, 1 long	fix to ceiling
10	Loft frame 90 mm	Bottom rail (front, on cupboard top)	18 mm ply	1	977	90	**977**	**89**	0.5 mm, 1 long	
11	Loft frame 90 mm	Frame upright (end / partition)	18 mm ply	4	857	90	**857**	**89**	0.5 mm, 1 long	loft frame only - no box, no back panel
Inside										
12	Inside	Shelf	18 mm ply	2	982	474	**982**	**473**	0.5 mm, 1 long	
13	Inside	Shelf	18 mm ply	5	977	474	**977**	**473**	0.5 mm, 1 long	
14	Inside	Dressing top (centre section)	18 mm ply	1	477	494	**477**	**493**	0.5 mm, 1 long	flush with front (behind door 3); top 750 from floor; mirror + LED above
15	Inside	Shelf	18 mm ply	3	477	474	**477**	**473**	0.5 mm, 1 long	
Back panels 6 mm										

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
16	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	1013	**2000**	**1013**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
17	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	1009	**2000**	**1009**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
18	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	504	**2000**	**504**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
Drawers										
19	Drawers	Bottom drawers (centre, under dressing): drawer side	18 mm ply	4	450	150	**450**	**149**	0.5 mm, 1 long	groove 8 mm wide x 10 deep: leave 12 mm from bottom edge, groove 12-20 mm (6 mm drawer bottom slides in)
20	Drawers	Bottom drawers (centre, under dressing): drawer bottom 6 mm (in groove)	6 mm back ply	2	432	433	**432**	**433**	-	inside size + 9 mm each side (10 mm groove, 1 mm play)
21	Drawers	Bottom drawers (centre, under dressing): drawer front/back inner	18 mm ply	4	415	150	**415**	**149**	0.5 mm, 1 long	groove 8 mm wide x 10 deep: leave 12 mm from bottom edge, groove 12-20 mm (6 mm drawer bottom slides in)
Shutters										

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
22	Shutters	Side cover panel - lower (floor to 2000) - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	1	2000	518	**2000**	**516**	2 mm, 1 long	LEFT end only, outside of side panel; 518 deep = box 500 + door 18; joint in line with door gap
23	Shutters	Wall-side strip 100 - lower (floor to 2000) - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	1	2000	100	**2000**	**98**	2 mm, 1 long	RIGHT end, outside of side panel at the front (flush with door front); joint in line with door gap
24	Shutters	Door (full height) - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	2	1918	502	**1914**	**498**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
25	Shutters	Door (full height) - 21125 MR+ Sunburn (Merino)	18 mm ply + Merino laminate (shutter)	2	1918	502	**1914**	**498**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
26	Shutters	Door above drawers GLASS - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	1	1518	502	**1514**	**498**	2 mm, 4 sides	CENTRE GLASS DOOR: CNC cut-out 322 x 1338 after laminate + edge band (90 border all round); glass 342 x 1358 fixed behind with beading; concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
27	Shutters	Skirting (front, base 80) - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	1	1513	80	**1513**	**79**	0.5 mm, 1 long	full base height 80 (doors start 1.5 above); 0.5 mm tape on top edge only

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
28	Shutters	Skirting (front, base 80) - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	1	1013	80	**1013**	**79**	0.5 mm, 1 long	full base height 80 (doors start 1.5 above); 0.5 mm tape on top edge only
29	Shutters	Side cover panel - upper (loft) - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	1	857	518	**857**	**516**	2 mm, 1 long	LEFT end only, outside of side panel; 518 deep = box 500 + door 18; joint in line with door gap
30	Shutters	Wall-side strip 100 - upper (loft) - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	1	857	100	**857**	**98**	2 mm, 1 long	RIGHT end, outside of side panel at the front (flush with door front); joint in line with door gap
31	Shutters	Loft door - DC687 Foliage Blue (Advance)	18 mm ply + Merino laminate (shutter)	3	855	502	**851**	**498**	2 mm, 4 sides	on loft frame; same width as doors below; 2 mm to cupboard door, 1 mm at top
32	Shutters	Loft door - 21125 MR+ Sunburn (Merino)	18 mm ply + Merino laminate (shutter)	2	855	502	**851**	**498**	2 mm, 4 sides	on loft frame; same width as doors below; 2 mm to cupboard door, 1 mm at top
33	Shutters	Drawer outside front - 21125 MR+ Sunburn (Merino)	18 mm ply + Merino laminate (shutter)	2	502	198	**498**	**194**	2 mm, 4 sides	fix on drawer box; handle
		Total pieces		**59**						

Material	Area sq.ft / length	8×4 sheets (15% waste)	Hardware / item
18 mm ply	137.1	5	LED strip light + aluminium profile (in grooves): 3 pcs, 4.92 m total
6 mm back ply	58.4	3	LED driver + door sensor switch: 1
18 mm ply + Merino laminate (shutter)	96.1	4	Soft-close telescopic channels 450 mm (pairs): 2
Edge tape 0.5 mm (front edges)	42 m		Drawer handles / profile: 2

Edge tape 2 mm (shutters, 4 sides)	51 m		Concealed soft-close hinges (doors): 34
			Door handles: 5
			Dressing mirror 5 mm (on back panel), 367 x 700: 1
			Coat stand: oval SS hanging rod 980 long + 2 end brackets (rod 1609 from floor, 1200 hanging): 1
			Glass panel for centre door 342 x 1358 (type to confirm) + beading: 1

LED strip light – profile groove cutting

Groove 12 mm wide × 8 mm deep, 100 mm from the front edge, vertical, on the panel face inside the section. Start is measured from the top of the bottom panel; groove runs up to the underside of the top panel. Drill a 10 mm wire hole through the top panel at the groove top. Keep shelf screws clear of the groove.

Section	Opening W	Panel	Groove on	From front	Groove start	Groove length	Profile + strip
1	982	Side panel	right face (inside section)	100 mm	0 mm	1884 mm	1864 mm
2	477	Partition	right face (inside section)	100 mm	670 mm (above drawers)	1214 mm	1194 mm
3	977	Side panel	right face (inside section)	100 mm	0 mm	1884 mm	1864 mm
Total							**4.92 m**

1st Floor M.Bedroom wardrobe

2349 W × 2905 H × 500 D · cupboard box 2000 mm + loft 90 mm frame only · cupboard clear 1884 mm



2D drawing (owner's AutoCAD): cupboard box 2000 mm high; loft above = 90 mm frame only (uprights + top/bottom rails). LED strip groove in each cupboard section.

1st Floor M.Bedroom – shutters with Merino laminate

1st Floor M.Bedroom – 3D model – assembled box without doors (off-white carcass, LED strips, drawer fronts)



1st Floor M.Bedroom – 3D model – exploded view of the pieces



1st Floor M.Bedroom – All pieces drawn to scale – # = row number in the cut list



1st Floor M.Bedroom wardrobe – cut list

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
Cupboard box										
1	Cupboard box	Bottom panel	18 mm ply	1	2331	494	**2331**	**493**	0.5 mm, 1 long	
2	Cupboard box	Top panel	18 mm ply	1	2331	494	**2331**	**493**	0.5 mm, 1 long	
3	Cupboard box	Side panel (cupboard, 2000 high)	18 mm ply	2	2000	494	**2000**	**493**	0.5 mm, 1 long	6 mm back screwed on back edge
4	Cupboard box	Partition (full height, doors fixed)	18 mm ply	2	1884	494	**1884**	**493**	0.5 mm, 1 long	back panel joint on its back edge (centre)
Loft frame 90 mm										
5	Loft frame 90 mm	Top rail	18 mm ply	1	2313	90	**2313**	**89**	0.5 mm, 1 long	fix to ceiling
6	Loft frame 90 mm	Bottom rail (front, on cupboard top)	18 mm ply	1	2313	90	**2313**	**89**	0.5 mm, 1 long	
7	Loft frame 90 mm	Frame upright (end / partition)	18 mm ply	4	905	90	**905**	**89**	0.5 mm, 1 long	loft frame only - no box, no back panel
Inside										
8	Inside	Shelf	18 mm ply	5	915	474	**915**	**473**	0.5 mm, 1 long	
9	Inside	Shelf	18 mm ply	2	911	474	**911**	**473**	0.5 mm, 1 long	
10	Inside	Dressing top (centre section)	18 mm ply	1	451	494	**451**	**493**	0.5 mm, 1 long	flush with front (behind door 3); top 800 from floor; mirror + LED above
11	Inside	Shelf	18 mm ply	3	451	474	**451**	**473**	0.5 mm, 1 long	
Back panels 6 mm										
12	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	942	**2000**	**942**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
13	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	938	**2000**	**938**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
14	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	469	**2000**	**469**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
Drawers										
15	Drawers	Bottom drawers (centre, under dressing): drawer side	18 mm ply	4	450	150	**450**	**149**	0.5 mm, 1 long	groove 8 mm wide x 10 deep: leave 12 mm from bottom edge, groove 12-20 mm (6 mm drawer bottom slides in)
16	Drawers	Bottom drawers (centre, under dressing): drawer bottom 6 mm (in groove)	6 mm back ply	2	432	407	**432**	**407**	-	inside size + 9 mm each side (10 mm groove, 1 mm play)
17	Drawers	Bottom drawers (centre, under dressing): drawer front/back inner	18 mm ply	4	389	150	**389**	**149**	0.5 mm, 1 long	groove 8 mm wide x 10 deep: leave 12 mm from bottom edge, groove 12-20 mm (6 mm drawer bottom slides in)
Shutters										
18	Shutters	Skirting (front, base 80) - 27292 LV Mink (grey)	18 mm ply + Merino laminate (shutter)	1	2349	80	**2349**	**79**	0.5 mm, 1 long	full base height 80 (doors start 1.5 above); 0.5 mm tape on top edge only
19	Shutters	Side cover panel - lower (floor to 2000) - 27292 LV Mink (grey)	18 mm ply + Merino laminate (shutter)	1	2000	518	**2000**	**516**	2 mm, 1 long	LEFT end only, outside of side panel; 518 deep = box 500 + door 18; joint in line with door gap

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
20	Shutters	Wall-side strip 100 - lower (floor to 2000) - 27292 LV Mink (grey)	18 mm ply + Merino laminate (shutter)	1	2000	100	**2000**	**98**	2 mm, 1 long	RIGHT end, outside of side panel at the front (flush with door front); joint in line with door gap
21	Shutters	Door (full height) - 27292 LV Mink (grey)	18 mm ply + Merino laminate (shutter)	2	1918	467	**1914**	**463**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
22	Shutters	Door (full height) - 27262 LV Peacock (teal)	18 mm ply + Merino laminate (shutter)	2	1918	467	**1914**	**463**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
23	Shutters	Door above drawers - 27292 LV Mink (grey)	18 mm ply + Merino laminate (shutter)	1	1518	467	**1514**	**463**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
24	Shutters	Side cover panel - upper (loft) - 27292 LV Mink (grey)	18 mm ply + Merino laminate (shutter)	1	905	518	**905**	**516**	2 mm, 1 long	LEFT end only, outside of side panel; 518 deep = box 500 + door 18; joint in line with door gap
25	Shutters	Wall-side strip 100 - upper (loft) - 27292 LV Mink (grey)	18 mm ply + Merino laminate (shutter)	1	905	100	**905**	**98**	2 mm, 1 long	RIGHT end, outside of side panel at the front (flush with door front); joint in line with door gap
26	Shutters	Loft door - 27292 LV Mink (grey)	18 mm ply + Merino laminate (shutter)	5	903	467	**899**	**463**	2 mm, 4 sides	on loft frame; same width as doors below; 2 mm to cupboard door, 1 mm at top
27	Shutters	Drawer outside front - 27262 LV Peacock (teal)	18 mm ply + Merino laminate (shutter)	2	467	198	**463**	**194**	2 mm, 4 sides	fix on drawer box; handle

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
		Total pieces		**53**						

Material	Area sq.ft / length	8×4 sheets (15% waste)	Hardware / item
18 mm ply	121.4	5	LED strip light + aluminium profile (in grooves): 3 pcs, 4.87 m total
6 mm back ply	54.4	2	LED driver + door sensor switch: 1
18 mm ply + Merino laminate (shutter)	92.2	4	Soft-close telescopic channels 450 mm (pairs): 2
Edge tape 0.5 mm (front edges)	39 m		Drawer handles / profile: 2
Edge tape 2 mm (shutters, 4 sides)	50 m		Concealed soft-close hinges (doors): 39
			Door handles: 5
			Dressing mirror 5 mm (on back panel), 341 x 700: 1
			Coat stand: oval SS hanging rod 909 long + 2 end brackets (rod 1609 from floor, 1200 hanging): 1

LED strip light – profile groove cutting

Groove 12 mm wide × 8 mm deep, 100 mm from the front edge, vertical, on the panel face inside the section. Start is measured from the top of the bottom panel; groove runs up to the underside of the top panel. Drill a 10 mm wire hole through the top panel at the groove top. Keep shelf screws clear of the groove.

Section	Opening W	Panel	Groove on	From front	Groove start	Groove length	Profile + strip
1	911	Side panel	right face (inside section)	100 mm	0 mm	1884 mm	1864 mm
2	451	Partition	right face (inside section)	100 mm	720 mm (above drawers)	1164 mm	1144 mm
3	915	Partition	right face (inside section)	100 mm	0 mm	1884 mm	1864 mm
Total							**4.87 m**

1st Floor Bedroom 2 wardrobe

2319 W × 2895 H × 500 D · cupboard box 2000 mm + loft 90 mm frame only · cupboard clear 1884 mm



2D drawing (owner's AutoCAD): cupboard box 2000 mm high; loft above = 90 mm frame only (uprights + top/bottom rails). LED strip groove in each cupboard section.

1st Floor Bedroom 2 – shutters with Merino laminate

1ST FLOOR BEDROOM 2 – 5 doors

FRONT (doors closed)



side cover 518 deep on the RIGHT · 100 strip on the other end

21433 SF Neo Banana Leaf + 21457 SF Aspen Gold (accent)

1st Floor Bedroom 2 – 3D model – assembled box without doors (off-white carcass, LED strips, drawer fronts)



1st Floor Bedroom 2 – 3D model – exploded view of the pieces



1st Floor Bedroom 2 – All pieces drawn to scale – # = row number in the cut list



1st Floor Bedroom 2 wardrobe – cut list

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
Cupboard box										
1	Cupboard box	Bottom panel	18 mm ply	1	2283	494	**2283**	**493**	0.5 mm, 1 long	
2	Cupboard box	Top panel	18 mm ply	1	2283	494	**2283**	**493**	0.5 mm, 1 long	
3	Cupboard box	Side panel (cupboard, 2000 high)	18 mm ply	2	2000	494	**2000**	**493**	0.5 mm, 1 long	6 mm back screwed on back edge
4	Cupboard box	Partition (full height, doors fixed)	18 mm ply	2	1884	494	**1884**	**493**	0.5 mm, 1 long	back panel joint on its back edge (centre)
Loft frame 90 mm										
5	Loft frame 90 mm	Top rail	18 mm ply	1	2283	90	**2283**	**89**	0.5 mm, 1 long	fix to ceiling
6	Loft frame 90 mm	Bottom rail (front, on cupboard top)	18 mm ply	1	2283	90	**2283**	**89**	0.5 mm, 1 long	
7	Loft frame 90 mm	Frame upright (end / partition)	18 mm ply	4	895	90	**895**	**89**	0.5 mm, 1 long	loft frame only - no box, no back panel
Inside										
8	Inside	Shelf	18 mm ply	6	903	474	**903**	**473**	0.5 mm, 1 long	
9	Inside	Shelf	18 mm ply	2	899	474	**899**	**473**	0.5 mm, 1 long	
10	Inside	Dressing top (centre section)	18 mm ply	1	445	494	**445**	**493**	0.5 mm, 1 long	flush with front (behind door 3); top 800 from floor; mirror + LED above
11	Inside	Shelf	18 mm ply	2	445	474	**445**	**473**	0.5 mm, 1 long	
Back panels 6 mm										
12	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	930	**2000**	**930**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
13	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	926	**2000**	**926**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
14	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	463	**2000**	**463**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
Drawers										
15	Drawers	Bottom drawers (right section): drawer front/back inner	18 mm ply	4	841	150	**841**	**149**	0.5 mm, 1 long	groove 8 mm wide x 10 deep: leave 12 mm from bottom edge, groove 12-20 mm (6 mm drawer bottom slides in)
16	Drawers	Bottom drawers (right section): drawer side	18 mm ply	4	450	150	**450**	**149**	0.5 mm, 1 long	groove 8 mm wide x 10 deep: leave 12 mm from bottom edge, groove 12-20 mm (6 mm drawer bottom slides in)
17	Drawers	Bottom drawers (right section): drawer bottom 6 mm (in groove)	6 mm back ply	2	432	859	**432**	**859**	-	inside size + 9 mm each side (10 mm groove, 1 mm play)
Shutters										
18	Shutters	Skirting (front, base 80) - 21433 SF Neo Banana Leaf (green)	18 mm ply + Merino laminate (shutter)	1	2319	80	**2319**	**79**	0.5 mm, 1 long	full base height 80 (doors start 1.5 above); 0.5 mm tape on top edge only
19	Shutters	Side cover panel - lower (floor to 2000) - 21433 SF Neo Banana Leaf (green)	18 mm ply + Merino laminate (shutter)	1	2000	518	**2000**	**516**	2 mm, 1 long	RIGHT end only, outside of side panel; 518 deep = box 500 + door 18; joint in line with door gap

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
20	Shutters	Wall-side strip 100 - lower (floor to 2000) - 21433 SF Neo Banana Leaf (green)	18 mm ply + Merino laminate (shutter)	1	2000	100	**2000**	**98**	2 mm, 1 long	LEFT end, outside of side panel at the front (flush with door front); joint in line with door gap
21	Shutters	Door (full height) - 21433 SF Neo Banana Leaf (green)	18 mm ply + Merino laminate (shutter)	2	1918	461	**1914**	**457**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
22	Shutters	Door (full height) - 21457 SF Aspen Gold (yellow)	18 mm ply + Merino laminate (shutter)	1	1918	461	**1914**	**457**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
23	Shutters	Door above drawers - 21457 SF Aspen Gold (yellow)	18 mm ply + Merino laminate (shutter)	1	1518	461	**1514**	**457**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
24	Shutters	Door above drawers - 21433 SF Neo Banana Leaf (green)	18 mm ply + Merino laminate (shutter)	1	1518	461	**1514**	**457**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
25	Shutters	Drawer outside front - 21457 SF Aspen Gold (yellow)	18 mm ply + Merino laminate (shutter)	2	924	198	**920**	**194**	2 mm, 4 sides	fix on drawer box; handle
26	Shutters	Side cover panel - upper (loft) - 21433 SF Neo Banana Leaf (green)	18 mm ply + Merino laminate (shutter)	1	895	518	**895**	**516**	2 mm, 1 long	RIGHT end only, outside of side panel; 518 deep = box 500 + door 18; joint in line with door gap

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
27	Shutters	Wall-side strip 100 - upper (loft) - 21433 SF Neo Banana Leaf (green)	18 mm ply + Merino laminate (shutter)	1	895	100	**895**	**98**	2 mm, 1 long	LEFT end, outside of side panel at the front (flush with door front); joint in line with door gap
28	Shutters	Loft door - 21433 SF Neo Banana Leaf (green)	18 mm ply + Merino laminate (shutter)	5	893	461	**889**	**457**	2 mm, 4 sides	on loft frame; same width as doors below; 2 mm to cupboard door, 1 mm at top
		Total pieces		**53**						

Material	Area sq.ft / length	8×4 sheets (15% waste)	Hardware / item
18 mm ply	125.5	5	LED strip light + aluminium profile (in grooves): 3 pcs, 4.48 m total
6 mm back ply	57.9	3	LED driver + door sensor switch: 1
18 mm ply + Merino laminate (shutter)	91.0	4	Soft-close telescopic channels 450 mm (pairs): 2
Edge tape 0.5 mm (front edges)	41 m		Drawer handles / profile: 2
Edge tape 2 mm (shutters, 4 sides)	51 m		Concealed soft-close hinges (doors): 33
			Door handles: 5
			Dressing mirror 5 mm (on back panel), 335 x 700: 1
			Coat stand: oval SS hanging rod 897 long + 2 end brackets (rod 1609 from floor, 1200 hanging): 1

LED strip light – profile groove cutting

Groove 12 mm wide × 8 mm deep, 100 mm from the front edge, vertical, on the panel face inside the section. Start is measured from the top of the bottom panel; groove runs up to the underside of the top panel. Drill a 10 mm wire hole through the top panel at the groove top. Keep shelf screws clear of the groove.

Section	Opening W	Panel	Groove on	From front	Groove start	Groove length	Profile + strip
1	899	Side panel	right face (inside section)	100 mm	0 mm	1884 mm	1864 mm
2	445	Partition	right face (inside section)	100 mm	720 mm (above drawers)	1164 mm	1144 mm

3	903	Partition	right face (inside section)	100 mm	391 mm (above drawers)	1493 mm	1473 mm
Total							**4.48 m**

2nd Floor Bedroom wardrobe

2349 W × 2825 H × 500 D · cupboard box 2000 mm + loft 90 mm frame only · cupboard clear 1884 mm



2D drawing (owner's AutoCAD): cupboard box 2000 mm high; loft above = 90 mm frame only (uprights + top/bottom rails). LED strip groove in each cupboard section.

2nd Floor Bedroom – shutters with Merino laminate



2nd Floor Bedroom – 3D model – assembled box without doors (off-white carcass, LED strips, drawer fronts)



2nd Floor Bedroom – 3D model – exploded view of the pieces



2nd Floor Bedroom – All pieces drawn to scale – # = row number in the cut list



2nd Floor Bedroom wardrobe – cut list

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
Cupboard box										
1	Cupboard box	Bottom panel	18 mm ply	1	2331	494	**2331**	**493**	0.5 mm, 1 long	
2	Cupboard box	Top panel	18 mm ply	1	2331	494	**2331**	**493**	0.5 mm, 1 long	
3	Cupboard box	Side panel (cupboard, 2000 high)	18 mm ply	2	2000	494	**2000**	**493**	0.5 mm, 1 long	6 mm back screwed on back edge
4	Cupboard box	Partition (full height, doors fixed)	18 mm ply	2	1884	494	**1884**	**493**	0.5 mm, 1 long	back panel joint on its back edge (centre)
Loft frame 90 mm										
5	Loft frame 90 mm	Top rail	18 mm ply	1	2313	90	**2313**	**89**	0.5 mm, 1 long	fix to ceiling
6	Loft frame 90 mm	Bottom rail (front, on cupboard top)	18 mm ply	1	2313	90	**2313**	**89**	0.5 mm, 1 long	
7	Loft frame 90 mm	Frame upright (end / partition)	18 mm ply	4	825	90	**825**	**89**	0.5 mm, 1 long	loft frame only - no box, no back panel
Inside										
8	Inside	Shelf	18 mm ply	6	915	474	**915**	**473**	0.5 mm, 1 long	
9	Inside	Shelf	18 mm ply	2	911	474	**911**	**473**	0.5 mm, 1 long	
10	Inside	Dressing top (centre section)	18 mm ply	1	451	494	**451**	**493**	0.5 mm, 1 long	flush with front (behind door 3); top 800 from floor; mirror + LED above
11	Inside	Shelf	18 mm ply	2	451	474	**451**	**473**	0.5 mm, 1 long	
Back panels 6 mm										
12	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	942	**2000**	**942**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
13	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	938	**2000**	**938**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
14	Back panels 6 mm	Main back panel (outer to outer)	6 mm back ply	1	2000	469	**2000**	**469**	-	screw on back edges of sides / top / bottom / partitions; joint on partition centre
Drawers										
15	Drawers	Bottom drawers (right section): drawer front/back inner	18 mm ply	4	853	150	**853**	**149**	0.5 mm, 1 long	groove 8 mm wide x 10 deep: leave 12 mm from bottom edge, groove 12-20 mm (6 mm drawer bottom slides in)
16	Drawers	Bottom drawers (right section): drawer side	18 mm ply	4	450	150	**450**	**149**	0.5 mm, 1 long	groove 8 mm wide x 10 deep: leave 12 mm from bottom edge, groove 12-20 mm (6 mm drawer bottom slides in)
17	Drawers	Bottom drawers (right section): drawer bottom 6 mm (in groove)	6 mm back ply	2	432	871	**432**	**871**	-	inside size + 9 mm each side (10 mm groove, 1 mm play)
Shutters										
18	Shutters	Skirting (front, base 80) - 21462 SF Lavendura (lavender)	18 mm ply + Merino laminate (shutter)	1	2349	80	**2349**	**79**	0.5 mm, 1 long	full base height 80 (doors start 1.5 above); 0.5 mm tape on top edge only
19	Shutters	Side cover panel - lower (floor to 2000) - 21462 SF Lavendura (lavender)	18 mm ply + Merino laminate (shutter)	1	2000	518	**2000**	**516**	2 mm, 1 long	LEFT end only, outside of side panel; 518 deep = box 500 + door 18; joint in line with door gap

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
20	Shutters	Wall-side strip 100 - lower (floor to 2000) - 21462 SF Lavendura (lavender)	18 mm ply + Merino laminate (shutter)	1	2000	100	**2000**	**98**	2 mm, 1 long	RIGHT end, outside of side panel at the front (flush with door front); joint in line with door gap
21	Shutters	Door (full height) - 21462 SF Lavendura (lavender)	18 mm ply + Merino laminate (shutter)	2	1918	467	**1914**	**463**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
22	Shutters	Door (full height) - 21452 SF Prism Violet (violet)	18 mm ply + Merino laminate (shutter)	1	1918	467	**1914**	**463**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
23	Shutters	Door above drawers - 21452 SF Prism Violet (violet)	18 mm ply + Merino laminate (shutter)	1	1518	467	**1514**	**463**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
24	Shutters	Door above drawers - 21462 SF Lavendura (lavender)	18 mm ply + Merino laminate (shutter)	1	1518	467	**1514**	**463**	2 mm, 4 sides	concealed hinges; gaps: 2 mm between doors, 3 mm at end, 1 mm bottom, 2 mm to loft door
25	Shutters	Drawer outside front - 21452 SF Prism Violet (violet)	18 mm ply + Merino laminate (shutter)	2	936	198	**932**	**194**	2 mm, 4 sides	fix on drawer box; handle
26	Shutters	Side cover panel - upper (loft) - 21462 SF Lavendura (lavender)	18 mm ply + Merino laminate (shutter)	1	825	518	**825**	**516**	2 mm, 1 long	LEFT end only, outside of side panel; 518 deep = box 500 + door 18; joint in line with door gap

#	Group	Part	Material	Qty	Finished L	Finished W	Cut L	Cut W	Edge band	Machining / note
27	Shutters	Wall-side strip 100 - upper (loft) - 21462 SF Lavendura (lavender)	18 mm ply + Merino laminate (shutter)	1	825	100	**825**	**98**	2 mm, 1 long	RIGHT end, outside of side panel at the front (flush with door front); joint in line with door gap
28	Shutters	Loft door - 21462 SF Lavendura (lavender)	18 mm ply + Merino laminate (shutter)	5	823	467	**819**	**463**	2 mm, 4 sides	on loft frame; same width as doors below; 2 mm to cupboard door, 1 mm at top
		Total pieces		**53**						

Material	Area sq.ft / length	8×4 sheets (15% waste)	Hardware / item
18 mm ply	126.5	5	LED strip light + aluminium profile (in grooves): 3 pcs, 4.48 m total
6 mm back ply	58.7	3	LED driver + door sensor switch: 1
18 mm ply + Merino laminate (shutter)	89.7	4	Soft-close telescopic channels 450 mm (pairs): 2
Edge tape 0.5 mm (front edges)	41 m		Drawer handles / profile: 2
Edge tape 2 mm (shutters, 4 sides)	50 m		Concealed soft-close hinges (doors): 33
			Door handles: 5
			Dressing mirror 5 mm (on back panel), 341 x 700: 1
			Coat stand: oval SS hanging rod 909 long + 2 end brackets (rod 1609 from floor, 1200 hanging): 1

LED strip light – profile groove cutting

Groove 12 mm wide × 8 mm deep, 100 mm from the front edge, vertical, on the panel face inside the section. Start is measured from the top of the bottom panel; groove runs up to the underside of the top panel. Drill a 10 mm wire hole through the top panel at the groove top. Keep shelf screws clear of the groove.

Section	Opening W	Panel	Groove on	From front	Groove start	Groove length	Profile + strip
1	911	Side panel	right face (inside section)	100 mm	0 mm	1884 mm	1864 mm
2	451	Partition	right face (inside section)	100 mm	720 mm (above drawers)	1164 mm	1144 mm

3	915	Partition	right face (inside section)	100 mm	391 mm (above drawers)	1493 mm	1473 mm
Total							**4.48 m**