ADBMS LLM Conversation Log

IIIT Bangalore

August 31, 2026

Contents

1 LLM Conversation Log **6**
1.1 Step 1: USER PROMPT . . . 6
1.1.1 AI ASSISTANT RESPONSE . . . 6
1.1.2 AI ASSISTANT RESPONSE . . . 6
1.1.3 AI ASSISTANT RESPONSE . . . 6
1.1.4 AI ASSISTANT RESPONSE . . . 11
1.1.5 AI ASSISTANT RESPONSE . . . 12
1.1.6 AI ASSISTANT RESPONSE . . . 12
1.1.7 AI ASSISTANT RESPONSE . . . 15
1.1.8 AI ASSISTANT RESPONSE . . . 16
1.1.9 AI ASSISTANT RESPONSE . . . 16
1.1.10 AI ASSISTANT RESPONSE . . . 17
1.1.11 AI ASSISTANT RESPONSE . . . 17
1.1.12 AI ASSISTANT RESPONSE . . . 17
1.1.13 AI ASSISTANT RESPONSE . . . 17
1.1.14 AI ASSISTANT RESPONSE . . . 17
1.1.15 AI ASSISTANT RESPONSE . . . 21
1.1.16 AI ASSISTANT RESPONSE . . . 21
1.1.17 AI ASSISTANT RESPONSE . . . 21
1.1.18 AI ASSISTANT RESPONSE . . . 22
1.1.19 AI ASSISTANT RESPONSE . . . 22
1.1.20 AI ASSISTANT RESPONSE . . . 22
1.1.21 AI ASSISTANT RESPONSE . . . 22
1.1.22 AI ASSISTANT RESPONSE . . . 23
1.1.23 AI ASSISTANT RESPONSE . . . 23
1.1.24 AI ASSISTANT RESPONSE . . . 23
1.1.25 AI ASSISTANT RESPONSE . . . 23
1.1.26 Key Prepared Files in Workspace: . . . 24
1.1.27 Commands to Run on Your Terminal: . . . 24
1.1.28 System Setup Details (For Assignment Report - "Setup"): . . . 24
1.2 Step 2: USER PROMPT . . . 24
1.2.1 AI ASSISTANT RESPONSE . . . 25
1.2.2 Why the IMDB Dataset is Needed . . . 25
1.2.3 Where it is Written . . . 25
1.2.4 Summary . . . 25
1.2.5 AI ASSISTANT RESPONSE . . . 25
1.2.6 What to run next in your terminal: . . . 25
1.2.7 What this script will do automatically: . . . 25
1.3 Step 3: USER PROMPT . . . 26
1.3.1 AI ASSISTANT RESPONSE . . . 26

1.3.2 AI ASSISTANT RESPONSE . . . 26
1.3.3 Why This Happened . . . 26
1.3.4 Solution (One-Time Setup) . . . 26
1.3.5 Step 2: Run the loader script . . . 27
1.4 Step 4: USER PROMPT . . . 27
1.4.1 AI ASSISTANT RESPONSE . . . 28
1.4.2 AI ASSISTANT RESPONSE . . . 28
1.4.3 AI ASSISTANT RESPONSE . . . 29
1.4.4 AI ASSISTANT RESPONSE . . . 29
1.4.5 AI ASSISTANT RESPONSE . . . 30
1.4.6 AI ASSISTANT RESPONSE . . . 30
1.4.7 AI ASSISTANT RESPONSE . . . 31
1.4.8 AI ASSISTANT RESPONSE . . . 31
1.4.9 AI ASSISTANT RESPONSE . . . 31
1.4.10 AI ASSISTANT RESPONSE . . . 32
1.4.11 AI ASSISTANT RESPONSE . . . 32
1.4.12 AI ASSISTANT RESPONSE . . . 32
1.4.13 AI ASSISTANT RESPONSE . . . 32
1.4.14 AI ASSISTANT RESPONSE . . . 32
1.4.15 AI ASSISTANT RESPONSE . . . 33
1.4.16 AI ASSISTANT RESPONSE . . . 33
1.4.17 AI ASSISTANT RESPONSE . . . 33
1.4.18 AI ASSISTANT RESPONSE . . . 34
1.4.19 AI ASSISTANT RESPONSE . . . 34
1.4.20 AI ASSISTANT RESPONSE . . . 34
1.4.21 AI ASSISTANT RESPONSE . . . 34
1.4.22 AI ASSISTANT RESPONSE . . . 35
1.4.23 AI ASSISTANT RESPONSE . . . 35
1.4.24 AI ASSISTANT RESPONSE . . . 35
1.4.25 AI ASSISTANT RESPONSE . . . 35
1.4.26 AI ASSISTANT RESPONSE . . . 36
1.4.27 AI ASSISTANT RESPONSE . . . 36
1.4.28 AI ASSISTANT RESPONSE . . . 36
1.4.29 AI ASSISTANT RESPONSE . . . 37
1.4.30 AI ASSISTANT RESPONSE . . . 37
1.4.31 AI ASSISTANT RESPONSE . . . 37
1.4.32 AI ASSISTANT RESPONSE . . . 37
1.4.33 AI ASSISTANT RESPONSE . . . 37
1.4.34 AI ASSISTANT RESPONSE . . . 38
1.4.35 AI ASSISTANT RESPONSE . . . 39
1.4.36 AI ASSISTANT RESPONSE . . . 39
1.4.37 AI ASSISTANT RESPONSE . . . 40
1.4.38 AI ASSISTANT RESPONSE . . . 40
1.4.39 AI ASSISTANT RESPONSE . . . 40
1.4.40 Created Submission Files & Artifacts . . . 40
1.4.41 Summary of Results & Key Answers . . . 44
1.4.42 Visualization Plots Generated . . . 45
1.4.43 How to Run in a Single Command . . . 45
1.5 Step 5: USER PROMPT . . . 45
1.5.1 AI ASSISTANT RESPONSE . . . 46
1.5.2 AI ASSISTANT RESPONSE . . . 47
1.5.3 AI ASSISTANT RESPONSE . . . 47
1.5.4 AI ASSISTANT RESPONSE . . . 47

1.5.5 AI ASSISTANT RESPONSE . . . 47
1.5.6 AI ASSISTANT RESPONSE . . . 48
1.5.7 AI ASSISTANT RESPONSE . . . 50
1.5.8 AI ASSISTANT RESPONSE . . . 50
1.5.9 AI ASSISTANT RESPONSE . . . 54
1.5.10 AI ASSISTANT RESPONSE . . . 54
1.5.11 Summary of Git Actions Taken: . . . 54
1.5.12 Submitted Repository Contents: . . . 54
1.6 Step 6: USER PROMPT . . . 54
1.6.1 AI ASSISTANT RESPONSE . . . 55
1.6.2 AI ASSISTANT RESPONSE . . . 55
1.6.3 AI ASSISTANT RESPONSE . . . 56
1.6.4 AI ASSISTANT RESPONSE . . . 56
1.6.5 AI ASSISTANT RESPONSE . . . 56
1.6.6 AI ASSISTANT RESPONSE . . . 57
1.6.7 AI ASSISTANT RESPONSE . . . 57
1.6.8 AI ASSISTANT RESPONSE . . . 58
1.6.9 AI ASSISTANT RESPONSE . . . 58
1.6.10 AI ASSISTANT RESPONSE . . . 61
1.6.11 AI ASSISTANT RESPONSE . . . 65
1.6.12 AI ASSISTANT RESPONSE . . . 65
1.6.13 AI ASSISTANT RESPONSE . . . 65
1.6.14 AI ASSISTANT RESPONSE . . . 65
1.6.15 AI ASSISTANT RESPONSE . . . 66
1.6.16 AI ASSISTANT RESPONSE . . . 66
1.6.17 AI ASSISTANT RESPONSE . . . 67
1.6.18 AI ASSISTANT RESPONSE . . . 67
1.6.19 AI ASSISTANT RESPONSE . . . 68
1.6.20 AI ASSISTANT RESPONSE . . . 68
1.6.21 AI ASSISTANT RESPONSE . . . 68
1.6.22 AI ASSISTANT RESPONSE . . . 69
1.6.23 AI ASSISTANT RESPONSE . . . 69
1.6.24 AI ASSISTANT RESPONSE . . . 70
1.6.25 AI ASSISTANT RESPONSE . . . 70
1.6.26 AI ASSISTANT RESPONSE . . . 70
1.6.27 AI ASSISTANT RESPONSE . . . 71
1.6.28 AI ASSISTANT RESPONSE . . . 72
1.6.29 AI ASSISTANT RESPONSE . . . 73
1.6.30 AI ASSISTANT RESPONSE . . . 73
1.6.31 Categorized Directory Structure . . . 73
1.6.32 Updated Execution Commands . . . 74
1.6.33 Git Status . . . 74
1.7 Step 7: USER PROMPT . . . 74
1.7.1 AI ASSISTANT RESPONSE . . . 75
1.7.2 AI ASSISTANT RESPONSE . . . 75
1.7.3 AI ASSISTANT RESPONSE . . . 76
1.7.4 AI ASSISTANT RESPONSE . . . 76
1.7.5 AI ASSISTANT RESPONSE . . . 76
1.7.6 AI ASSISTANT RESPONSE . . . 77
1.7.7 AI ASSISTANT RESPONSE . . . 77
1.7.8 AI ASSISTANT RESPONSE . . . 77
1.7.9 AI ASSISTANT RESPONSE . . . 77
1.7.10 AI ASSISTANT RESPONSE . . . 81

1.7.11 AI ASSISTANT RESPONSE . . . 81
1.7.12 AI ASSISTANT RESPONSE . . . 81
1.7.13 AI ASSISTANT RESPONSE . . . 82
1.7.14 AI ASSISTANT RESPONSE . . . 82
1.7.15 AI ASSISTANT RESPONSE . . . 83
1.7.16 1. Bucket Boundaries for `title.id` Column (101 Values / 100 Buckets) . . . 83
1.7.17 2. Bucket Boundaries for `title.title` Column (101 Values / 100 Buckets) . . . 85
1.7.18 Git Update Summary . . . 87
1.8 Step 8: USER PROMPT . . . 87
1.8.1 AI ASSISTANT RESPONSE . . . 87
1.8.2 AI ASSISTANT RESPONSE . . . 87
1.8.3 AI ASSISTANT RESPONSE . . . 87
1.8.4 AI ASSISTANT RESPONSE . . . 95
1.8.5 AI ASSISTANT RESPONSE . . . 95
1.8.6 AI ASSISTANT RESPONSE . . . 96
1.8.7 1. Mathematical Formulas & Definitions . . . 96
1.8.8 2. Numerical Calculations for the Benchmark Queries . . . 96
1.8.9 3. Max Selectivity Error . . . 96
1.8.10 4. How PostgreSQL Computes the Estimate Internally (Linear Interpolation) 97
1.9 Step 9: USER PROMPT . . . 97
1.9.1 AI ASSISTANT RESPONSE . . . 97
1.9.2 1. The Key Clarification: 1/100 is 1.0\%, Not 0.1\% . . . 97
1.9.3 2. Checking the Measured Error Against the Bound . . . 97
1.9.4 3. Why is the Error ~0.84% (and not 0% or exactly 1.0%)? . . . 98
1.9.5 Summary Table . . . 98
1.10 Step 10: USER PROMPT . . . 98
1.10.1 AI ASSISTANT RESPONSE . . . 98
1.10.2 AI ASSISTANT RESPONSE . . . 98
1.10.3 AI ASSISTANT RESPONSE . . . 99
1.10.4 AI ASSISTANT RESPONSE . . . 99
1.10.5 AI ASSISTANT RESPONSE . . . 99
1.10.6 Summary of Actions: . . . 99
1.11 Step 11: USER PROMPT . . . 100
1.11.1 AI ASSISTANT RESPONSE . . . 100
1.11.2 AI ASSISTANT RESPONSE . . . 102
1.11.3 AI ASSISTANT RESPONSE . . . 104
1.11.4 AI ASSISTANT RESPONSE . . . 106
1.11.5 7. Max Selectivity Error . . . 107
1.11.6 8: Selectivity Estimation for Text Columns . . . 107
1.11.7 7. Sample Size vs Time Relationship Plot . . . 110
1.11.8 AI ASSISTANT RESPONSE . . . 110
1.11.9 AI ASSISTANT RESPONSE . . . 110
1.11.10 AI ASSISTANT RESPONSE . . . 111
1.11.11 AI ASSISTANT RESPONSE . . . 111
1.11.12 What Was Causing the Issue on GitHub: . . . 111
1.11.13 Fix Applied: . . . 111
1.12 Step 12: USER PROMPT . . . 111
1.12.1 AI ASSISTANT RESPONSE . . . 112
1.12.2 AI ASSISTANT RESPONSE . . . 114
1.12.3 7. Max Selectivity Error . . . 114
1.12.4 7. Sample Size vs Time Relationship Plot . . . 116
1.12.5 AI ASSISTANT RESPONSE . . . 116
1.12.6 AI ASSISTANT RESPONSE . . . 117

1.12.7 AI ASSISTANT RESPONSE 117
1.12.8 AI ASSISTANT RESPONSE 117
1.12.9 Root Cause of the Issue: 117
1.12.10 Solution Applied: 117

1 LLM Conversation Log

This document contains the complete record of user prompts and AI assistant responses for ADBMS Assignment 0 & 1.

1.1 Step 1: USER PROMPT

```
<USER_REQUEST>
there is a job database
i have to load that into postgres
help me with that
see @[Assignment 1 Histogram.pdf] for reference

</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-29T16:01:38+05:30.

The user has mentioned some items in the form @[ITEM]. Here is extra
   information about the items that were mentioned by the user, in the
   order that they appear:

@[Assignment 1 Histogram.pdf] is a [File]:
/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/Assignment 1 Histogram.
   pdf
</ADDITIONAL_METADATA>
<USER_SETTINGS_CHANGE>
The user changed setting ‘Model Selection‘ from None to Gemini 3.6 Flash (
   High). No need to comment on this change if the user doesn’t ask about
   it. If reporting what model you are, please use a human readable name
   instead of the exact string.
</USER_SETTINGS_CHANGE>
```

1.1.1 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:31:41Z
Completed At: 2026-08-29T10:31:41Z
"name":"Assignment 1 Histogram.pdf","sizeBytes":"76337"
"name":"job","isDir":true
"name":"job.tgz","sizeBytes":"17420"
Summary: This directory contains 1 subdirectories and 2 files.

1.1.2 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:31:43Z
Completed At: 2026-08-29T10:31:43Z
"name":"._job","sizeBytes":"276"
"name":"job","isDir":true
Summary: This directory contains 1 subdirectories and 1 files.

1.1.3 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:31:44Z
Completed At: 2026-08-29T10:31:44Z
"name":"._10a.sql","sizeBytes":"176"
"name":"._10b.sql","sizeBytes":"176"
"name":"._10c.sql","sizeBytes":"176"
"name":"._11a.sql","sizeBytes":"176"

"name":"._11b.sql","sizeBytes":"176"
"name":"._11c.sql","sizeBytes":"176"
"name":"._11d.sql","sizeBytes":"176"
"name":"._12a.sql","sizeBytes":"176"
"name":"._12b.sql","sizeBytes":"176"
"name":"._12c.sql","sizeBytes":"176"
"name":"._13a.sql","sizeBytes":"176"
"name":"._13b.sql","sizeBytes":"176"
"name":"._13c.sql","sizeBytes":"176"
"name":"._13d.sql","sizeBytes":"176"
"name":"._14a.sql","sizeBytes":"176"
"name":"._14b.sql","sizeBytes":"176"
"name":"._14c.sql","sizeBytes":"176"
"name":"._15a.sql","sizeBytes":"176"
"name":"._15b.sql","sizeBytes":"176"
"name":"._15c.sql","sizeBytes":"176"
"name":"._15d.sql","sizeBytes":"176"
"name":"._16a.sql","sizeBytes":"176"
"name":"._16b.sql","sizeBytes":"176"
"name":"._16c.sql","sizeBytes":"176"
"name":"._16d.sql","sizeBytes":"176"
"name":"._17a.sql","sizeBytes":"176"
"name":"._17b.sql","sizeBytes":"176"
"name":"._17c.sql","sizeBytes":"176"
"name":"._17d.sql","sizeBytes":"176"
"name":"._17e.sql","sizeBytes":"176"
"name":"._17f.sql","sizeBytes":"176"
"name":"._18a.sql","sizeBytes":"176"
"name":"._18b.sql","sizeBytes":"176"
"name":"._18c.sql","sizeBytes":"176"
"name":"._19a.sql","sizeBytes":"176"
"name":"._19b.sql","sizeBytes":"176"
"name":"._19c.sql","sizeBytes":"176"
"name":"._19d.sql","sizeBytes":"176"
"name":"._1a.sql","sizeBytes":"176"
"name":"._1b.sql","sizeBytes":"176"
"name":"._1c.sql","sizeBytes":"176"
"name":"._1d.sql","sizeBytes":"176"
"name":"._20a.sql","sizeBytes":"176"
"name":"._20b.sql","sizeBytes":"176"
"name":"._20c.sql","sizeBytes":"176"
"name":"._21a.sql","sizeBytes":"176"
"name":"._21b.sql","sizeBytes":"176"
"name":"._21c.sql","sizeBytes":"176"
"name":"._22a.sql","sizeBytes":"176"
"name":"._22b.sql","sizeBytes":"176"
"name":"._22c.sql","sizeBytes":"176"
"name":"._22d.sql","sizeBytes":"176"
"name":"._23a.sql","sizeBytes":"176"
"name":"._23b.sql","sizeBytes":"176"
"name":"._23c.sql","sizeBytes":"176"
"name":"._24a.sql","sizeBytes":"176"
"name":"._24b.sql","sizeBytes":"176"

"name":"._25a.sql","sizeBytes":"176"
"name":"._25b.sql","sizeBytes":"176"
"name":"._25c.sql","sizeBytes":"176"
"name":"._26a.sql","sizeBytes":"176"
"name":"._26b.sql","sizeBytes":"176"
"name":"._26c.sql","sizeBytes":"176"
"name":"._27a.sql","sizeBytes":"176"
"name":"._27b.sql","sizeBytes":"176"
"name":"._27c.sql","sizeBytes":"176"
"name":"._28a.sql","sizeBytes":"176"
"name":"._28b.sql","sizeBytes":"176"
"name":"._28c.sql","sizeBytes":"176"
"name":"._29a.sql","sizeBytes":"176"
"name":"._29b.sql","sizeBytes":"176"
"name":"._29c.sql","sizeBytes":"176"
"name":"._2a.sql","sizeBytes":"176"
"name":"._2b.sql","sizeBytes":"176"
"name":"._2c.sql","sizeBytes":"176"
"name":"._2d.sql","sizeBytes":"176"
"name":"._30a.sql","sizeBytes":"176"
"name":"._30b.sql","sizeBytes":"176"
"name":"._30c.sql","sizeBytes":"176"
"name":"._31a.sql","sizeBytes":"176"
"name":"._31b.sql","sizeBytes":"176"
"name":"._31c.sql","sizeBytes":"176"
"name":"._32a.sql","sizeBytes":"176"
"name":"._32b.sql","sizeBytes":"176"
"name":"._33a.sql","sizeBytes":"176"
"name":"._33b.sql","sizeBytes":"176"
"name":"._33c.sql","sizeBytes":"176"
"name":"._3a.sql","sizeBytes":"176"
"name":"._3b.sql","sizeBytes":"176"
"name":"._3c.sql","sizeBytes":"176"
"name":"._4a.sql","sizeBytes":"176"
"name":"._4b.sql","sizeBytes":"176"
"name":"._4c.sql","sizeBytes":"176"
"name":"._5a.sql","sizeBytes":"176"
"name":"._5b.sql","sizeBytes":"176"
"name":"._5c.sql","sizeBytes":"176"
"name":"._6a.sql","sizeBytes":"176"
"name":"._6b.sql","sizeBytes":"176"
"name":"._6c.sql","sizeBytes":"176"
"name":"._6d.sql","sizeBytes":"176"
"name":"._6e.sql","sizeBytes":"176"
"name":"._6f.sql","sizeBytes":"176"
"name":"._7a.sql","sizeBytes":"176"
"name":"._7b.sql","sizeBytes":"176"
"name":"._7c.sql","sizeBytes":"176"
"name":"._8a.sql","sizeBytes":"176"
"name":"._8b.sql","sizeBytes":"176"
"name":"._8c.sql","sizeBytes":"176"
"name":"._8d.sql","sizeBytes":"176"
"name":"._9a.sql","sizeBytes":"176"

"name":"._9b.sql","sizeBytes":"176"
"name":"._9c.sql","sizeBytes":"176"
"name":"._9d.sql","sizeBytes":"176"
"name":"._README","sizeBytes":"176"
"name":"._fkindexes.sql","sizeBytes":"176"
"name":"._schema.sql","sizeBytes":"176"
"name":"10a.sql","sizeBytes":"550"
"name":"10b.sql","sizeBytes":"519"
"name":"10c.sql","sizeBytes":"493"
"name":"11a.sql","sizeBytes":"767"
"name":"11b.sql","sizeBytes":"770"
"name":"11c.sql","sizeBytes":"813"
"name":"11d.sql","sizeBytes":"733"
"name":"12a.sql","sizeBytes":"775"
"name":"12b.sql","sizeBytes":"777"
"name":"12c.sql","sizeBytes":"794"
"name":"13a.sql","sizeBytes":"714"
"name":"13b.sql","sizeBytes":"803"
"name":"13c.sql","sizeBytes":"801"
"name":"13d.sql","sizeBytes":"712"
"name":"14a.sql","sizeBytes":"823"
"name":"14b.sql","sizeBytes":"888"
"name":"14c.sql","sizeBytes":"874"
"name":"15a.sql","sizeBytes":"837"
"name":"15b.sql","sizeBytes":"875"
"name":"15c.sql","sizeBytes":"846"
"name":"15d.sql","sizeBytes":"748"
"name":"16a.sql","sizeBytes":"631"
"name":"16b.sql","sizeBytes":"585"
"name":"16c.sql","sizeBytes":"608"
"name":"16d.sql","sizeBytes":"630"
"name":"17a.sql","sizeBytes":"526"
"name":"17b.sql","sizeBytes":"489"
"name":"17c.sql","sizeBytes":"489"
"name":"17d.sql","sizeBytes":"474"
"name":"17e.sql","sizeBytes":"476"
"name":"17f.sql","sizeBytes":"471"
"name":"18a.sql","sizeBytes":"630"
"name":"18b.sql","sizeBytes":"797"
"name":"18c.sql","sizeBytes":"717"
"name":"19a.sql","sizeBytes":"1041"
"name":"19b.sql","sizeBytes":"1001"
"name":"19c.sql","sizeBytes":"948"
"name":"19d.sql","sizeBytes":"839"
"name":"1a.sql","sizeBytes":"554"
"name":"1b.sql","sizeBytes":"530"
"name":"1c.sql","sizeBytes":"551"
"name":"1d.sql","sizeBytes":"514"
"name":"20a.sql","sizeBytes":"893"
"name":"20b.sql","sizeBytes":"928"
"name":"20c.sql","sizeBytes":"906"
"name":"21a.sql","sizeBytes":"988"
"name":"21b.sql","sizeBytes":"922"

"name":"21c.sql","sizeBytes":"999"
"name":"22a.sql","sizeBytes":"1133"
"name":"22b.sql","sizeBytes":"1133"
"name":"22c.sql","sizeBytes":"1198"
"name":"22d.sql","sizeBytes":"1138"
"name":"23a.sql","sizeBytes":"997"
"name":"23b.sql","sizeBytes":"1006"
"name":"23c.sql","sizeBytes":"1038"
"name":"24a.sql","sizeBytes":"1233"
"name":"24b.sql","sizeBytes":"1318"
"name":"25a.sql","sizeBytes":"951"
"name":"25b.sql","sizeBytes":"1011"
"name":"25c.sql","sizeBytes":"1027"
"name":"26a.sql","sizeBytes":"1217"
"name":"26b.sql","sizeBytes":"1127"
"name":"26c.sql","sizeBytes":"1162"
"name":"27a.sql","sizeBytes":"1284"
"name":"27b.sql","sizeBytes":"1270"
"name":"27c.sql","sizeBytes":"1333"
"name":"28a.sql","sizeBytes":"1534"
"name":"28b.sql","sizeBytes":"1472"
"name":"28c.sql","sizeBytes":"1524"
"name":"29a.sql","sizeBytes":"1692"
"name":"29b.sql","sizeBytes":"1636"
"name":"29c.sql","sizeBytes":"1672"
"name":"2a.sql","sizeBytes":"328"
"name":"2b.sql","sizeBytes":"328"
"name":"2c.sql","sizeBytes":"328"
"name":"2d.sql","sizeBytes":"328"
"name":"30a.sql","sizeBytes":"1360"
"name":"30b.sql","sizeBytes":"1436"
"name":"30c.sql","sizeBytes":"1355"
"name":"31a.sql","sizeBytes":"1236"
"name":"31b.sql","sizeBytes":"1376"
"name":"31c.sql","sizeBytes":"1251"
"name":"32a.sql","sizeBytes":"387"
"name":"32b.sql","sizeBytes":"394"
"name":"33a.sql","sizeBytes":"1336"
"name":"33b.sql","sizeBytes":"1297"
"name":"33c.sql","sizeBytes":"1359"
"name":"3a.sql","sizeBytes":"371"
"name":"3b.sql","sizeBytes":"297"
"name":"3c.sql","sizeBytes":"390"
"name":"4a.sql","sizeBytes":"408"
"name":"4b.sql","sizeBytes":"408"
"name":"4c.sql","sizeBytes":"408"
"name":"5a.sql","sizeBytes":"513"
"name":"5b.sql","sizeBytes":"459"
"name":"5c.sql","sizeBytes":"517"
"name":"6a.sql","sizeBytes":"410"
"name":"6b.sql","sizeBytes":"490"
"name":"6c.sql","sizeBytes":"410"
"name":"6d.sql","sizeBytes":"490"

"name":"6e.sql","sizeBytes":"410"
"name":"6f.sql","sizeBytes":"456"
"name":"7a.sql","sizeBytes":"762"
"name":"7b.sql","sizeBytes":"709"
"name":"7c.sql","sizeBytes":"866"
"name":"8a.sql","sizeBytes":"618"
"name":"8b.sql","sizeBytes":"773"
"name":"8c.sql","sizeBytes":"452"
"name":"8d.sql","sizeBytes":"479"
"name":"9a.sql","sizeBytes":"806"
"name":"9b.sql","sizeBytes":"771"
"name":"9c.sql","sizeBytes":"722"
"name":"9d.sql","sizeBytes":"694"
"name":"README","sizeBytes":"2398"
"name":"fkindexes.sql","sizeBytes":"1456"
"name":"schema.sql","sizeBytes":"4107"
Summary: This directory contains 0 subdirectories and 232 files.

1.1.4 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:31:47Z
Completed At: 2026-08-29T10:31:47Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/job/job/README`
Total Lines: 59
Total Bytes: 2398
Showing lines 1 to 59
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

1: This package contains the Join Order Benchmark (JOB) queries from:
2:
3: "How Good Are Query Optimizers, Really?"
4: by Viktor Leis, Andrey Gubichev, Atans Mirchev, Peter Boncz, Alfons Kemper, Thomas Neumann
5: PVLDB Volume 9, No. 3, 2015
6:
7: IMDB Data Set
8: ————-
9:
10: The CSV files used in the paper, which are from May 2013, can be found
11: at http://event.cwi.nl/da/job/imdb.tgz
12:
13: The license and links to the current version IMDB data set can be
14: found at http://www.imdb.com/interfaces
15: Step-by-step instructions:
16: 1. download *gz files (unpacking not necessary)
17: wget ftp://ftp.fu-berlin.de/pub/misc/movies/database/*gz
18: 2. download and unpack imdbpy and the imdbpy2sql.py script
19: wget https://bitbucket.org/alberanid/imdbpy/get/5.0.zip
20: 3. create PostgreSQL database (e.g., name imdbload):
21: createdb imdbload
22: 4. transform *gz files to relational schema (takes a while)
23: imdbpy2sql.py -d PATH_TO_GZ_FILES -u postgres://username:password@hostname/imdbload

24:
25: Now you should have a PostgreSQL database named "imdbload" with the
26: imdb data. Note that this database has some secondary indexes (but not
27: on all foreign key attributes). You can export all tables to CSV:
28:
29: \copy aka_name to 'PATH/aka_name.csv' csv
30: \copy aka_title to 'PATH/aka_title.csv' csv
31: \copy cast_info to 'PATH/cast_info.csv' csv
32: \copy char_name to 'PATH/char_name.csv' csv
33: \copy comp_cast_type to 'PATH/comp_cast_type.csv' csv
34: \copy company_name to 'PATH/company_name.csv' csv
35: \copy company_type to 'PATH/company_type.csv' csv
36: \copy complete_cast to 'PATH/complete_cast.csv' csv
37: \copy info_type to 'PATH/info_type.csv' csv
38: \copy keyword to 'PATH/keyword.csv' csv
39: \copy kind_type to 'PATH/kind_type.csv' csv
40: \copy link_type to 'PATH/link_type.csv' csv
41: \copy movie_companies to 'PATH/movie_companies.csv' csv
42: \copy movie_info to 'PATH/movie_info.csv' csv
43: \copy movie_info_idx to 'PATH/movie_info_idx.csv' csv
44: \copy movie_keyword to 'PATH/movie_keyword.csv' csv
45: \copy movie_link to 'PATH/movie_link.csv' csv
46: \copy name to 'PATH/name.csv' csv
47: \copy person_info to 'PATH/person_info.csv' csv
48: \copy role_type to 'PATH/role_type.csv' csv
49: \copy title to 'PATH/title.csv' csv
50:
51: To import the CSV files to another database, create all tables (see
52: schema.sql and optionally fkindexes.sql) and run the same copy as
53: above statements but replace the keyword "to" by "from".
54:
55: Questions
56: ———
57:
58: Contact Viktor Leis (leis@in.tum.de) if you have any questions.
59:
The above content shows the entire, complete file contents of the requested file.

1.1.5 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:31:49Z
Completed At: 2026-08-29T10:31:49Z
The following is the entire, complete content of the requested file.

1.1.6 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:31:54Z
Completed At: 2026-08-29T10:32:00Z
The command completed successfully.
Output:
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.macl'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran

tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran

job/._29b.sql
job/29b.sql
job/._25a.sql
job/25a.sql
job/._33a.sql
job/33a.sql
job/._3b.sql
job/3b.sql
job/._13c.sql
job/13c.sql
job/._13a.sql
job/13a.sql
job/._2d.sql
job/2d.sql
job/._33c.sql
job/33c.sql
job/._25c.sql
job/25c.sql
job/._29a.sql
job/29a.sql
job/._25b.sql
job/25b.sql
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran
tine'
tar: Ignoring unknown extended header keyword 'LIBARCHIVE.xattr.com.apple.quaran

tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’
tar: Ignoring unknown extended header keyword ’LIBARCHIVE.xattr.com.apple.quaran
tine’

1.1.7 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:32:04Z
Completed At: 2026-08-29T10:32:19Z
The command completed successfully.
Output:
psql (PostgreSQL) 18.6 (Ubuntu 18.6-0ubuntu0.26.04.1)
/var/run/postgresql:5432 - accepting connections
Architecture: x86_64
CPU op-mode(s): 32-bit, 64-bit
Address sizes: 39 bits physical, 48 bits virtual
Byte Order: Little Endian
CPU(s): 8
On-line CPU(s) list: 0-7
Vendor ID: GenuineIntel
Model name: 13th Gen Intel(R) Core(TM) i3-1315U
CPU family: 6
Model: 186
Thread(s) per core: 2
Core(s) per socket: 6
Socket(s): 1
Stepping: 3
CPU(s) scaling MHz: 21%
CPU max MHz: 4500.0000
CPU min MHz: 400.0000
BogoMIPS: 4992.00
Flags: fpu vme de pse tsc msr pae mce cx8 apic
sep mtrr pge mca cmov pat pse36 clflush dts acpi mmx fxsr sse sse2 ss ht tm pbe
syscall nx pdpe1gb rdtscp lm constant_tsc art arch_perfmon pebs bts rep_good no
pl xtopology nonstop_tsc cpuid aperfmperf tsc_known_freq pni pclmulqdq dtes64 mo

nitor ds_cpl vmx est tm2 ssse3 sdbg fma cx16 xtpr pdcm pcid sse4_1 sse4_2 x2apic
movbe popcnt tsc_deadline_timer aes xsave avx f16c rdrand lahf_lm abm 3dnowpref
etch cpuid_fault epb ssbd ibrs ibpb stibp ibrs_enhanced tpr_shadow flexpriority
ept vpid ept_ad fsgsbase tsc_adjust bmi1 avx2 smep bmi2 erms invpcid rdseed adx
smap clflushopt clwb intel_pt sha_ni xsaveopt xsavec xgetbv1 xsaves split_lock_d
etect user_shstk avx_vnni dtherm ida arat pln pts hwp hwp_notify hwp_act_window
hwp_epp hwp_pkg_req hfi vnmi umip pku ospke waitpkg gfni vaes vpclmulqdq rdpid m
ovdiri movdir64b fsrm md_clear serialize arch_lbr ibt flush_l1d arch_capabilitie
s
Virtualization: VT-x
total used free shared buff/cache available
Mem: 14Gi 7.1Gi 2.1Gi 1.5Gi 7.6Gi 7.6Gi
Swap: 4.0Gi 1.1Gi 2.9Gi
Filesystem Size Used Avail Use% Mounted on
/dev/nvme0n1p6 456G 279G 155G 65% /
PRETTY_NAME="Ubuntu 26.04 LTS"
NAME="Ubuntu"
VERSION_ID="26.04"
VERSION="26.04 LTS (Resolute Raccoon)"
VERSION_CODENAME=resolute
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-poli
cy"
UBUNTU_CODENAME=resolute
LOGO=ubuntu-logo

1.1.8 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:32:22Z
Completed At: 2026-08-29T10:32:29Z
The command failed with exit code: 2
Output:
sudo: A terminal is required to authenticate
psql: error: connection to server on socket "/var/run/postgresql/.s.PGSQL.5432"
failed: FATAL: role "jdsb" does not exist

1.1.9 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:32:32Z
Completed At: 2026-08-29T10:32:39Z
The command failed with exit code: 2
Output:
sudo: interactive authentication is required
psql: error: connection to server on socket "/var/run/postgresql/.s.PGSQL.5432"
failed: FATAL: Peer authentication failed for user "postgres"

1.1.10 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:32:42Z

Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-22

Task Description: psql -h localhost -U postgres -c "\l"

Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-22.log

---

1.1.11 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:32:54Z

Completed At: 2026-08-29T10:32:54Z

Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-22

Status: RUNNING

Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/22.log

Log output:

Password for user postgres:

Last progress: 2s ago

REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.1.12 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:32:57Z

Completed At: 2026-08-29T10:32:57Z

Task "e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-22" cancelled.

1.1.13 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:33:01Z

Completed At: 2026-08-29T10:33:27Z

Encountered error in step execution: user denied permission for command(psql -U postgres -w -c "\l"). The following instruction was provided by the user as an alternative: give me the cmd

i will load it as you dont have access to sudo

1.1.14 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:33:30Z

Completed At: 2026-08-29T10:33:30Z

File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/job/job/schema.sql`

Total Lines: 171

Total Bytes: 4107

Showing lines 1 to 171

The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

1: CREATE TABLE aka_name (
2: id integer NOT NULL PRIMARY KEY,
3: person_id integer NOT NULL,
4: name text NOT NULL,
5: imdb_index character varying(12),
6: name_pcode_cf character varying(5),
7: name_pcode_nf character varying(5),

```
8: surname_pcode character varying(5),
9: md5sum character varying(32)
10: );
11:
12: CREATE TABLE aka_title (
13: id integer NOT NULL PRIMARY KEY,
14: movie_id integer NOT NULL,
15: title text NOT NULL,
16: imdb_index character varying(12),
17: kind_id integer NOT NULL,
18: production_year integer,
19: phonetic_code character varying(5),
20: episode_of_id integer,
21: season_nr integer,
22: episode_nr integer,
23: note text,
24: md5sum character varying(32)
25: );
26:
27: CREATE TABLE cast_info (
28: id integer NOT NULL PRIMARY KEY,
29: person_id integer NOT NULL,
30: movie_id integer NOT NULL,
31: person_role_id integer,
32: note text,
33: nr_order integer,
34: role_id integer NOT NULL
35: );
36:
37: CREATE TABLE char_name (
38: id integer NOT NULL PRIMARY KEY,
39: name text NOT NULL,
40: imdb_index character varying(12),
41: imdb_id integer,
42: name_pcode_nf character varying(5),
43: surname_pcode character varying(5),
44: md5sum character varying(32)
45: );
46:
47: CREATE TABLE comp_cast_type (
48: id integer NOT NULL PRIMARY KEY,
49: kind character varying(32) NOT NULL
50: );
51:
52: CREATE TABLE company_name (
53: id integer NOT NULL PRIMARY KEY,
54: name text NOT NULL,
55: country_code character varying(255),
56: imdb_id integer,
57: name_pcode_nf character varying(5),
58: name_pcode_sf character varying(5),
59: md5sum character varying(32)
60: );
```

```
61:
62: CREATE TABLE company_type (
63: id integer NOT NULL PRIMARY KEY,
64: kind character varying(32) NOT NULL
65: );
66:
67: CREATE TABLE complete_cast (
68: id integer NOT NULL PRIMARY KEY,
69: movie_id integer,
70: subject_id integer NOT NULL,
71: status_id integer NOT NULL
72: );
73:
74: CREATE TABLE info_type (
75: id integer NOT NULL PRIMARY KEY,
76: info character varying(32) NOT NULL
77: );
78:
79: CREATE TABLE keyword (
80: id integer NOT NULL PRIMARY KEY,
81: keyword text NOT NULL,
82: phonetic_code character varying(5)
83: );
84:
85: CREATE TABLE kind_type (
86: id integer NOT NULL PRIMARY KEY,
87: kind character varying(15) NOT NULL
88: );
89:
90: CREATE TABLE link_type (
91: id integer NOT NULL PRIMARY KEY,
92: link character varying(32) NOT NULL
93: );
94:
95: CREATE TABLE movie_companies (
96: id integer NOT NULL PRIMARY KEY,
97: movie_id integer NOT NULL,
98: company_id integer NOT NULL,
99: company_type_id integer NOT NULL,
100: note text
101: );
102:
103: CREATE TABLE movie_info (
104: id integer NOT NULL PRIMARY KEY,
105: movie_id integer NOT NULL,
106: info_type_id integer NOT NULL,
107: info text NOT NULL,
108: note text
109: );
110:
111: CREATE TABLE movie_info_idx (
112: id integer NOT NULL PRIMARY KEY,
113: movie_id integer NOT NULL,
```

```
114: info_type_id integer NOT NULL,
115: info text NOT NULL,
116: note text
117: );
118:
119: CREATE TABLE movie_keyword (
120: id integer NOT NULL PRIMARY KEY,
121: movie_id integer NOT NULL,
122: keyword_id integer NOT NULL
123: );
124:
125: CREATE TABLE movie_link (
126: id integer NOT NULL PRIMARY KEY,
127: movie_id integer NOT NULL,
128: linked_movie_id integer NOT NULL,
129: link_type_id integer NOT NULL
130: );
131:
132: CREATE TABLE name (
133: id integer NOT NULL PRIMARY KEY,
134: name text NOT NULL,
135: imdb_index character varying(12),
136: imdb_id integer,
137: gender character varying(1),
138: name_pcode_cf character varying(5),
139: name_pcode_nf character varying(5),
140: surname_pcode character varying(5),
141: md5sum character varying(32)
142: );
143:
144: CREATE TABLE person_info (
145: id integer NOT NULL PRIMARY KEY,
146: person_id integer NOT NULL,
147: info_type_id integer NOT NULL,
148: info text NOT NULL,
149: note text
150: );
151:
152: CREATE TABLE role_type (
153: id integer NOT NULL PRIMARY KEY,
154: role character varying(32) NOT NULL
155: );
156:
157: CREATE TABLE title (
158: id integer NOT NULL PRIMARY KEY,
159: title text NOT NULL,
160: imdb_index character varying(12),
161: kind_id integer NOT NULL,
162: production_year integer,
163: imdb_id integer,
164: phonetic_code character varying(5),
165: episode_of_id integer,
166: season_nr integer,
```

167: episode_nr integer,
168: series_years character varying(49),
169: md5sum character varying(32)
170:);
171:
The above content shows the entire, complete file contents of the requested file.

1.1.15 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:33:33Z
Completed At: 2026-08-29T10:33:42Z
The command completed successfully.
Stdout:
Stderr:

1.1.16 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:33:45Z
Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-35
Task Description: wget -q –show-progress http://event.cwi.nl/da/job/imdb.tgz -O imdb.tgz || wget -q –show-progress https://homepages.cwi.nl/~boncz/job/imdb.tgz -O imdb.tgz
Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-35.log

1.1.17 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:34:07Z
Completed At: 2026-08-29T10:34:07Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-35
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/35.log
Log output:
imdb.tgz 0%[ ] 0 –.-KB/s
imdb.tgz 0%[ ] 47.67K 117KB/s
imdb.tgz 0%[ ] 111.67K 136KB/s
imdb.tgz 0%[ ] 223.67K 182KB/s
imdb.tgz 0%[ ] 415.67K 254KB/s
imdb.tgz 0%[ ] 831.67K 418KB/s
imdb.tgz 0%[ ] 1.26M 592KB/s
imdb.tgz 0%[ ] 1.28M 494KB/s
imdb.tgz 0%[ ] 2.34M 794KB/s eta 25m 50s
imdb.tgz 0%[ ] 3.17M 942KB/s eta 25m 50s
imdb.tgz 0%[ ] 3.23M 842KB/s eta 25m 50s
imdb.tgz 0%[ ] 4.23M 1007KB/s eta 20m 21s
imdb.tgz 0%[ ] 4.66M 1.03MB/s eta 20m 21s
Last progress: 0s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.1.18 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:34:12Z

Completed At: 2026-08-29T10:34:12Z

Created file file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/implementati with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

Note: You have just created an artifact and requested user feedback. Stop calling tools to end your turn, and allow the user to review the artifact, approve it, or provide feedback

---

1.1.19 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:34:15Z

Completed At: 2026-08-29T10:34:15Z

Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-35

Status: RUNNING

Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/ 35.log

Log output:

<truncated 18 lines>

] 7.14M 1.02MB/s eta 19m 28s

imdb.tgz 0%[ ] 7.50M 1021KB/s eta 19m 28s

imdb.tgz 0%[ ] 8.23M 1.09MB/s eta 20m 6s

imdb.tgz 0%[ ] 8.59M 1.12MB/s eta 20m 6s

imdb.tgz 0%[ ] 8.97M 1.13MB/s eta 20m 6s

imdb.tgz 0%[ ] 9.33M 1.04MB/s eta 21m 26s

imdb.tgz 0%[ ] 9.97M 1.08MB/s eta 21m 26s

imdb.tgz 0%[ ] 10.25M 1.07MB/s eta 21m 26s

imdb.tgz 0%[ ] 10.55M 1.08MB/s eta 21m 15s

imdb.tgz 0%[ ] 10.86M 1008KB/s eta 21m 15s

imdb.tgz 0%[ ] 11.17M 948KB/s eta 21m 15s

imdb.tgz 0%[ ] 11.48M 999KB/s eta 21m 27s

imdb.tgz 0%[ ] 11.81M 915KB/s eta 21m 27s

Last progress: 0s ago

REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.1.20 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:34:18Z

Completed At: 2026-08-29T10:34:18Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/import_job.sql with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.1.21 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:34:21Z

Completed At: 2026-08-29T10:34:22Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/load_job.sh with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.1.22 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:34:24Z
Completed At: 2026-08-29T10:34:26Z
The command completed successfully.
Stdout:
Stderr:

1.1.23 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:34:30Z
Completed At: 2026-08-29T10:34:30Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/get_cardinalities.sql with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.1.24 AI ASSISTANT RESPONSE

Created At: 2026-08-29T10:34:33Z
Completed At: 2026-08-29T10:34:33Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-35
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/35.log
Log output:
<truncated 71 lines>
] 20.19M 540KB/s eta 25m 0s
imdb.tgz 1%[ ] 20.41M 528KB/s eta 25m 0s
imdb.tgz 1%[ ] 20.62M 544KB/s eta 25m 23s
imdb.tgz 1%[ ] 20.84M 534KB/s eta 25m 23s
imdb.tgz 1%[ ] 21.06M 547KB/s eta 25m 23s
imdb.tgz 1%[ ] 21.30M 540KB/s eta 25m 42s
imdb.tgz 1%[ ] 21.53M 561KB/s eta 25m 42s
imdb.tgz 1%[ ] 21.78M 560KB/s eta 25m 42s
imdb.tgz 1%[ ] 22.05M 579KB/s eta 25m 49s
imdb.tgz 1%[ ] 22.31M 578KB/s eta 25m 49s
imdb.tgz 1%[ ] 22.59M 595KB/s eta 25m 49s
imdb.tgz 1%[ ] 22.91M 600KB/s eta 25m 53s
imdb.tgz 1%[ ] 23.23M 625KB/s eta 25m 53s
Last progress: 0s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.1.25 AI ASSISTANT RESPONSE

I have created the plan and automated loading scripts for importing the **Join Order Benchmark (JOB)** database into PostgreSQL and generating the report details required by **Assignment 0** in `Assignment 1 Histogram.pdf`.

Please review the [implementation_plan.md](file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/implementation_plan.md) artifact for full details.

1.1.26 Key Prepared Files in Workspace:

1. **[load_job.sh](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/load_job.s**
Executable bash script that extracts `imdb.tgz`, creates `imdbload` database, imports all 21 CSV tables, builds foreign key indexes, and runs `ANALYZE`.

2. **[import_job.sql](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/imp**
SQL script containing the schema creation (`job/job/schema.sql`), `\copy` statements for all 21 tables, index creation (`job/job/fkindexes.sql`), and `ANALYZE`.

3. **[get_cardinalities.sql](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1**
SQL query script to retrieve table names, primary key column names (`id`), and row cardinalities (`count(*)`) across all tables.

1.1.27 Commands to Run on Your Terminal:

Option A: One-Command Automated Execution Run the shell script:

```
./load_job.sh
```

Option B: Step-by-Step Manual Execution If you prefer running commands individually:

1. **Extract dataset** (if `imdb.tgz` download is complete):

```
tar -xzf imdb.tgz
```

2. **Create Database**:

```
createdb imdbload
```

3. **Load Schema, Data, Indexes & Build Histograms**:

```
psql -d imdbload -f import_job.sql
```

4. **Get Table Cardinalities for Assignment Report**:

```
psql -d imdbload -f get_cardinalities.sql
```

1.1.28 System Setup Details (For Assignment Report - "Setup"):

- **CPU Model & Cores**: 13th Gen Intel(R) Core(TM) i3-1315U (6 cores, 8 threads)
- **RAM**: 14 GiB
- **HDD / Storage**: 456 GiB NVMe SSD
- **OS Version**: Ubuntu 26.04 LTS
- **PostgreSQL Engine Version**: PostgreSQL 18.6

1.2 Step 2: USER PROMPT

```
<USER_REQUEST>
why i need imdb dataset
i downloaded job dataset
where it is written to download
</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-29T16:06:45+05:30.
</ADDITIONAL_METADATA>
```

1.2.1 AI ASSISTANT RESPONSE

1.2.2 Why the IMDB Dataset is Needed

The **Join Order Benchmark (JOB)** is a database benchmark based on real-world data from the **IMDB (Internet Movie Database)**.

1. `job.tgz` **contains only queries and schemas**:
The `job.tgz` file you downloaded only contains:

- `schema.sql` (creates empty table structures like `title`, `cast_info`, `movie_info`, etc.)
- `1a.sql` to `33c.sql` (the 113 benchmark SQL queries)
- `fkindexes.sql` (indexes)

It **does not contain the actual data (rows)** to populate the tables.

2. `imdb.tgz` **contains the actual table data**:
The actual table data (the 21 `.csv` files containing all movies, actors, roles, etc.) is in `imdb.tgz`. Without this CSV data, your PostgreSQL tables will be completely empty.

1.2.3 Where it is Written

1. **In `Assignment 1 Histogram.pdf` (Page 1 under Assignment 0)**:
> *"load the JOB database (https://event.cwi.nl/da/job/)."*

2. **In [job/job/README](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A L11)**:
> **IMDB Data Set**
> The CSV files used in the paper, which are from May 2013, can be found at **http://event.cwi.nl/da/job/in**

1.2.4 Summary

- `job.tgz` = Database schema & benchmark SQL queries (Empty structure)
- `imdb.tgz` = CSV data files (~1.2 GB compressed) to populate the database tables

Once `imdb.tgz` is uncompressed into the folder, running `./load_job.sh` will populate the database and run `ANALYZE` so histograms can be built for your assignment!

1.2.5 AI ASSISTANT RESPONSE

Great news! The download of `imdb.tgz` **(1.18 GB)** has completed successfully in your workspace directory.

Everything is set up and ready to load into PostgreSQL.

1.2.6 What to run next in your terminal:

```
./load_job.sh
```

1.2.7 What this script will do automatically:

1. Extract `imdb.tgz` to get all 21 CSV files.
2. Create the `imdbload` PostgreSQL database (if it doesn't already exist).
3. Execute [import_job.sql](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/import_j to build the schema, load all CSV files via `\copy`, and build foreign key indexes.
4. Run `ANALYZE` on all tables so PostgreSQL generates internal histograms for Assignment 1.

Once completed, you can run:

```
psql -d imdbload -f get_cardinalities.sql
```

to display the primary keys and cardinalities (`count(*)`) for all tables needed for your Assignment 0 report.

1.3 Step 3: USER PROMPT

```
<USER_REQUEST>
adbms/A1 on      main [?]
    ./load_job.sh
=== 1. Checking IMDB CSV dataset ===
Extracting imdb.tgz...
=== 2. Creating Database 'imdbload' if not present ===
psql: error: connection to server on socket "/var/run/postgresql/.s.PGSQL
   .5432" failed: FATAL:  role "jdsb" does not exist
Creating database imdbload...
createdb: error: connection to server on socket "/var/run/postgresql/.s.
   PGSQL.5432" failed: FATAL:  role "jdsb" does not exist
createdb: error: connection to server on socket "/var/run/postgresql/.s.
   PGSQL.5432" failed: FATAL:  Peer authentication failed for user "
   postgres"
adbms/A1 on      main [?] took 18s

</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-29T17:06:18+05:30.
</ADDITIONAL_METADATA>
```

1.3.1 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:36:57Z

Completed At: 2026-08-29T11:36:57Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/load_job.sh with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.3.2 AI ASSISTANT RESPONSE

1.3.3 Why This Happened

On Ubuntu, PostgreSQL uses **Peer Authentication** by default. This means PostgreSQL expects a database role matching your system's username (`jdsb`). Since the PostgreSQL role `jdsb` does not exist yet in PostgreSQL, connection attempts were rejected.

1.3.4 Solution (One-Time Setup)

Run these **two commands** in your terminal to create your PostgreSQL role and database:

```
# 1. Create a PostgreSQL role matching your system user 'jdsb'
sudo -u postgres createuser -s jdsb

# 2. Create the 'imdbload' database owned by 'jdsb'
sudo -u postgres createdb imdbload -O jdsb
```

1.3.5 Step 2: Run the loader script

Now run `./load_job.sh` again:

```
./load_job.sh
```

It will proceed to import all 21 CSV tables into PostgreSQL and run `ANALYZE` for histogram generation!

1.4 Step 4: USER PROMPT

```
<USER_REQUEST>
    ./load_job.sh
=== 1. Checking IMDB CSV dataset ===
=== 2. Creating Database 'imdbload' if not present ===
Database 'imdbload' already exists.
=== 3. Loading Schema, Importing CSVs, Building Indexes & Analyzing ===
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
CREATE TABLE
COPY 901343
COPY 361472
COPY 36244344
COPY 3140339
COPY 4
COPY 234997
COPY 4
COPY 135086
COPY 113
COPY 134170
COPY 7
COPY 18
COPY 2609129
COPY 14835720
COPY 1380035
COPY 4523930
COPY 29997
COPY 4167491
COPY 2963664
COPY 12
COPY 2528312
CREATE INDEX
```

```
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
CREATE INDEX
ANALYZE
=== JOB Database Loaded Successfully! ===
adbms/A1 on      main [?] took 3m39s


as you have to do the assignment
you have to take care of the assignmetnt
also you have to create the doc as said in the pdf
chat witht the ai assitent
</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-29T17:12:10+05:30.
</ADDITIONAL_METADATA>
```

1.4.1 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:42:16Z
Completed At: 2026-08-29T11:42:27Z
The command completed successfully.
Output:
Traceback (most recent call last):
File "<string>", line 2, in <module>
import psycopg2
ModuleNotFoundError: No module named 'psycopg2'
Title count via psql: 2528312

1.4.2 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:42:42Z
Completed At: 2026-08-29T11:42:46Z
The command failed with exit code: 1
Output:
Traceback (most recent call last):
File "<string>", line 1, in <module>
import matplotlib, numpy, pandas; print('OK')

^^^

1.4.5 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:43:19Z
Completed At: 2026-08-29T11:43:19Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-69
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/69.log
Log output:
<truncated 45 lines>
cached contourpy-1.3.3-cp314-cp314-manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl (363 kB)
Using cached cycler-0.12.1-py3-none-any.whl (8.3 kB)
Using cached fonttools-4.63.0-cp314-cp314-manylinux2014_x86_64.manylinux_2_17_x86_64.whl (4.9 MB)
Downloading kiwisolver-1.5.1-cp314-cp314-manylinux2014_x86_64.manylinux_2_17_x86_64.whl (1.5 MB)
1.5/1.5 MB 1.7 MB/s eta 0:00:00
Using cached packaging-26.3-py3-none-any.whl (129 kB)
Using cached pillow-12.3.0-cp314-cp314-manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl (6.9 MB)
Using cached pyparsing-3.3.2-py3-none-any.whl (122 kB)
Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
Using cached six-1.17.0-py2.py3-none-any.whl (11 kB)
Installing collected packages: six, pyparsing, psycopg2-binary, pillow, packaging, numpy, kiwisolver, fonttools, cycler, python-dateutil, contourpy, pandas, matplotlib
Last progress: 3s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.6 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:43:26Z
Completed At: 2026-08-29T11:43:26Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-69
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/69.log
Log output:
<truncated 45 lines>
cached contourpy-1.3.3-cp314-cp314-manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl (363 kB)
Using cached cycler-0.12.1-py3-none-any.whl (8.3 kB)
Using cached fonttools-4.63.0-cp314-cp314-manylinux2014_x86_64.manylinux_2_17_x86_64.whl (4.9 MB)
Downloading kiwisolver-1.5.1-cp314-cp314-manylinux2014_x86_64.manylinux_2_17_x86_64.whl (1.5 MB)
1.5/1.5 MB 1.7 MB/s eta 0:00:00
Using cached packaging-26.3-py3-none-any.whl (129 kB)
Using cached pillow-12.3.0-cp314-cp314-manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl (6.9 MB)

Using cached pyparsing-3.3.2-py3-none-any.whl (122 kB)
Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
Using cached six-1.17.0-py2.py3-none-any.whl (11 kB)
Installing collected packages: six, pyparsing, psycopg2-binary, pillow, packagin
g, numpy, kiwisolver, fonttools, cycler, python-dateutil, contourpy, pandas, mat
plotlib
Last progress: 10s ago

REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.7 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:43:31Z
Completed At: 2026-08-29T11:43:33Z
The command completed successfully.
Output:
SUCCESS

1.4.8 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:43:41Z
Completed At: 2026-08-29T11:43:41Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/solution_q1.py with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.9 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:44:09Z
Completed At: 2026-08-29T11:44:17Z
The command failed with exit code: 1
Output:
Total rows in title table: 2528312
=== Stats fetched from pg_stats ===
Column 'id': 762 boundary values (761 buckets)
Column 'title': 1957 boundary values (1956 buckets)
Traceback (most recent call last):
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/solution_q1.py", line 125, in <module>
run_q1()
~~~~~~^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/solution_q1.py", line 42, in run_q1
id_bounds = [int(x) for x in stats['id']['bounds']] if stats['id']['bounds']
else []
~~~^^^
ValueError: invalid literal for int() with base 10: ''

1.4.10 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:44:35Z
Completed At: 2026-08-29T11:44:35Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/solution_q1.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.11 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:45:10Z
Completed At: 2026-08-29T11:45:17Z
The command completed successfully.
Output:
Total rows in title table: 2528312
=== Stats fetched from pg_stats ===
Column 'id': 101 boundary values (100 buckets)
Column 'title': 101 boundary values (100 buckets)
=== Query Selectivities & Errors ===
Query 1 (title < 'Race'): Actual=1918141 (0.758665), Est=1921965 (0.760177), Abs
olute Error=0.001512, Rel Error=0.20%
Query 2 (id < 350000): Actual=349999 (0.138432), Est=356446 (0.140982), Absolute
Error=0.002550, Rel Error=1.84%
Q1 execution completed! Plots saved as q1_histogram_id.png and q1_histogram_titl
e.png.

1.4.12 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:45:36Z
Completed At: 2026-08-29T11:45:36Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/solution_q2.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.13 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:45:42Z
Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-88
Task Description: ./venv/bin/python3 solution_q2.py
Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-88.log

---

1.4.14 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:46:05Z
Completed At: 2026-08-29T11:46:05Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-88
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/88.log
Log output:
=== Running Q2 Experiments ===
— Processing Sample Size N = 1000 —
[id] N=1000: Build Time = 8.1747s, Max Selectivity Error = 0.004361

[title] N=1000: Build Time = 8.6403s
— Processing Sample Size N = 3000 —
Last progress: 0s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.15 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:46:15Z
Completed At: 2026-08-29T11:46:15Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-88
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/88.log
Log output:
=== Running Q2 Experiments ===
— Processing Sample Size N = 1000 —
[id] N=1000: Build Time = 8.1747s, Max Selectivity Error = 0.004361
[title] N=1000: Build Time = 8.6403s
— Processing Sample Size N = 3000 —
Last progress: 11s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.16 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:46:22Z
Completed At: 2026-08-29T11:46:22Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-88
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/88.log
Log output:
=== Running Q2 Experiments ===
— Processing Sample Size N = 1000 —
[id] N=1000: Build Time = 8.1747s, Max Selectivity Error = 0.004361
[title] N=1000: Build Time = 8.6403s
— Processing Sample Size N = 3000 —
Last progress: 18s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.17 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:46:28Z
Completed At: 2026-08-29T11:46:28Z
Task "e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-88" cancelled.

1.4.18 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:46:34Z

Completed At: 2026-08-29T11:46:34Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/solution_q2.py with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.19 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:46:39Z

Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-101

Task Description: ./venv/bin/python3 solution_q2.py

Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-101.log

---

1.4.20 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:46:57Z

Completed At: 2026-08-29T11:46:57Z

Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-101

Status: RUNNING

Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/101.log

Log output:

=== Running Q2 Vectorized DP Experiments ===

— Processing Sample Size N = 1000 —

[id] N=1000: Build Time = 0.3937s, Max Selectivity Error = 0.007076

[title] N=1000: Build Time = 0.2767s

— Processing Sample Size N = 3000 —

[id] N=3000: Build Time = 0.9711s, Max Selectivity Error = 0.003190

[title] N=3000: Build Time = 1.6046s

— Processing Sample Size N = 5000 —

[id] N=5000: Build Time = 2.3755s, Max Selectivity Error = 0.002340

[title] N=5000: Build Time = 3.0999s

=== Linear Regression Extrapolation ===

Slope m = 0.00049547 s/sample, Intercept c = -0.239631 s

Extrapolated Build Time for Full Table (N=2,528,312): 1252.45 seconds (20.87 minutes)

Q2 execution completed! All plots and extrapolations saved.

Last progress: 0s ago

REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.21 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:47:14Z

Completed At: 2026-08-29T11:47:14Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/generate_report.py with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.22 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:47:20Z
Completed At: 2026-08-29T11:47:22Z
The command failed with exit code: 1
Output:
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/generate_report.py", line 151

$$\textSelectivityError = |\textEstimatedSelectivity - \textActualSe$$

lectivity| = \left|\fracEN - \fracAN\right|

^^^^^^^^^^^^^^^^^^
SyntaxError: invalid syntax. Perhaps you forgot a comma?

1.4.23 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:47:31Z
Completed At: 2026-08-29T11:47:31Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/generate_report.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.24 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:47:45Z
Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-112
Task Description: ./venv/bin/python3 generate_report.py
Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-112.log

1.4.25 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:48:07Z
Completed At: 2026-08-29T11:48:07Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-112
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/112.log
Log output:
=== Running Q2 Vectorized DP Experiments ===
— Processing Sample Size N = 1000 —
[id] N=1000: Build Time = 0.4712s, Max Selectivity Error = 0.004155
[title] N=1000: Build Time = 0.2716s
— Processing Sample Size N = 3000 —
[id] N=3000: Build Time = 0.8934s, Max Selectivity Error = 0.004476
[title] N=3000: Build Time = 1.8247s
— Processing Sample Size N = 5000 —

[id] N=5000: Build Time = 2.2051s, Max Selectivity Error = 0.002263
[title] N=5000: Build Time = 2.3143s
Last progress: 1s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.26 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:49:01Z
Completed At: 2026-08-29T11:49:01Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-112
Status: DONE
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/112.log
Log output:
=== Running Q2 Vectorized DP Experiments ===
— Processing Sample Size N = 1000 —
[id] N=1000: Build Time = 0.4712s, Max Selectivity Error = 0.004155
[title] N=1000: Build Time = 0.2716s
— Processing Sample Size N = 3000 —
[id] N=3000: Build Time = 0.8934s, Max Selectivity Error = 0.004476
[title] N=3000: Build Time = 1.8247s
— Processing Sample Size N = 5000 —
[id] N=5000: Build Time = 2.2051s, Max Selectivity Error = 0.002263
[title] N=5000: Build Time = 2.3143s
=== Linear Regression Extrapolation ===
Slope m = 0.00043346 s/sample, Intercept c = -0.110482 s
Extrapolated Build Time for Full Table (N=2,528,312): 1095.82 seconds (18.26 minutes)
Q2 execution completed! All plots and extrapolations saved.
Master Report generated successfully as Assignment_Report.md!
Last progress: 51s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.27 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:49:09Z
Completed At: 2026-08-29T11:49:20Z
The command completed successfully.
Output:
Files in log dir: ['transcript.jsonl', 'transcript_full.jsonl']

1.4.28 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:49:29Z
Completed At: 2026-08-29T11:49:29Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/export_llm_chat.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.29 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:49:35Z
Completed At: 2026-08-29T11:49:43Z
The command completed successfully.
Output:
LLM Conversation Log successfully saved to LLM_Conversations.md (121 log lines p
rocessed).

1.4.30 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:49:46Z
Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-125
Task Description: pandoc –version || libreoffice –version || ./venv/bin/pip install python-docx
Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-125.log

---

1.4.31 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:50:36Z
Completed At: 2026-08-29T11:50:36Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-125
Status: DONE
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/125.log
Log output:
bash: line 1: pandoc: command not found
ln: failed to create symbolic link '/home/jdsb/snap/libreoffice/377/.config/dcon
f/user': File exists
LibreOffice 26.2.5.2 6d2b0d33fb0f5da53a12f98bed3e9973e56ff1f0
Last progress: 0s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.32 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:50:41Z
Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-130
Task Description: ./venv/bin/pip install python-docx markdown
Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-130.log

---

1.4.33 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:51:02Z
Completed At: 2026-08-29T11:51:02Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-130
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/130.log
Log output:
Collecting python-docx

Downloading python_docx-1.2.0-py3-none-any.whl.metadata (2.0 kB)
Collecting markdown
Downloading markdown-3.10.3-py3-none-any.whl.metadata (5.1 kB)
Collecting lxml>=3.1.0 (from python-docx)
Downloading lxml-6.1.2-cp314-cp314-manylinux_2_26_x86_64.manylinux_2_28_x86_64
.whl.metadata (3.3 kB)
Collecting typing_extensions>=4.9.0 (from python-docx)
Using cached typing_extensions-4.16.0-py3-none-any.whl.metadata (3.3 kB)
Downloading python_docx-1.2.0-py3-none-any.whl (252 kB)
Downloading markdown-3.10.3-py3-none-any.whl (110 kB)
Downloading lxml-6.1.2-cp314-cp314-manylinux_2_26_x86_64.manylinux_2_28_x86_64.w
hl (5.2 MB)
5.2/5.2 MB 450.5 kB/s eta 0:00:00
Using cached typing_extensions-4.16.0-py3-none-any.whl (45 kB)
Installing collected packages: typing_extensions, markdown, lxml, python-docx
Last progress: 1s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.34 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:51:09Z
Completed At: 2026-08-29T11:51:09Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-130
Status: DONE
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/
130.log
Log output:
<truncated 2 lines>
-1.2.0-py3-none-any.whl.metadata (2.0 kB)
Collecting markdown
Downloading markdown-3.10.3-py3-none-any.whl.metadata (5.1 kB)
Collecting lxml>=3.1.0 (from python-docx)
Downloading lxml-6.1.2-cp314-cp314-manylinux_2_26_x86_64.manylinux_2_28_x86_64
.whl.metadata (3.3 kB)
Collecting typing_extensions>=4.9.0 (from python-docx)
Using cached typing_extensions-4.16.0-py3-none-any.whl.metadata (3.3 kB)
Downloading python_docx-1.2.0-py3-none-any.whl (252 kB)
Downloading markdown-3.10.3-py3-none-any.whl (110 kB)
Downloading lxml-6.1.2-cp314-cp314-manylinux_2_26_x86_64.manylinux_2_28_x86_64.w
hl (5.2 MB)
5.2/5.2 MB 450.5 kB/s eta 0:00:00
Using cached typing_extensions-4.16.0-py3-none-any.whl (45 kB)
Installing collected packages: typing_extensions, markdown, lxml, python-docx
Successfully installed lxml-6.1.2 markdown-3.10.3 python-docx-1.2.0 typing_exten
sions-4.16.0
Last progress: 6s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.4.35 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:51:15Z

Completed At: 2026-08-29T11:51:15Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/convert_to_doc.py with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.36 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:51:22Z

Completed At: 2026-08-29T11:51:26Z

The command failed with exit code: 1

Output:

Traceback (most recent call last):
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/convert_to_doc.py", l
ine 45, in <module>
markdown_to_docx('Assignment_Report.md', 'Assignment_Report.docx')
~~~~~~~~~~~~~~~~~~~~^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/convert_to_doc.py", l
ine 39, in markdown_to_docx
doc.add_paragraph(clean_text)
~~~~~~~~~~~~~~~~~~~^^^^^^^^^^^^^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/s
ite-packages/docx/document.py", line 119, in add_paragraph
return self._body.add_paragraph(text, style)
~~~~~~~~~~~~~~~~~~~~~~~~~~~^^^^^^^^^^^^^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/s
ite-packages/docx/blkcntnr.py", line 56, in add_paragraph
paragraph.add_run(text)
~~~~~~~~~~~~~~~~~~~~^^^^^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/s
ite-packages/docx/text/paragraph.py", line 41, in add_run
run.text = text
^^^^^^^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/s
ite-packages/docx/text/run.py", line 225, in text
self._r.text = text
^^^^^^^^^^^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/s
ite-packages/docx/oxml/text/run.py", line 143, in text
_RunContentAppender.append_to_run_from_text(self, text)
~~~~~~^^^^^^^^^^^^^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/s
ite-packages/docx/oxml/text/run.py", line 279, in append_to_run_from_text
appender.add_text(text)
~~~~~~~~~~~~~~~~~~~~~~^^^^^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/s
ite-packages/docx/oxml/text/run.py", line 285, in add_text
self.flush()
~~~~~~~~~~~^^
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/s
ite-packages/docx/oxml/text/run.py", line 306, in flush
~~~~~~~~~~~

self._r.add_t(text)
~~~~~~~~~~~~~~~~~~^^^^^^

File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/site-packages/docx/oxml/text/run.py", line 42, in add_t
t = self._add_t(text=text)
File "/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/venv/lib/python3.14/site-packages/docx/oxml/xmlchemy.py", line 288, in _add_child
setattr(child, key, value)
~~~~~~~^^^^^^^^^^^^^^^^^^^^^^

File "src/lxml/etree.pyx", line 1169, in lxml.etree._Element.text.__set__
File "src/lxml/apihelpers.pxi", line 763, in lxml.etree._setNodeText
File "src/lxml/apihelpers.pxi", line 751, in lxml.etree._createTextNode
File "src/lxml/apihelpers.pxi", line 1547, in lxml.etree._utf8
ValueError: All strings must be XML compatible: Unicode or ASCII, no NULL bytes or control characters

---

1.4.37 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:51:33Z

Completed At: 2026-08-29T11:51:34Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/convert_to_doc.py with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.4.38 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:51:40Z

Completed At: 2026-08-29T11:51:43Z

The command completed successfully.

Output:

Successfully converted Assignment_Report.md -> Assignment_Report.docx

Successfully converted LLM_Conversations.md -> LLM_Conversations.docx

---

1.4.39 AI ASSISTANT RESPONSE

All code, experiment pipelines, visualizations, and documentation files required by **Assignment 0** and **Assignment 1** in `Assignment 1 Histogram.pdf` have been fully generated and verified against your PostgreSQL `imdbload` database.

1.4.40 Created Submission Files & Artifacts

Document / Code File
[Assignment_Report.docx](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/Assign
[LLM_Conversations.docx](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/LLM_

[solution_q1.py](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/solution_q1.py)

[solution_q2.py](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/solution_q2.py)

[generate_report.py](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/generate_re

[convert_to_doc.py](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/convert_to_

1.4.41 Summary of Results & Key Answers

Assignment 0: Setup & Database

- **Machine Specs**: 13th Gen Intel Core i3-1315U (6 cores/8 threads), 14 GiB RAM, 456 GiB NVMe SSD, Ubuntu 26.04 LTS, PostgreSQL 18.6.
- **Database**: Join Order Benchmark (2013 Snapshot), 21 tables, **2,528,312 rows** in `title`, **36,244,344 rows** in `cast_info`. Primary Key column for all 21 tables is `id`.

Assignment 1: Question 1 (PostgreSQL Histograms) 1. **Histogram Type**: Equi-Depth (Equi-Height) Histogram with Most Common Values (MCV) list.

2. **Number of Buckets**: **100 buckets** (101 boundary values in `pg_stats.histogram_bounds`).

3. **Text Encoding**: Text strings are sorted lexicographically; initial byte prefixes are converted into float range $[0.0, 1.0]$ for percentile quantile boundary selection.

4. **Selectivity Analysis**:

- `SELECT * FROM title WHERE title.title < 'Race';`:
- **Actual Selectivity**: `0.758665` (1,918,141 / 2,528,312 rows)
- **Estimated Selectivity**: `0.760177` (1,921,965 rows)
- **Absolute Error**: `0.001512` (0.20% relative error)
- `SELECT * FROM title WHERE title.id < 350000;`:

- **Actual Selectivity**: `0.138432` (349,999 / 2,528,312 rows)
- **Estimated Selectivity**: `0.140982` (356,446 rows)
- **Absolute Error**: `0.002550` (1.84% relative error)

Assignment 1: Question 2 (Optimal Serial Histogram - $B = 20$ Buckets) 1. **Build Timings & Errors**:

- $N = 1000$: Build Time = **0.4712s**, Max Selectivity Error = **0.004155**
- $N = 3000$: Build Time = **0.8934s**, Max Selectivity Error = **0.004476**
- $N = 5000$: Build Time = **2.2051s**, Max Selectivity Error = **0.002263** 2. **Full Table Extrapolation ($N = 2,528,312$)**:
- Linear regression model $T(N) = m\backslash cdotN + c$ ($m = 0.00043346$, $c = -0.110482$)
- Extrapolated Build Time for Full Table: **1095.82 seconds (~18.26 minutes)**. 3. **Bucket Count Tradeoffs**:
- **Fewer Buckets**: Faster build time & lower memory footprint, but higher selectivity error.
- **More Buckets**: Significantly lower selectivity error, but higher construction time & memory overhead in catalog.

1.4.42 Visualization Plots Generated

1. [q1_histogram_id.png](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/q1_histogram_id.png) (Equi-depth histogram for `id`)
2. [q1_histogram_title.png](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/q1_histogram_titl (Equi-depth histogram for `title`)
3. [q2_histogram_id_3000.png](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/q2_histogram (Horizontal bar plot for `id`, $N = 3000$)
4. [q2_histogram_title_3000.png](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/q2_histogra (Horizontal bar plot for `title`, $N = 3000$)
5. [q2_sample_size_vs_time.png](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/q2_sample_ (Sample size vs Build time plot with linear trend line)
6. [q2_sample_size_vs_error.png](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/q2_sample_ (Sample size vs Max Selectivity Error)

1.4.43 How to Run in a Single Command

```
./venv/bin/python3 generate_report.py && ./venv/bin/python3 export_llm_chat
   .py && ./venv/bin/python3 convert_to_doc.py
```

1.5 Step 5: USER PROMPT

```
<USER_REQUEST>
now you have to structurize this a little and create gitignore if any
then add , commit , push
as i will submit git repo only
</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-29T17:23:03+05:30.
</ADDITIONAL_METADATA>
```

1.5.1 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:53:06Z
Completed At: 2026-08-29T11:53:31Z
The command completed successfully.
Output:
On branch main
Your branch is up to date with 'origin/main'.
Untracked files:
(use "git add <file>..." to include in what will be committed)
Assignment_Report.docx
Assignment_Report.md
LLM_Conversations.docx
LLM_Conversations.md
__pycache__/
aka_name.csv
aka_title.csv
cast_info.csv
char_name.csv
comp_cast_type.csv
company_name.csv
company_type.csv
complete_cast.csv
convert_to_doc.py
export_llm_chat.py
generate_report.py
get_cardinalities.sql
imdb.tgz
import_job.sql
info_type.csv
job.tgz
job/
keyword.csv
kind_type.csv
link_type.csv
load_job.sh
movie_companies.csv
movie_info.csv
movie_info_idx.csv
movie_keyword.csv
movie_link.csv
name.csv
person_info.csv
q1_histogram_id.png
q1_histogram_title.png
q2_histogram_id_3000.png
q2_histogram_title_3000.png
q2_sample_size_vs_error.png
q2_sample_size_vs_time.png
role_type.csv
schematext.sql
solution_q1.py
solution_q2.py
title.csv
nothing added to commit but untracked files present (use "git add" to track)
origin git@github.com:Jdsb06/adbms.git (fetch)
origin git@github.com:Jdsb06/adbms.git (push)

- main

1.5.2 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:53:37Z

Completed At: 2026-08-29T11:53:37Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/README.md with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.5.3 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:53:41Z

Completed At: 2026-08-29T11:53:41Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/.gitignore with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.5.4 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:53:44Z

Completed At: 2026-08-29T11:53:45Z

The command completed successfully.

Output:

On branch main

Your branch is up to date with 'origin/main'.

Untracked files:

(use "git add <file>..." to include in what will be committed)

.gitignore

Assignment_Report.docx

Assignment_Report.md

LLM_Conversations.docx

LLM_Conversations.md

README.md

convert_to_doc.py

export_llm_chat.py

generate_report.py

get_cardinalities.sql

import_job.sql

job/

load_job.sh

q1_histogram_id.png

q1_histogram_title.png

q2_histogram_id_3000.png

q2_histogram_title_3000.png

q2_sample_size_vs_error.png

q2_sample_size_vs_time.png

schematext.sql

solution_q1.py

solution_q2.py

nothing added to commit but untracked files present (use "git add" to track)

1.5.5 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:53:50Z

Completed At: 2026-08-29T11:53:50Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/.gitignore with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.5.6 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:53:53Z
Completed At: 2026-08-29T11:54:09Z
The command completed successfully.
Output:
On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
(use "git restore –staged <file>..." to unstage)
new file: .gitignore
new file: Assignment_Report.docx
new file: Assignment_Report.md
new file: LLM_Conversations.docx
new file: LLM_Conversations.md
new file: README.md
new file: convert_to_doc.py
new file: export_llm_chat.py
new file: generate_report.py
new file: get_cardinalities.sql
new file: import_job.sql
new file: job/job/10a.sql
new file: job/job/10b.sql
new file: job/job/10c.sql
new file: job/job/11a.sql
new file: job/job/11b.sql
new file: job/job/11c.sql
new file: job/job/11d.sql
new file: job/job/12a.sql
new file: job/job/12b.sql
new file: job/job/12c.sql
new file: job/job/13a.sql
new file: job/job/13b.sql
new file: job/job/13c.sql
new file: job/job/13d.sql
new file: job/job/14a.sql
new file: job/job/14b.sql
new file: job/job/14c.sql
new file: job/job/15a.sql
new file: job/job/15b.sql
new file: job/job/15c.sql
new file: job/job/15d.sql
new file: job/job/16a.sql
new file: job/job/16b.sql
new file: job/job/16c.sql
new file: job/job/16d.sql
new file: job/job/17a.sql
new file: job/job/17b.sql
new file: job/job/17c.sql
new file: job/job/17d.sql
new file: job/job/17e.sql
new file: job/job/17f.sql
new file: job/job/18a.sql
new file: job/job/18b.sql
new file: job/job/18c.sql
new file: job/job/19a.sql
new file: job/job/19b.sql
new file: job/job/19c.sql
new file: job/job/19d.sql
new file: job/job/1a.sql

new file: job/job/1b.sql
new file: job/job/1c.sql
new file: job/job/1d.sql
new file: job/job/20a.sql
new file: job/job/20b.sql
new file: job/job/20c.sql
new file: job/job/21a.sql
new file: job/job/21b.sql
new file: job/job/21c.sql
new file: job/job/22a.sql
new file: job/job/22b.sql
new file: job/job/22c.sql
new file: job/job/22d.sql
new file: job/job/23a.sql
new file: job/job/23b.sql
new file: job/job/23c.sql
new file: job/job/24a.sql
new file: job/job/24b.sql
new file: job/job/25a.sql
new file: job/job/25b.sql
new file: job/job/25c.sql
new file: job/job/26a.sql
new file: job/job/26b.sql
new file: job/job/26c.sql
new file: job/job/27a.sql
new file: job/job/27b.sql
new file: job/job/27c.sql
new file: job/job/28a.sql
new file: job/job/28b.sql
new file: job/job/28c.sql
new file: job/job/29a.sql
new file: job/job/29b.sql
new file: job/job/29c.sql
new file: job/job/2a.sql
new file: job/job/2b.sql
new file: job/job/2c.sql
new file: job/job/2d.sql
new file: job/job/30a.sql
new file: job/job/30b.sql
new file: job/job/30c.sql
new file: job/job/31a.sql
new file: job/job/31b.sql
new file: job/job/31c.sql
new file: job/job/32a.sql
new file: job/job/32b.sql
new file: job/job/33a.sql
new file: job/job/33b.sql
new file: job/job/33c.sql
new file: job/job/3a.sql
new file: job/job/3b.sql
new file: job/job/3c.sql
new file: job/job/4a.sql
new file: job/job/4b.sql
new file: job/job/4c.sql
new file: job/job/5a.sql
new file: job/job/5b.sql
new file: job/job/5c.sql
new file: job/job/6a.sql
new file: job/job/6b.sql
new file: job/job/6c.sql

new file: job/job/6d.sql
new file: job/job/6e.sql
new file: job/job/6f.sql
new file: job/job/7a.sql
new file: job/job/7b.sql
new file: job/job/7c.sql
new file: job/job/8a.sql
new file: job/job/8b.sql
new file: job/job/8c.sql
new file: job/job/8d.sql
new file: job/job/9a.sql
new file: job/job/9b.sql
new file: job/job/9c.sql
new file: job/job/9d.sql
new file: job/job/README
new file: job/job/fkindexes.sql
new file: job/job/schema.sql
new file: load_job.sh
new file: q1_histogram_id.png
new file: q1_histogram_title.png
new file: q2_histogram_id_3000.png
new
new file: q2_histogram_title_3000.png
new file: q2_sample_size_vs_error.png
new file: q2_sample_size_vs_time.png
new file: schematext.sql
new file: solution_q1.py
new file: solution_q2.py

1.5.7 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:54:13Z
Completed At: 2026-08-29T11:54:16Z
The command completed successfully.
Stdout:
Stderr:

1.5.8 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:54:20Z
Completed At: 2026-08-29T11:54:28Z
The command completed successfully.
Output:
[main 7024e48] Add ADBMS Assignment 0 & 1 solution, loading automation, plots, r
eports and LLM logs
136 files changed, 3372 insertions(+)
create mode 100644 A1/.gitignore
create mode 100644 A1/Assignment_Report.docx
create mode 100644 A1/Assignment_Report.md
create mode 100644 A1/LLM_Conversations.docx
create mode 100644 A1/LLM_Conversations.md
create mode 100644 A1/README.md
create mode 100644 A1/convert_to_doc.py
create mode 100644 A1/export_llm_chat.py
create mode 100644 A1/generate_report.py
create mode 100644 A1/get_cardinalities.sql
create mode 100644 A1/import_job.sql
create mode 100644 A1/job/job/10a.sql
create mode 100644 A1/job/job/10b.sql
create mode 100644 A1/job/job/10c.sql
create mode 100644 A1/job/job/11a.sql

create mode 100644 A1/job/job/11b.sql
create mode 100644 A1/job/job/11c.sql
create mode 100644 A1/job/job/11d.sql
create mode 100644 A1/job/job/12a.sql
create mode 100644 A1/job/job/12b.sql
create mode 100644 A1/job/job/12c.sql
create mode 100644 A1/job/job/13a.sql
create mode 100644 A1/job/job/13b.sql
create mode 100644 A1/job/job/13c.sql
create mode 100644 A1/job/job/13d.sql
create mode 100644 A1/job/job/14a.sql
create mode 100644 A1/job/job/14b.sql
create mode 100644 A1/job/job/14c.sql
create mode 100644 A1/job/job/15a.sql
create mode 100644 A1/job/job/15b.sql
create mode 100644 A1/job/job/15c.sql
create mode 100644 A1/job/job/15d.sql
create mode 100644 A1/job/job/16a.sql
create mode 100644 A1/job/job/16b.sql
create mode 100644 A1/job/job/16c.sql
create mode 100644 A1/job/job/16d.sql
create mode 100644 A1/job/job/17a.sql
create mode 100644 A1/job/job/17b.sql
create mode 100644 A1/job/job/17c.sql
create mode 100644 A1/job/job/17d.sql
create mode 100644 A1/job/job/17e.sql
create mode 100644 A1/job/job/17f.sql
create mode 100644 A1/job/job/18a.sql
create mode 100644 A1/job/job/18b.sql
create mode 100644 A1/job/job/18c.sql
create mode 100644 A1/job/job/19a.sql
create mode 100644 A1/job/job/19b.sql
create mode 100644 A1/job/job/19c.sql
create mode 100644 A1/job/job/19d.sql
create mode 100644 A1/job/job/1a.sql
create mode 100644 A1/job/job/1b.sql
create mode 100644 A1/job/job/1c.sql
create mode 100644 A1/job/job/1d.sql
create mode 100644 A1/job/job/20a.sql
create mode 100644 A1/job/job/20b.sql
create mode 100644 A1/job/job/20c.sql
create mode 100644 A1/job/job/21a.sql
create mode 100644 A1/job/job/21b.sql
create mode 100644 A1/job/job/21c.sql
create mode 100644 A1/job/job/22a.sql
create mode 100644 A1/job/job/22b.sql
create mode 100644 A1/job/job/22c.sql
create mode 100644 A1/job/job/22d.sql
create mode 100644 A1/job/job/23a.sql
create mode 100644 A1/job/job/23b.sql
create mode 100644 A1/job/job/23c.sql
create mode 100644 A1/job/job/24a.sql
create mode 100644 A1/job/job/24b.sql
create mode 100644 A1/job/job/25a.sql
create mode 100644 A1/job/job/25b.sql
create mode 100644 A1/job/job/25c.sql
create mode 100644 A1/job/job/26a.sql
create mode 100644 A1/job/job/26b.sql
create mode 100644 A1/job/job/26c.sql
create mode 100644 A1/job/job/27a.sql

create mode 100644 A1/job/job/27b.sql
create mode 100644 A1/job/job/27c.sql
create mode 100644 A1/job/job/28a.sql
create mode 100644 A1/job/job/28b.sql
create mode 100644 A1/job/job/28c.sql
create mode 100644 A1/job/job/29a.sql
create mode 100644 A1/job/job/29b.sql
create mode 100644 A1/job/job/29c.sql
create mode 100644 A1/job/job/2a.sql
create mode 100644 A1/job/job/2b.sql
create mode 100644 A1/job/job/2c.sql
create mode 100644 A1/job/job/2d.sql
create mode 100644 A1/job/job/30a.sql
create mode 100644 A1/job/job/30b.sql
create mode 100644 A1/job/job/30c.sql
create mode 100644 A1/job/job/31a.sql
create mode 100644 A1/job/job/31b.sql
create mode 100644 A1/job/job/31c.sql
create mode 100644 A1/job/job/32a.sql
create mode 100644 A1/job/job/32b.sql
create mode 100644 A1/job/job/33a.sql
create mode 100644 A1/job/job/33b.sql
create mode 100644 A1/job/job/33c.sql
create mode 100644 A1/job/job/3a.sql
create mode 100644 A1/job/job/3b.sql
create mode 100644 A1/job/job/3c.sql
create mode 100644 A1/job/job/4a.sql
create mode 100644 A1/job/job/4b.sql
create mode 100644 A1/job/job/4c.sql
create mode 100644 A1/job/job/5a.sql
create mode 100644 A1/job/job/5b.sql
create mode 100644 A1/job/job/5c.sql
create mode 100644 A1/job/job/6a.sql
create mode 100644 A1/job/job/6b.sql
create mode 100644 A1/job/job/6c.sql
create mode 100644 A1/job/job/6d.sql
create mode 100644 A1/job/job/6e.sql
create mode 100644 A1/job/job/6f.sql
create mode 100644 A1/job/job/7a.sql
create mode 100644 A1/job/job/7b.sql
create mode 100644 A1/job/job/7c.sql
create mode 100644 A1/job/job/8a.sql
create mode 100644 A1/job/job/8b.sql
create mode 100644 A1/job/job/8c.sql
create mode 100644 A1/job/job/8d.sql
create mode 100644 A1/job/job/9a.sql
create mode 100644 A1/job/job/9b.sql
create mode 100644 A1/job/job/9c.sql
create mode 100644 A1/job/job/9d.sql
create mode 100644 A1/job/job/README
create mode 100644 A1/job/job/fkindexes.sql
create mode 100644 A1/job/job/schema.sql
create mode 100755 A1/load_job.sh
create mode 100644 A1/q1_histogram_id.png
create mode 100644 A1/q1_histogram_title.png
create mode 100644 A1/q2_histogram_id_3000.png
create mode 100644 A1/q2_histogram_title_3000.png
create mode 100644 A1/q2_sample_size_vs_error.png
create mode 100644 A1/q2_sample_size_vs_time.png
create mode 100644 A1/solution_q1.py

```
create mode 100644 A1/solution_q2.py
Enumerating objects: 143, done.
Counting objects: 23% (33/143)
Counting objects: 41% (59/143)
Counting objects: 57% (82/143)
Counting objects: 86% (123/143)
Counting objects: 100% (143/143), done.
Delta compression using up to 8 threads
Compressing objects: 19% (27/139)
Compressing objects: 21% (30/139)
Compressing objects: 22% (31/139)
Compressing objects: 25% (35/139)
Compressing objects: 28% (39/139)
Compressing objects: 29% (41/139)
Compressing objects: 58% (81/139)
Compressing objects: 75% (105/139)
Compressing objects: 80% (112/139)
Compressing objects: 91% (127/139)
Compressing objects: 92% (128/139)
Compressing objects: 93% (130/139)
Compressing objects: 94% (131/139)
Compressing objects: 95% (133/139)
Compressing objects: 96% (134/139)
Compressing objects: 100% (139/139)
Compressing objects: 100% (139/139), done.
Writing objects: 0% (1/141)
Writing objects: 2% (3/141)
Writing objects: 3% (5/141)
Writing objects: 4% (6/141)
Writing objects: 5% (8/141)
Writing objects: 7% (10/141)
Writing objects: 9% (13/141)
Writing objects: 14% (21/141)
Writing objects: 19% (27/141)
Writing objects: 23% (33/141)
Writing objects: 29% (41/141)
Writing objects: 34% (49/141)
Writing objects: 40% (57/141)
Writing objects: 43% (61/141)
Writing objects: 48% (68/141)
Writing objects: 51% (72/141)
Writing objects: 56% (79/141)
Writing objects: 58% (82/141)
Writing objects: 63% (89/141)
Writing objects: 70% (99/141)
Writing objects: 75% (106/141)
Writing objects: 80% (113/141)
Writing objects: 87% (123/141)
Writing objects: 92% (130/141)
Writing objects: 94% (133/141)
Writing objects: 95% (134/141)
Writing objects: 96% (136/141)
Writing objects: 97% (137/141)
Writing objects: 98% (139/141)
Writing objects: 100% (141/141), 1.93 MiB | 5.73 MiB/s, done.
Total 141 (delta 37), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 10% (4/37)
remote: Resolving deltas: 100% (37/37), done.
To github.com:Jdsb06/adbms.git
bb131c8..7024e48 main -> main
```

1.5.9 AI ASSISTANT RESPONSE

Created At: 2026-08-29T11:54:31Z
Completed At: 2026-08-29T11:55:02Z
The command completed successfully.
Output:
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean

1.5.10 AI ASSISTANT RESPONSE

All files have been organized, `.gitignore` configured, committed, and pushed to your remote repository.

1.5.11 Summary of Git Actions Taken:

1. **Created [.gitignore](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/.gitignore)**:

- Excludes virtual environments (`venv/`), Python cache (`__pycache__/`), OS metadata (`.DS_Store`, `._*`), and large datasets (`*.csv`, `imdb.tgz`, `job.tgz`) to adhere to GitHub's file size limits. 2. **Created [README.md](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/README.md**
- Contains single-command execution instructions and parameter documentation as requested in the assignment instructions. 3. **Staged, Committed, & Pushed**:
- **Branch**: `main`
- **Repository**: `git@github.com:Jdsb06/adbms.git`
- **Commit Message**: `"Add ADBMS Assignment 0 & 1 solution, loading automation, plots, reports and LLM logs"`
- **Status**: `working tree clean` (100% up to date with remote)

1.5.12 Submitted Repository Contents:

- `Assignment_Report.docx` / `Assignment_Report.md`: Main assignment document.
- `LLM_Conversations.docx` / `LLM_Conversations.md`: AI conversation log.
- `load_job.sh`: One-command database loading script.
- `solution_q1.py` & `solution_q2.py`: Complete histogram algorithms & selectivity calculations.
- `generate_report.py`, `export_llm_chat.py`, `convert_to_doc.py`: Automated build & export scripts.
- `q1_*.png` & `q2_*.png`: All 6 plot visualizations.

1.6 Step 6: USER PROMPT

```
<USER_REQUEST>
categorize the files  into specific and appropriate folders

</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-30T23:12:44+05:30.
</ADDITIONAL_METADATA>
```

1.6.1 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:42:49Z

Completed At: 2026-08-30T17:42:50Z

"name":".gitignore","sizeBytes":"233"
"name":"Assignment 1 Histogram.pdf","sizeBytes":"76337"
"name":"Assignment_Report.docx","sizeBytes":"989838"
"name":"Assignment_Report.md","sizeBytes":"7368"
"name":"LLM_Conversations.docx","sizeBytes":"53034"
"name":"LLM_Conversations.md","sizeBytes":"77790"
"name":"README.md","sizeBytes":"2816"
"name":"__pycache__","isDir":true
"name":"aka_name.csv","sizeBytes":"73004383"
"name":"aka_title.csv","sizeBytes":"38858446"
"name":"cast_info.csv","sizeBytes":"1418137141"
"name":"char_name.csv","sizeBytes":"215711567"
"name":"comp_cast_type.csv","sizeBytes":"45"
"name":"company_name.csv","sizeBytes":"17802021"
"name":"company_type.csv","sizeBytes":"92"
"name":"complete_cast.csv","sizeBytes":"2414495"
"name":"convert_to_doc.py","sizeBytes":"1766"
"name":"export_llm_chat.py","sizeBytes":"1231"
"name":"generate_report.py","sizeBytes":"9676"
"name":"get_cardinalities.sql","sizeBytes":"1428"
"name":"imdb.tgz","sizeBytes":"1263193115"
"name":"import_job.sql","sizeBytes":"1855"
"name":"info_type.csv","sizeBytes":"1928"
"name":"job","isDir":true
"name":"job.tgz","sizeBytes":"17420"
"name":"keyword.csv","sizeBytes":"3791536"
"name":"kind_type.csv","sizeBytes":"85"
"name":"link_type.csv","sizeBytes":"261"
"name":"load_job.sh","sizeBytes":"932"
"name":"movie_companies.csv","sizeBytes":"93112104"
"name":"movie_info.csv","sizeBytes":"963782656"
"name":"movie_info_idx.csv","sizeBytes":"35335875"
"name":"movie_keyword.csv","sizeBytes":"93799307"
"name":"movie_link.csv","sizeBytes":"656584"
"name":"name.csv","sizeBytes":"321191609"
"name":"person_info.csv","sizeBytes":"399133124"
"name":"q1_histogram_id.png","sizeBytes":"123940"
"name":"q1_histogram_title.png","sizeBytes":"203112"
"name":"q2_histogram_id_3000.png","sizeBytes":"259569"
"name":"q2_histogram_title_3000.png","sizeBytes":"307255"
"name":"q2_sample_size_vs_error.png","sizeBytes":"154173"
"name":"q2_sample_size_vs_time.png","sizeBytes":"155424"
"name":"role_type.csv","sizeBytes":"160"
"name":"solution_q1.py","sizeBytes":"5886"
"name":"solution_q2.py","sizeBytes":"8830"
"name":"title.csv","sizeBytes":"203877939"
"name":"venv","isDir":true

Summary: This directory contains 3 subdirectories and 44 files.

1.6.2 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:42:54Z

Completed At: 2026-08-30T17:43:02Z

The command completed successfully.

Stdout:

Stderr:

1.6.3 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:07Z
Completed At: 2026-08-30T17:43:12Z
The command completed successfully.
Stdout:
Stderr:

1.6.4 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:15Z
Completed At: 2026-08-30T17:43:15Z
"name":".gitignore","sizeBytes":"233"
"name":"README.md","sizeBytes":"2816"
"name":"__pycache__","isDir":true
"name":"data","isDir":true
"name":"job","isDir":true
"name":"plots","isDir":true
"name":"reports","isDir":true
"name":"scripts","isDir":true
"name":"venv","isDir":true
Summary: This directory contains 7 subdirectories and 2 files.

1.6.5 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:19Z
Completed At: 2026-08-30T17:43:19Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/import_job.sql`
Total Lines: 34
Total Bytes: 1855
Showing lines 1 to 34
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

```
1: – Complete SQL script to create schema, import CSV data, add indexes, and analyze tables for JOB database
2:
3: – 1. Create Schema
4: \i job/job/schema.sql
5:
6: – 2. Import Data from CSV files (Assumes CSV files are in the current working directory)
7: \copy aka_name FROM 'aka_name.csv' WITH (FORMAT csv, ESCAPE '\');
8: \copy aka_title FROM 'aka_title.csv' WITH (FORMAT csv, ESCAPE '\');
9: \copy cast_info FROM 'cast_info.csv' WITH (FORMAT csv, ESCAPE '\');
10: \copy char_name FROM 'char_name.csv' WITH (FORMAT csv, ESCAPE '\');
11: \copy comp_cast_type FROM 'comp_cast_type.csv' WITH (FORMAT csv, ESCAPE '\');
12: \copy company_name FROM 'company_name.csv' WITH (FORMAT csv, ESCAPE '\');
13: \copy company_type FROM 'company_type.csv' WITH (FORMAT csv, ESCAPE '\');
14: \copy complete_cast FROM 'complete_cast.csv' WITH (FORMAT csv, ESCAPE '\');
15: \copy info_type FROM 'info_type.csv' WITH (FORMAT csv, ESCAPE '\');
16: \copy keyword FROM 'keyword.csv' WITH (FORMAT csv, ESCAPE '\');
17: \copy kind_type FROM 'kind_type.csv' WITH (FORMAT csv, ESCAPE '\');
18: \copy link_type FROM 'link_type.csv' WITH (FORMAT csv, ESCAPE '\');
19: \copy movie_companies FROM 'movie_companies.csv' WITH (FORMAT csv, ESCAPE '\');
20: \copy movie_info FROM 'movie_info.csv' WITH (FORMAT csv, ESCAPE '\');
21: \copy movie_info_idx FROM 'movie_info_idx.csv' WITH (FORMAT csv, ESCAPE '\');
22: \copy movie_keyword FROM 'movie_keyword.csv' WITH (FORMAT csv, ESCAPE '\');
23: \copy movie_link FROM 'movie_link.csv' WITH (FORMAT csv, ESCAPE '\');
24: \copy name FROM 'name.csv' WITH (FORMAT csv, ESCAPE '\');
25: \copy person_info FROM 'person_info.csv' WITH (FORMAT csv, ESCAPE '\');
26: \copy role_type FROM 'role_type.csv' WITH (FORMAT csv, ESCAPE '\');
```

27: \copy title FROM 'title.csv' WITH (FORMAT csv, ESCAPE '\');
28:
29: – 3. Create Foreign Key Indexes
30: \i job/job/fkindexes.sql
31:
32: – 4. ANALYZE all tables to generate histograms and optimizer statistics
33: ANALYZE;
34:
The above content shows the entire, complete file contents of the requested file.

1.6.6 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:23Z
Completed At: 2026-08-30T17:43:23Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/import_job.sql with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.7 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:26Z
Completed At: 2026-08-30T17:43:26Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/load_job.sh`
Total Lines: 32
Total Bytes: 932
Showing lines 1 to 32
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

```
1: #!/bin/bash
2: set -e
3:
4: DB_NAME="imdbload"
5: SCRIPT_DIR="(cd"(dirname "BASH_SOURCE[0]")"&&pwd)"
6:
7: cd "SCRIPT_DIR"
8:
9: echo "=== 1. Checking IMDB CSV dataset ==="
10: if [ ! -f "imdb.tgz" ] && [ ! -f "title.csv" ]; then
11: echo "Downloading imdb.tgz dataset..."
12: wget -q –show-progress http://event.cwi.nl/da/job/imdb.tgz -O imdb.tgz || wget -q –show-progress https://homepages.cwi.nl/~boncz/job/imdb.tgz -O imdb.tgz
13: fi
14:
15: if [ ! -f "title.csv" ]; then
16: echo "Extracting imdb.tgz..."
17: tar -xzf imdb.tgz
18: fi
19:
20: echo "=== 2. Creating Database 'DB_NAME'ifnotpresent === "
21: if ! psql -lqt 2>/dev/null | cut -d \| -f 1 | grep -qw "DB_NAME";then
22: echo "Creating database DB_NAME..."
23: createdb "DB_NAME"
24: else
25: echo "Database 'DB_NAME'alreadyexists."
26: fi
27:
28: echo "=== 3. Loading Schema, Importing CSVs, Building Indexes & Analyzing ==="
29: psql -d "DB_NAME" − fimport_job.sql
30:
```

31: echo "=== JOB Database Loaded Successfully! ==="
32:
The above content shows the entire, complete file contents of the requested file.

1.6.8 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:30Z
Completed At: 2026-08-30T17:43:30Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/load_job.sh with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.9 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:34Z
Completed At: 2026-08-30T17:43:34Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/solution_q1.py`
Total Lines: 151
Total Bytes: 5886
Showing lines 1 to 151
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

```
1: import os
2: import psycopg2
3: import matplotlib.pyplot as plt
4: import numpy as np
5:
6: def parse_pg_array(arr_val):
7: if arr_val is None:
8: return []
9: if isinstance(arr_val, list):
10: return [str(x) for x in arr_val]
11: if isinstance(arr_val, str):
12: # Remove surrounding braces  and split by comma
13: s = arr_val.strip()
14: if s.startswith('') and s.endswith(''):
15: s = s[1:-1]
16: if not s:
17: return []
18: # Basic CSV split handling quoted strings
19: import csv
20: import io
21: f = io.StringIO(s)
22: reader = csv.reader(f)
23: try:
24: return next(reader)
25: except Exception:
26: return s.split(',')
27: return []
28:
29: def run_q1():
30: conn = psycopg2.connect(dbname='imdbload')
31: cur = conn.cursor()
32:
33: # 1. Fetch total count from title table
34: cur.execute("SELECT count(*) FROM title;")
35: total_rows = cur.fetchone()[0]
36: print(f"Total rows in title table: total_rows")
37:
```

```
38: # 2. Query pg_stats for 'id' and 'title' columns
39: cur.execute("""
40: SELECT attname, null_frac, avg_width, n_distinct, most_common_vals, most_common_freqs, histogram_bounds
41: FROM pg_stats
42: WHERE tablename = 'title' AND attname IN ('id', 'title');
43: """)
44: rows = cur.fetchall()
45:
46: stats =
47: for r in rows:
48: attname, null_frac, avg_width, n_distinct, mcv, mcf, bounds = r
49: stats[attname] =
50: 'null_frac': null_frac,
51: 'avg_width': avg_width,
52: 'n_distinct': n_distinct,
53: 'mcv': mcv,
54: 'mcf': mcf,
55: 'bounds': parse_pg_array(bounds)
56:
57:
58: print("\n=== Stats fetched from pg_stats ===")
59: for col in ['id', 'title']:
60: b = stats[col]['bounds']
61: b_len = len(b) if b else 0
62: print(f"Column 'col': b_len boundary values (b_len - 1 if b_len else 0 buckets)")
63:
64: # Analyze 'id' histogram
65: raw_id_bounds = stats['id']['bounds']
66: id_bounds = [int(x) for x in raw_id_bounds if x.isdigit()]
67: title_bounds = stats['title']['bounds']
68:
69: # Calculate selectivity for: select * from title where title.title < 'Race';
70: cur.execute("SELECT count(*) FROM title WHERE title < 'Race';")
71: actual_race_count = cur.fetchone()[0]
72: actual_race_sel = actual_race_count / total_rows
73:
74: cur.execute("EXPLAIN SELECT * FROM title WHERE title < 'Race';")
75: explain_race = cur.fetchall()
76: est_race_count = 0
77: for line in explain_race:
78: text = line[0]
79: if 'rows=' in text:
80: parts = text.split('rows=')[1].split()[0]
81: est_race_count = int(parts)
82: break
83: est_race_sel = est_race_count / total_rows
84:
85: # Calculate selectivity for: select * from title where title.id < 350000;
86: cur.execute("SELECT count(*) FROM title WHERE id < 350000;")
87: actual_id_count = cur.fetchone()[0]
88: actual_id_sel = actual_id_count / total_rows
89:
90: cur.execute("EXPLAIN SELECT * FROM title WHERE id < 350000;")
91: explain_id = cur.fetchall()
92: est_id_count = 0
93: for line in explain_id:
94: text = line[0]
95: if 'rows=' in text:
96: parts = text.split('rows=')[1].split()[0]
```

```
97: est_id_count = int(parts)
98: break
99: est_id_sel = est_id_count / total_rows
100:
101: err_race = abs(est_race_sel - actual_race_sel)
102: err_id = abs(est_id_sel - actual_id_sel)
103: rel_err_race = (err_race / actual_race_sel) * 100 if actual_race_sel > 0 else 0
104: rel_err_id = (err_id / actual_id_sel) * 100 if actual_id_sel > 0 else 0
105:
106: print("\n=== Query Selectivities & Errors ===")
107: print(f"Query 1 (title < 'Race'): Actual=actual_race_count (actual_race_sel:.6f), Est=est_race_count
(est_race_sel:.6f), Absolute Error=err_race:.6f, Rel Error=rel_err_race:.2f%")
108: print(f"Query 2 (id < 350000): Actual=actual_id_count (actual_id_sel:.6f), Est=est_id_count
(est_id_sel:.6f), Absolute Error=err_id:.6f, Rel Error=rel_err_id:.2f%")
109:
110: # Plot 1: Histogram for title.id
111: if len(id_bounds) > 1:
112: plt.figure(figsize=(10, 5))
113: num_buckets_id = len(id_bounds) - 1
114: freq_per_bucket_id = total_rows / num_buckets_id
115: bucket_centers = [(id_bounds[i] + id_bounds[i+1])/2 for i in range(num_buckets_id)]
116: bucket_widths = [max(1, id_bounds[i+1] - id_bounds[i]) for i in range(num_buckets_id)]
117:
118: plt.bar(bucket_centers, [freq_per_bucket_id]*num_buckets_id, width=bucket_widths, color='#2b5c8f',
edgecolor='black', alpha=0.7)
119: plt.title('PostgreSQL Equi-Depth Histogram for title.id')
120: plt.xlabel('id Value Boundaries')
121: plt.ylabel('Frequency (Rows per Bucket)')
122: plt.grid(True, linestyle='–', alpha=0.5)
123: plt.tight_layout()
124: plt.savefig('q1_histogram_id.png', dpi=300)
125: plt.close()
126:
127: # Plot 2: Histogram for title.title
128: if len(title_bounds) > 1:
129: plt.figure(figsize=(12, 5))
130: num_buckets_title = len(title_bounds) - 1
131: freq_per_bucket_title = total_rows / num_buckets_title
132:
133: step = max(1, num_buckets_title // 10)
134: x_indices = list(range(num_buckets_title))
135:
136: plt.bar(x_indices, [freq_per_bucket_title]*num_buckets_title, color='#4682b4', edgecolor='black',
width=0.8, alpha=0.7)
137: plt.xticks(x_indices[::step], [title_bounds[i][:15] for i in range(0, num_buckets_title, step)], rota-
tion=45, ha='right', fontsize=9)
138: plt.title('PostgreSQL Equi-Depth Histogram for title.title')
139: plt.xlabel('title Boundary Values (Lexicographical Order)')
140: plt.ylabel('Frequency (Rows per Bucket)')
141: plt.grid(True, linestyle='–', alpha=0.5)
142: plt.tight_layout()
143: plt.savefig('q1_histogram_title.png', dpi=300)
144: plt.close()
145:
146: conn.close()
147: print("\nQ1 execution completed! Plots saved as q1_histogram_id.png and q1_histogram_title.png.")
148:
149: if __name__ == '__main__':
150: run_q1()
151:
```

The above content shows the entire, complete file contents of the requested file.

1.6.10 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:37Z
Completed At: 2026-08-30T17:43:37Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/solution_q2.py`
Total Lines: 240
Total Bytes: 8830
Showing lines 1 to 240
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

```
1: import time
2: import psycopg2
3: import matplotlib.pyplot as plt
4: import numpy as np
5:
6: def build_optimal_histogram(data, num_buckets=20):
7: """
8: Vectorized Dynamic Programming Optimal Serial Histogram minimizing Sum of Squared Errors (SSE).
9: """
10: n = len(data)
11: if n == 0:
12: return [], []
13: if n <= num_buckets:
14: return [(data[i], data[i]) for i in range(n)], [1]*n
15:
16: arr = np.array(data, dtype=np.float64)
17: pref = np.zeros(n + 1, dtype=np.float64)
18: pref2 = np.zeros(n + 1, dtype=np.float64)
19: np.cumsum(arr, out=pref[1:])
20: np.cumsum(arr**2, out=pref2[1:])
21:
22: dp = np.full((num_buckets + 1, n + 1), np.inf, dtype=np.float64)
23: parent = np.zeros((num_buckets + 1, n + 1), dtype=np.int32)
24:
25: # Base case: 1 bucket
26: j_arr = np.arange(1, n + 1)
27: sum_x = pref[j_arr]
28: sum_x2 = pref2[j_arr]
29: dp[1, 1:] = np.maximum(0.0, sum_x2 - (sum_x**2) / j_arr)
30:
31: # Vectorized DP transitions
32: for b in range(2, num_buckets + 1):
33: for i in range(b, n + 1):
34: j_vals = np.arange(b - 1, i)
35: sx = pref[i] - pref[j_vals]
36: sx2 = pref2[i] - pref2[j_vals]
37: cnt = i - j_vals
38: c_vals = dp[b - 1, j_vals] + np.maximum(0.0, sx2 - (sx**2) / cnt)
39: best_idx = np.argmin(c_vals)
40: dp[b, i] = c_vals[best_idx]
41: parent[b, i] = j_vals[best_idx]
42:
43: # Reconstruct bucket boundaries
44: splits = [n]
45: curr_b, curr_i = num_buckets, n
46: while curr_b > 1:
47: p = int(parent[curr_b, curr_i])
```

```
    splits.append(p)
    curr_i = p
    curr_b -= 1
splits.append(0)
splits.reverse()

bucket_boundaries = []
bucket_counts = []
for k in range(len(splits) - 1):
    s_idx, e_idx = splits[k], splits[k+1]
    bucket_counts.append(e_idx - s_idx)
    bucket_boundaries.append((arr[s_idx], arr[e_idx - 1]))

return bucket_boundaries, bucket_counts

def string_to_float(s):
    res = 0.0
    for i, ch in enumerate(s[:8]):
        res += ord(ch) / (256 ** (i + 1))
    return res

def fetch_sample(cur, sample_size, col_name='id'):
    pct = max(0.01, (sample_size * 100.0) / 2528312)
    query = f"SELECT col_name FROM title TABLESAMPLE BERNOULLI(pct:.4f) LIMIT sample_size;"
    cur.execute(query)
    rows = [r[0] for r in cur.fetchall()]
    if len(rows) < sample_size:
        cur.execute(f"SELECT col_name FROM title ORDER BY random() LIMIT sample_size;")
        rows = [r[0] for r in cur.fetchall()]
    return rows

def compute_max_selectivity_error(bucket_boundaries, bucket_counts, sample_data):
    if not sample_data or not bucket_boundaries:
        return 0.0
    sample_n = len(sample_data)
    errors = []

    quantiles = np.linspace(min(sample_data), max(sample_data), 10)
    for q in quantiles:
        actual_sel = sum(1 for x in sample_data if x <= q) / sample_n

        est_count = 0
        for (low, high), cnt in zip(bucket_boundaries, bucket_counts):
            if high <= q:
                est_count += cnt
            elif low <= q < high:
                frac = (q - low) / max(1e-6, (high - low))
                est_count += cnt * frac
        est_sel = est_count / sample_n
        errors.append(abs(est_sel - actual_sel))

    return max(errors) if errors else 0.0

def run_q2():
    conn = psycopg2.connect(dbname='imdbload')
    cur = conn.cursor()

    sample_sizes = [1000, 3000, 5000]
    num_buckets = 20 # Chosen within 10-50 range
```

```
107:
108: timings_id =
109: errors_id =
110: timings_title =
111:
112: hist_results =
113:
114: print("=== Running Q2 Vectorized DP Experiments ===")
115: for N in sample_sizes:
116: print(f"\n— Processing Sample Size N = N —")
117:
118: # 1. Column 'id'
119: id_sample = fetch_sample(cur, N, 'id')
120: id_sample.sort()
121:
122: t0 = time.time()
123: id_bounds, id_counts = build_optimal_histogram(id_sample, num_buckets=num_buckets)
124: t1 = time.time()
125: elapsed_id = t1 - t0
126: err_id = compute_max_selectivity_error(id_bounds, id_counts, id_sample)
127:
128: timings_id[N] = elapsed_id
129: errors_id[N] = err_id
130: print(f"[id] N=N: Build Time = elapsed_id:.4fs, Max Selectivity Error = err_id:.6f")
131:
132: # 2. Column 'title'
133: title_sample = fetch_sample(cur, N, 'title')
134: title_sample.sort()
135: title_encoded = [string_to_float(t) for t in title_sample]
136:
137: t0 = time.time()
138: title_bounds_num, title_counts = build_optimal_histogram(title_encoded, num_buckets=num_buckets)
139: t1 = time.time()
140: elapsed_title = t1 - t0
141: timings_title[N] = elapsed_title
142: print(f"[title] N=N: Build Time = elapsed_title:.4fs")
143:
144: if N == 3000:
145: hist_results['id_3000'] = (id_bounds, id_counts, elapsed_id, err_id)
146: hist_results['title_3000'] = (title_bounds_num, title_counts, title_sample, elapsed_title)
147:
148: # Plotting for N = 3000 (Horizontal Bar Plot as specified in Q2.1: value-boundaries on Y-axis,
frequency on X-axis)
149: id_b_3000, id_c_3000, t_id_3000, e_id_3000 = hist_results['id_3000']
150: plt.figure(figsize=(10, 8))
151: y_labels = [f"[int(b[0]) - int(b[1])]" for b in id_b_3000]
152: plt.barh(range(len(id_c_3000)), id_c_3000, color='#2e8b57', edgecolor='black', alpha=0.8)
153: plt.yticks(range(len(id_c_3000)), y_labels, fontsize=8)
154: plt.xlabel('Frequency (X-axis)')
155: plt.ylabel('Value Boundaries Bucket Intervals (Y-axis)')
156: plt.title(f'Optimal Serial Histogram (B=num_buckets) for title.id (N=3000)')
157: plt.grid(True, linestyle='–', alpha=0.5)
158: plt.tight_layout()
159: plt.savefig('q2_histogram_id_3000.png', dpi=300)
160: plt.close()
161:
162: # Title Plot for N = 3000
163: t_b_3000, t_c_3000, t_samp_3000, t_time_3000 = hist_results['title_3000']
164: plt.figure(figsize=(10, 8))
165: # Decode bucket boundaries from sample string prefixes
```

```
166: t_labels = []
167: # Map encoded split boundaries to actual sample string boundaries
168: cum_cnt = 0
169: for cnt in t_c_3000:
170: start_str = t_samp_3000[cum_cnt][:15]
171: cum_cnt += cnt
172: end_str = t_samp_3000[cum_cnt - 1][:15]
173: t_labels.append(f"['start_str' - 'end_str']")
174:
175: plt.barh(range(len(t_c_3000)), t_c_3000, color='#4682b4', edgecolor='black', alpha=0.8)
176: plt.yticks(range(len(t_c_3000)), t_labels, fontsize=8)
177: plt.xlabel('Frequency (X-axis)')
178: plt.ylabel('Value Boundaries String Buckets (Y-axis)')
179: plt.title(f'Optimal Serial Histogram (B=num_buckets) for title.title (N=3000)')
180: plt.grid(True, linestyle='–', alpha=0.5)
181: plt.tight_layout()
182: plt.savefig('q2_histogram_title_3000.png', dpi=300)
183: plt.close()
184:
185: # Linear Regression & Extrapolation
186: X = np.array(sample_sizes)
187: Y = np.array([timings_id[n] for n in sample_sizes])
188: slope, intercept = np.polyfit(X, Y, 1)
189:
190: full_table_N = 2528312
191: extrapolated_time = slope * full_table_N + intercept
192: print(f"\n=== Linear Regression Extrapolation ===")
193: print(f"Slope m = slope:.8f s/sample, Intercept c = intercept:.6f s")
194: print(f"Extrapolated Build Time for Full Table (N=full_table_N:,): extrapolated_time:.2f seconds
(extrapolated_time/60:.2f minutes)")
195:
196: # Plot: Sample Size vs Time
197: plt.figure(figsize=(8, 5))
198: plt.plot(sample_sizes, Y, 'o-', color='#d9534f', linewidth=2, markersize=8, label='Measured Tim-
ings')
199: x_line = np.linspace(500, 6000, 100)
200: plt.plot(x_line, slope * x_line + intercept, '–', color='#333333', label=f'Linear Fit (y=slope:.2ex+intercept:.2f)')
201: plt.xlabel('Sample Size N')
202: plt.ylabel('Build Time (Seconds)')
203: plt.title('Sample Size vs Histogram Build Time')
204: plt.legend()
205: plt.grid(True, linestyle='–', alpha=0.5)
206: plt.tight_layout()
207: plt.savefig('q2_sample_size_vs_time.png', dpi=300)
208: plt.close()
209:
210: # Plot: Sample Size vs Max Selectivity Error
211: plt.figure(figsize=(8, 5))
212: err_vals = [errors_id[n] for n in sample_sizes]
213: plt.plot(sample_sizes, err_vals, 's-', color='#0275d8', linewidth=2, markersize=8)
214: plt.xlabel('Sample Size N')
215: plt.ylabel('Max Selectivity Error')
216: plt.title('Sample Size vs Max Selectivity Error')
217: plt.grid(True, linestyle='–', alpha=0.5)
218: plt.tight_layout()
219: plt.savefig('q2_sample_size_vs_error.png', dpi=300)
220: plt.close()
221:
222: conn.close()
223: print("\nQ2 execution completed! All plots and extrapolations saved.")
```

224:
225: return
226: 'timings_id': timings_id,
227: 'errors_id': errors_id,
228: 'timings_title': timings_title,
229: 'extrapolated_time': extrapolated_time,
230: 'slope': slope,
231: 'intercept': intercept,
232: 'id_bounds_3000': id_b_3000,
233: 'id_counts_3000': id_c_3000,
234: 'title_labels_3000': t_labels,
235: 'title_counts_3000': t_c_3000
236:
237:
238: if __name__ == '__main__':
239: run_q2()
240:
The above content shows the entire, complete file contents of the requested file.

1.6.11 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:42Z
Completed At: 2026-08-30T17:43:43Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/solution_q1.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.12 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:48Z
Completed At: 2026-08-30T17:43:48Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/solution_q2.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.13 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:54Z
Completed At: 2026-08-30T17:43:54Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/generate_report.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.14 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:43:57Z
Completed At: 2026-08-30T17:43:57Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/export_llm_chat.py`
Total Lines: 35
Total Bytes: 1231
Showing lines 1 to 35
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.
1: import json
2: import os
3:
4: log_file = '/home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/logs/tra
5: output_file = 'LLM_Conversations.md'

6:
7: with open(log_file, 'r', encoding='utf-8') as f:
8: lines = f.readlines()
9:
10: out = []
11: out.append("# LLM Conversation Log\n")
12: out.append("This document contains the complete record of user prompts and AI assistant responses for ADBMS Assignment 0 & 1.\n\n—\n")
13:
14: step_num = 1
15: for line in lines:
16: try:
17: data = json.loads(line)
18: stype = data.get('type', '')
19: source = data.get('source', '')
20: content = data.get('content', '')
21:
22: if stype == 'USER_INPUT' or source == 'USER_EXPLICIT':
23: out.append(f"## Step step_num: USER PROMPT\n\n`text\ncontent.strip()\n`\n\n")
24: step_num += 1
25: elif stype == 'PLANNER_RESPONSE' or source == 'MODEL':
26: if content:
27: out.append(f"### AI ASSISTANT RESPONSE\n\ncontent.strip()\n\n—\n")
28: except Exception:
29: continue
30:
31: with open(output_file, 'w', encoding='utf-8') as f:
32: f.write(''.join(out))
33:
34: print(f"LLM Conversation Log successfully saved to output_file (len(lines) log lines processed).")
35:

The above content shows the entire, complete file contents of the requested file.

1.6.15 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:00Z

Completed At: 2026-08-30T17:44:00Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/export_llm_chat.py with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.16 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:03Z

Completed At: 2026-08-30T17:44:03Z

File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/convert_to_doc.py`

Total Lines: 50

Total Bytes: 1766

Showing lines 1 to 50

The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

1: import docx
2: import os
3: import re
4:
5: def clean_xml_string(s):
6: # Filter out control characters that violate XML specification
7: return re.sub(r'[\x00-\x08\x0b\x0c\x0e-\x1f]', '', s)
8:

```
9: def markdown_to_docx(md_path, docx_path):
10: doc = docx.Document()
11: with open(md_path, 'r', encoding='utf-8', errors='ignore') as f:
12: lines = f.readlines()
13:
14: base_dir = os.path.dirname(os.path.abspath(md_path))
15:
16: for line in lines:
17: stripped = clean_xml_string(line.strip())
18: if not stripped:
19: continue
20:
21: # Check for image syntax ![alt](filename.png)
22: img_match = re.match(r'^!\[(.*?)\]\((.*?)\)', stripped)
23: if img_match:
24: img_filename = img_match.group(2)
25: img_path = os.path.join(base_dir, img_filename)
26: if os.path.exists(img_path):
27: doc.add_paragraph(clean_xml_string(img_match.group(1)))
28: doc.add_picture(img_path, width=docx.shared.Inches(6.0))
29: continue
30:
31: # Check headings
32: if stripped.startswith('# '):
33: doc.add_heading(stripped[2:], level=1)
34: elif stripped.startswith('## '):
35: doc.add_heading(stripped[3:], level=2)
36: elif stripped.startswith('### '):
37: doc.add_heading(stripped[4:], level=3)
38: elif stripped.startswith('- '):
39: doc.add_paragraph(stripped[2:], style='List Bullet')
40: else:
41: clean_text = re.sub(r'[*_`]',''', stripped)
42: doc.add_paragraph(clean_text)
43:
44: doc.save(docx_path)
45: print(f"Successfully converted md_path -> docx_path")
46:
47: if __name__ == '__main__':
48: markdown_to_docx('Assignment_Report.md', 'Assignment_Report.docx')
49: markdown_to_docx('LLM_Conversations.md', 'LLM_Conversations.docx')
50:
```

The above content shows the entire, complete file contents of the requested file.

1.6.17 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:06Z

Completed At: 2026-08-30T17:44:06Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/convert_to_doc.py with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.18 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:10Z

Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-202

Task Description: ./venv/bin/python3 scripts/generate_report.py && ./venv/bin/python3 scripts/export_llm_chat.py && ./venv/bin/python3 scripts/convert_to_doc.py

Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_202.log

1.6.19 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:32Z
Completed At: 2026-08-30T17:44:32Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-202
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-202.log
Log output:
=== Running Q2 Vectorized DP Experiments ===
— Processing Sample Size N = 1000 —
[id] N=1000: Build Time = 0.1853s, Max Selectivity Error = 0.004565
[title] N=1000: Build Time = 0.2412s
— Processing Sample Size N = 3000 —
[id] N=3000: Build Time = 0.9767s, Max Selectivity Error = 0.002248
[title] N=3000: Build Time = 0.9414s
— Processing Sample Size N = 5000 —
[id] N=5000: Build Time = 2.2994s, Max Selectivity Error = 0.003013
Last progress: 1s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.6.20 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:35Z
Completed At: 2026-08-30T17:44:35Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-202
Status: RUNNING
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-202.log
Log output:
=== Running Q2 Vectorized DP Experiments ===
— Processing Sample Size N = 1000 —
[id] N=1000: Build Time = 0.1853s, Max Selectivity Error = 0.004565
[title] N=1000: Build Time = 0.2412s
— Processing Sample Size N = 3000 —
[id] N=3000: Build Time = 0.9767s, Max Selectivity Error = 0.002248
[title] N=3000: Build Time = 0.9414s
— Processing Sample Size N = 5000 —
[id] N=5000: Build Time = 2.2994s, Max Selectivity Error = 0.003013
[title] N=5000: Build Time = 2.1622s
=== Linear Regression Extrapolation ===
Slope m = 0.00052852 s/sample, Intercept c = -0.431751 s
Extrapolated Build Time for Full Table (N=2,528,312): 1335.83 seconds (22.26 min
utes)
Q2 execution completed! All plots saved in plots/.
Master Report generated successfully as reports/Assignment_Report.md!
LLM Conversation Log successfully saved to reports/LLM_Conversations.md (204 log
lines processed).
Last progress: 0s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.6.21 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:38Z
Completed At: 2026-08-30T17:44:38Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-202
Status: DONE

Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-202.log

Log output:

<truncated 3 lines>

ample Size N = 1000 —

[id] N=1000: Build Time = 0.1853s, Max Selectivity Error = 0.004565

[title] N=1000: Build Time = 0.2412s

— Processing Sample Size N = 3000 —

[id] N=3000: Build Time = 0.9767s, Max Selectivity Error = 0.002248

[title] N=3000: Build Time = 0.9414s

— Processing Sample Size N = 5000 —

[id] N=5000: Build Time = 2.2994s, Max Selectivity Error = 0.003013

[title] N=5000: Build Time = 2.1622s

=== Linear Regression Extrapolation ===

Slope m = 0.00052852 s/sample, Intercept c = -0.431751 s

Extrapolated Build Time for Full Table (N=2,528,312): 1335.83 seconds (22.26 min

utes)

Q2 execution completed! All plots saved in plots/.

Master Report generated successfully as reports/Assignment_Report.md!

LLM Conversation Log successfully saved to reports/LLM_Conversations.md (204 log

lines processed).

Successfully converted reports/Assignment_Report.md -> reports/Assignment_Report

.docx

Successfully converted reports/LLM_Conversations.md -> reports/LLM_Conversations

.docx

Last progress: 2s ago

REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.6.22 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:45Z

Completed At: 2026-08-30T17:44:45Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/README.md with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.23 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:48Z

Completed At: 2026-08-30T17:44:48Z

File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/.gitignore`

Total Lines: 16

Total Bytes: 233

Showing lines 1 to 16

The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

1: # Python virtual environment & bytecode

2: venv/

3: __pycache__/

4: *.pyc

5: *.pyo

6:

7: # Dataset archives & large CSV files (cannot push files >100MB to GitHub)

8: *.csv

9: imdb.tgz

10: job.tgz

11:

12: # OS metadata & Apple double hidden files
13: .DS_Store
14: ._*
15: **/._*
16:
The above content shows the entire, complete file contents of the requested file.

1.6.24 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:52Z
Completed At: 2026-08-30T17:44:52Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/.gitignore with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.6.25 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:44:55Z
Completed At: 2026-08-30T17:44:58Z
The command completed successfully.
Output:
On branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:
(use "git add/rm <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: .gitignore
deleted: Assignment 1 Histogram.pdf
deleted: Assignment_Report.docx
deleted: Assignment_Report.md
deleted: LLM_Conversations.docx
deleted: LLM_Conversations.md
modified: README.md
deleted: convert_to_doc.py
deleted: export_llm_chat.py
deleted: generate_report.py
deleted: get_cardinalities.sql
deleted: import_job.sql
deleted: load_job.sh
deleted: q1_histogram_id.png
deleted: q1_histogram_title.png
deleted: q2_histogram_id_3000.png
deleted: q2_histogram_title_3000.png
deleted: q2_sample_size_vs_error.png
deleted: q2_sample_size_vs_time.png
deleted: solution_q1.py
deleted: solution_q2.py
Untracked files:
(use "git add <file>..." to include in what will be committed)
plots/
reports/
scripts/
no changes added to commit (use "git add" and/or "git commit -a")

1.6.26 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:45:01Z
Completed At: 2026-08-30T17:45:03Z
The command completed successfully.
Output:

On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
(use "git restore –staged <file>..." to unstage)
modified: .gitignore
deleted: Assignment_Report.docx
modified: README.md
deleted: import_job.sql
renamed: q1_histogram_id.png -> plots/q1_histogram_id.png
renamed: q1_histogram_title.png -> plots/q1_histogram_title.png
new file: plots/q2_histogram_id_3000.png
new file: plots/q2_histogram_title_3000.png
new file: plots/q2_sample_size_vs_error.png
new file: plots/q2_sample_size_vs_time.png
deleted: q2_histogram_id_3000.png
deleted: q2_histogram_title_3000.png
deleted: q2_sample_size_vs_error.png
deleted: q2_sample_size_vs_time.png
renamed: Assignment 1 Histogram.pdf -> reports/Assignment 1 Histogram
.pdf
new file: reports/Assignment_Report.docx
renamed: Assignment_Report.md -> reports/Assignment_Report.md
renamed: LLM_Conversations.docx -> reports/LLM_Conversations.docx
renamed: LLM_Conversations.md -> reports/LLM_Conversations.md
renamed: convert_to_doc.py -> scripts/convert_to_doc.py
renamed: export_llm_chat.py -> scripts/export_llm_chat.py
renamed: generate_report.py -> scripts/generate_report.py
renamed: get_cardinalities.sql -> scripts/get_cardinalities.sql
new file: scripts/import_job.sql
renamed: load_job.sh -> scripts/load_job.sh
renamed: solution_q1.py -> scripts/solution_q1.py
renamed: solution_q2.py -> scripts/solution_q2.py

1.6.27 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:45:06Z
Completed At: 2026-08-30T17:45:12Z
The command failed with exit code: 1
Output:
[main 8c57236] Categorize workspace files into scripts, reports, plots, and data
directories
27 files changed, 1511 insertions(+), 141 deletions(-)
delete mode 100644 A1/Assignment_Report.docx
delete mode 100644 A1/import_job.sql
rename A1/ => plots/q1_histogram_id.png (100%)
rename A1/ => plots/q1_histogram_title.png (100%)
create mode 100644 A1/plots/q2_histogram_id_3000.png
create mode 100644 A1/plots/q2_histogram_title_3000.png
create mode 100644 A1/plots/q2_sample_size_vs_error.png
create mode 100644 A1/plots/q2_sample_size_vs_time.png
delete mode 100644 A1/q2_histogram_id_3000.png
delete mode 100644 A1/q2_histogram_title_3000.png
delete mode 100644 A1/q2_sample_size_vs_error.png
delete mode 100644 A1/q2_sample_size_vs_time.png
rename A1/ => reports/Assignment 1 Histogram.pdf (100%)
create mode 100644 A1/reports/Assignment_Report.docx
rename A1/ => reports/Assignment_Report.md (87%)
rename A1/ => reports/LLM_Conversations.docx (51%)
rename A1/ => reports/LLM_Conversations.md (59%)
rename A1/ => scripts/convert_to_doc.py (65%)

rename A1/ => scripts/export_llm_chat.py (90%)
rename A1/ => scripts/generate_report.py (92%)
rename A1/ => scripts/get_cardinalities.sql (100%)
create mode 100644 A1/scripts/import_job.sql
rename A1/ => scripts/load_job.sh (61%)
rename A1/ => scripts/solution_q1.py (89%)
rename A1/ => scripts/solution_q2.py (88%)
To github.com:Jdsb06/adbms.git
! [rejected] main -> main (fetch first)
error: failed to push some refs to 'github.com:Jdsb06/adbms.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push –help' for details.

1.6.28 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:45:15Z
Completed At: 2026-08-30T17:45:26Z
The command completed successfully.
Output:
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 33% (1/3)
Unpacking objects: 66% (2/3)
Unpacking objects: 100% (3/3), 1.48 KiB | 1.48 MiB/s, done.
From github.com:Jdsb06/adbms

- branch main -> FETCH_HEAD 7024e48..a5f23ea main -> origin/main
  Rebasing (1/1)
  Successfully rebased and updated refs/heads/main.
  Enumerating objects: 27, done.
  Counting objects: 7% (2/27)
  Counting objects: 100% (27/27), done.
  Delta compression using up to 8 threads
  Compressing objects: 21% (5/23)
  Compressing objects: 26% (6/23)
  Compressing objects: 30% (7/23)
  Compressing objects: 34% (8/23)
  Compressing objects: 39% (9/23)
  Compressing objects: 43% (10/23)
  Compressing objects: 47% (11/23)
  Compressing objects: 52% (12/23)
  Compressing objects: 56% (13/23)
  Compressing objects: 60% (14/23)
  Compressing objects: 69% (16/23)
  Compressing objects: 73% (17/23)
  Compressing objects: 100% (23/23)
  Compressing objects: 100% (23/23), done.
  Writing objects: 26% (6/23)
  Writing objects: 30% (7/23)
  Writing objects: 34% (8/23)

Writing objects: 39% (9/23)
Writing objects: 43% (10/23)
Writing objects: 47% (11/23)
Writing objects: 52% (12/23)
Writing objects: 56% (13/23)
Writing objects: 60% (14/23)
Writing objects: 65% (15/23)
Writing objects: 95% (22/23)
Writing objects: 100% (23/23)
Writing objects: 100% (23/23), 1.67 MiB | 5.28 MiB/s, done.
Total 23 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To github.com:Jdsb06/adbms.git
a5f23ea..29e73ac main -> main

1.6.29 AI ASSISTANT RESPONSE

Created At: 2026-08-30T17:45:29Z
Completed At: 2026-08-30T17:45:31Z
The command completed successfully.
Output:
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean

1.6.30 AI ASSISTANT RESPONSE

The project files have been categorized into a clean, modular folder structure, all scripts and import paths have been updated, and the changes have been committed and pushed to your GitHub repository.

1.6.31 Categorized Directory Structure

```
A1/
          scripts/                          # Executable automation scripts &
    SQL queries
              load_job.sh                     # Database loader script
              import_job.sql                  # Schema, CSV import & index
   creation SQL script
              get_cardinalities.sql           # Table row count & primary key
    query
              solution_q1.py                  # Q1: PostgreSQL equi-depth
   histogram analysis
              solution_q2.py                  # Q2: Dynamic Programming V-
   Optimal Serial Histogram
              generate_report.py              # Master benchmark runner &
   report compiler
              export_llm_chat.py              # Conversational log exporter
              convert_to_doc.py               # Markdown to Word (.docx)
   converter

          reports/                          # Final submission documents &
   PDF prompt
              Assignment_Report.docx          # Assignment 0 & 1 Report (.
   docx)
              Assignment_Report.md            # Assignment 0 & 1 Report (.md)
              LLM_Conversations.docx          # AI assistant interaction log
   (.docx)
```

```
                LLM_Conversations.md        # AI assistant interaction log
    (.md)
                Assignment 1 Histogram.pdf  # Assignment prompt PDF

        plots/                            # Generated visualization charts
    (.png)
                q1_histogram_id.png
                q1_histogram_title.png
                q2_histogram_id_3000.png
                q2_histogram_title_3000.png
                q2_sample_size_vs_time.png
                q2_sample_size_vs_error.png

        data/                             # IMDB dataset CSVs & archives (
    gitignored)
                imdb.tgz
                *.csv

        job/                              # Join Order Benchmark (JOB)
    queries & schema
        .gitignore                        # Git exclusion rules
        README.md                         # Documentation & execution
    instructions
```

1.6.32 Updated Execution Commands

From the root directory:

```
# 1. Load database into PostgreSQL
./scripts/load_job.sh

# 2. Run complete benchmark pipeline, generate plots & compile Word reports
    (.docx)
./venv/bin/python3 scripts/generate_report.py && ./venv/bin/python3 scripts
   /export_llm_chat.py && ./venv/bin/python3 scripts/convert_to_doc.py
```

1.6.33 Git Status

- **Branch**: `main`
- **Remote**: `git@github.com:Jdsb06/adbms.git`
- **Status**: `working tree clean` (pushed and up to date)

1.7 Step 7: USER PROMPT

```
<USER_REQUEST>
SELECT
    attname,
    null_frac,
    n_distinct,
    most_common_vals,
    most_common_freqs,
    histogram_bounds
FROM pg_stats
WHERE tablename = 'title'
  AND attname IN ('id', 'title');

the optput exist in
```

```
/tmp/stats.csv'

so take the output
and list down exact bucket bondereis as said in 1.5 of  @[reports/
   Assignment 1 Histogram.pdf]
</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-31T00:43:05+05:30.

The user has mentioned some items in the form @[ITEM]. Here is extra
   information about the items that were mentioned by the user, in the
   order that they appear:

@[reports/Assignment 1 Histogram.pdf] is a [File]:
/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/Assignment 1
   Histogram.pdf
</ADDITIONAL_METADATA>
```

1.7.1 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:09Z
Completed At: 2026-08-30T19:13:12Z
File Path: `file:///tmp/stats.csv`
Total Lines: 4
Total Bytes: 4939
Showing lines 1 to 4
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.
1: attname,null_frac,n_distinct,most_common_vals,most_common_freqs,histogram_bounds
2: title,0,143777,"(#1.1),(#1.2),(#1.4),(#1.3),(#1.5),(#1.6),(#1.7),(#1.8),(#1.10),(#1.9),(#1.12),(#1.11),Pilot,(#2.1
02-14),(1982-12-14),(1994-07-07),(1998-03-16),(2000-01-22),(2001-11-06),(2003-08-29),(2005-01-19),(2006-05-17),(2007-
07-05),(2009-02-02),(2010-09-07),(2011-08-29),(2012-07-21),(#20.140),(#2.92),(#4.172),(#6.163),""Aamu joutuu
pesemään tekojensa jälkipyykkiä"","Aflevering 2559","A Little Trip","An Atheist Named Faith","Arabeskebi
Pirosmanis temaze","Attenborough's Ark: Natural World Special","Baldur Blauzahn","Best in Show
Cakes",Blues,"Brown Before Green","Captive Audience","Cheryl Cole's Night In","Cobra Star-
ship","CPM 22 e Babado Novo","Dark Moon","De intrede van de Sint - Antwerpen 2011","Det' poli-
tiet: Part 2","DIY Network Holiday Celebration","Drugog puta nema!",Elements,"Episode V - Tag der
Abrechnung","Famiresu tenshi purin",Fleshdance,"Fuga y misterio","Girls' Generation and the Dan-
gerous Boys",Guadalcanal/Leckie,"Heaven on Earth",Holiday,"Hurricane Katrina Aftermath","Inauguração
na Estrela - Lisboa","Is There Still Hope for Gino and Mikay?","Jindalee Lady",Karina,"Know Thy
Partner","Ladrones de niños","Late as a Motherer","Les éperlans","Living Room Upgrade","Luha
ng ina","Männer sind auch nur Menschen",Melissa,"Mission to Africa","Mr. Deity and the Days","Nanna
& Lil' Puss Puss in 'The Honeymoonies'","Ninna Hyttinen","Odoriko no yubiwa","Operation: Bank
Job","Papa wo sagashite!","Phantom Fever","Power of the South","Quatre acteurs à bout de souf-
fle","Relative Air Pollution","Rolling Stones","San Diego, Bukarest, Paris",Seekers,"Shônen Tantei
to Supai","Smash Hit: She","Spilling the Beans","Strider 2","Take This Job and Shove It","The
Accident","The Captain's Son: Untitled","The End of the World as We Know It","The Healers","The
Lobsters Cook","The Odyssey","The Ring of Ultimate Power","The Thing in Mrs. Faversham's At-
tic","Thin Ice","Tontolini e Lea fra le nuvole","Trust Me, I'm a Doctor!",Undertryk,Verzaubert,"Watashi
no ibasho","Who Needs Sex Therapy?",Yasmina,Zzzzzz"
3: id,0,-1,,,"41,25598,50067,75257,101946,129223,155973,181990,208153,234525,259507,287845,314618,340479,366364,393
4:
The above content shows the entire, complete file contents of the requested file.

1.7.2 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:18Z
Completed At: 2026-08-30T19:13:21Z
The command failed with exit code: 1

Output:
Traceback (most recent call last):
File "<string>", line 2, in <module>
import psycopg2, csv, io
ModuleNotFoundError: No module named 'psycopg2'

1.7.3 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:25Z
Completed At: 2026-08-30T19:13:25Z
The command completed successfully.
Output:
=== Parsing /tmp/stats.csv ===
title raw bounds length: 1972
id raw bounds length: 763
=== Querying PostgreSQL pg_stats directly ===
title has 1972 boundary values (1971 buckets):
First 5: ...,
Last 5: zzzz
id has 763 boundary values (762 buckets):
First 5: 41,2
Last 5: 8305

1.7.4 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:29Z
Completed At: 2026-08-30T19:13:30Z
The command failed with exit code: 1
Output:
Traceback (most recent call last):
File "<string>", line 8, in <module>
cur.execute("'
~~~~~~~~~~~~^^^^
SELECT attname, histogram_bounds::text[]
^^
FROM pg_stats
^^^^^^^^^^^^^
WHERE tablename = 'title' AND attname IN ('id', 'title');
^^
"')
^^^^
psycopg2.errors.CannotCoerce: cannot cast type anyarray to text[]
LINE 2: SELECT attname, histogram_bounds::text[]
^

1.7.5 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:33Z
Completed At: 2026-08-30T19:13:34Z
The command failed with exit code: 1
Output:
Traceback (most recent call last):
File "<string>", line 8, in <module>
cur.execute(f"'
~~~~~~~~~~~~~~^^^^
SELECT unnest(histogram_bounds)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
FROM pg_stats
^^^^^^^^^^^^^
WHERE tablename = 'title' AND attname = 'col';
^^
"')

^^^^
psycopg2.errors.DatatypeMismatch: cannot determine element type of "anyarray" ar
gument

1.7.6 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:42Z
Completed At: 2026-08-30T19:13:43Z
The command failed with exit code: 1
Output:
Traceback (most recent call last):
File "<string>", line 14, in <module>
bounds = json.loads(res) if res else []
~~~~~~~~~~~^^^^^
File "/usr/lib/python3.14/json/__init__.py", line 345, in loads
raise TypeError(f'the JSON object must be str, bytes or bytearray, '
f'not s.__class__.__name__')
TypeError: the JSON object must be str, bytes or bytearray, not list

1.7.7 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:46Z
Completed At: 2026-08-30T19:13:47Z
The command completed successfully.
Output:
=== Column: id ===
Total boundary values: 101 (100 buckets)
First 10 boundaries: [41, 25598, 50067, 75257, 101946, 129223, 155973, 181990, 2
08153, 234525]
Last 10 boundaries: [2299152, 2325178, 2352562, 2378000, 2403761, 2428038, 24523
38, 2479928, 2505988, 2528305]
=== Column: title ===
Total boundary values: 101 (100 buckets)
First 10 boundaries: ['...', '(#1.1302)', '(#1.219)', '(#1.3662)', '(#1.59)', '(
#1.846)', '(1968-02-14)', '(1982-12-14)', '(1994-07-07)', '(1998-03-16)']
Last 10 boundaries: ["The Thing in Mrs. Faversham's Attic", 'Thin Ice', 'Tontoli
ni e Lea fra le nuvole', "Trust Me, I'm a Doctor!", 'Undertryk', 'Verzaubert', '
Watashi no ibasho', 'Who Needs Sex Therapy?', 'Yasmina', 'Zzzzzz']

1.7.8 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:52Z
Completed At: 2026-08-30T19:13:52Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/list_bucket_boundaries.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.7.9 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:13:56Z
Completed At: 2026-08-30T19:13:57Z
The command completed successfully.
Output:
=== Database Bucket Boundaries (Default target=100, 101 boundary values / 100 bu
ckets) ===
— title.id Bucket Boundaries (101 values) —
B000: 41
B001: 25598
B002: 50067
B003: 75257
B004: 101946
~~~~~~~~~~~

B005: 129223
B006: 155973
B007: 181990
B008: 208153
B009: 234525
B010: 259507
B011: 287845
B012: 314618
B013: 340479
B014: 366364
B015: 393076
B016: 418929
B017: 443204
B018: 472539
B019: 497095
B020: 521015
B021: 547008
B022: 571914
B023: 600124
B024: 624290
B025: 648346
B026: 673077
B027: 698192
B028: 723945
B029: 747971
B030: 774715
B031: 801886
B032: 825206
B033: 852044
B034: 878630
B035: 903227
B036: 929542
B037: 951992
B038: 976177
B039: 1002223
B040: 1027496
B041: 1053013
B042: 1076669
B043: 1101644
B044: 1127312
B045: 1153408
B046: 1177087
B047: 1200809
B048: 1228132
B049: 1251987
B050: 1276194
B051: 1300208
B052: 1325279
B053: 1350079
B054: 1375217
B055: 1399305
B056: 1424915
B057: 1447763
B058: 1472187
B059: 1496066
B060: 1520933
B061: 1548374
B062: 1572984
B063: 1597331
B064: 1621524

B065: 1646529
B066: 1671841
B067: 1697305
B068: 1720750
B069: 1746578
B070: 1771397
B071: 1796312
B072: 1821069
B073: 1846620
B074: 1871455
B075: 1897069
B076: 1923039
B077: 1951619
B078: 1975550
B079: 2001398
B080: 2025488
B081: 2048645
B082: 2075506
B083: 2099704
B084: 2124027
B085: 2146547
B086: 2170970
B087: 2195637
B088: 2221366
B089: 2249864
B090: 2274023
B091: 2299152
B092: 2325178
B093: 2352562
B094: 2378000
B095: 2403761
B096: 2428038
B097: 2452338
B098: 2479928
B099: 2505988
B100: 2528305
— title.title Bucket Boundaries (101 values) —
B000: ...
B001: (#1.1302)
B002: (#1.219)
B003: (#1.3662)
B004: (#1.59)
B005: (#1.846)
B006: (1968-02-14)
B007: (1982-12-14)
B008: (1994-07-07)
B009: (1998-03-16)
B010: (2000-01-22)
B011: (2001-11-06)
B012: (2003-08-29)
B013: (2005-01-19)
B014: (2006-05-17)
B015: (2007-07-05)
B016: (2009-02-02)
B017: (2010-09-07)
B018: (2011-08-29)
B019: (2012-07-21)
B020: (#20.140)
B021: (#2.92)
B022: (#4.172)

B023: (#6.163)
B024: Aamu joutuu pesemään tekojensa jälkipyykkiä
B025: Aflevering 2559
B026: A Little Trip
B027: An Atheist Named Faith
B028: Arabeskebi Pirosmanis temaze
B029: Attenborough's Ark: Natural World Special
B030: Baldur Blauzahn
B031: Best in Show Cakes
B032: Blues
B033: Brown Before Green
B034: Captive Audience
B035: Cheryl Cole's Night In
B036: Cobra Starship
B037: CPM 22 e Babado Novo
B038: Dark Moon
B039: De intrede van de Sint - Antwerpen 2011
B040: Det' politiet: Part 2
B041: DIY Network Holiday Celebration
B042: Drugog puta nema!
B043: Elements
B044: Episode V - Tag der Abrechnung
B045: Famiresu tenshi purin
B046: Fleshdance
B047: Fuga y misterio
B048: Girls' Generation and the Dangerous Boys
B049: Guadalcanal/Leckie
B050: Heaven on Earth
B051: Holiday
B052: Hurricane Katrina Aftermath
B053: Inauguração na Estrela - Lisboa
B054: Is There Still Hope for Gino and Mikay?
B055: Jindalee Lady
B056: Karina
B057: Know Thy Partner
B058: Ladrones de niños
B059: Late as a Motherer
B060: Les éperlans
B061: Living Room Upgrade
B062: Luha ng ina
B063: Männer sind auch nur Menschen
B064: Melissa
B065: Mission to Africa
B066: Mr. Deity and the Days
B067: Nanna & Lil' Puss Puss in 'The Honeymoonies'
B068: Ninna Hyttinen
B069: Odoriko no yubiwa
B070: Operation: Bank Job
B071: Papa wo sagashite!
B072: Phantom Fever
B073: Power of the South
B074: Quatre acteurs à bout de souffle
B075: Relative Air Pollution
B076: Rolling Stones
B077: San Diego, Bukarest, Paris
B078: Seekers
B079: Shônen Tantei to Supai
B080: Smash Hit: She
B081: Spilling the Beans
B082: Strider 2

B083: Take This Job and Shove It
B084: The Accident
B085: The Captain's Son: Untitled
B086: The End of the World as We Know It
B087: The Healers
B088: The Lobsters Cook
B089: The Odyssey
B090: The Ring of Ultimate Power
B091: The Thing in Mrs. Faversham's Attic
B092: Thin Ice
B093: Tontolini e Lea fra le nuvole
B094: Trust Me, I'm a Doctor!
B095: Undertryk
B096: Verzaubert
B097: Watashi no ibasho
B098: Who Needs Sex Therapy?
B099: Yasmina
B100: Zzzzzz

1.7.10 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:14:03Z

Completed At: 2026-08-30T19:14:03Z

Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/generate_report.py with requested content.

If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.7.11 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:14:06Z

Tool is running as a background task with task id: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-249

Task Description: ./venv/bin/python3 scripts/generate_report.py && ./venv/bin/python3 scripts/export_llm_chat.py && ./venv/bin/python3 scripts/convert_to_doc.py

Task logs are available at: file:///home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_249.log

1.7.12 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:14:23Z

Completed At: 2026-08-30T19:14:23Z

Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-249

Status: RUNNING

Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-249.log

Log output:

=== Running Q2 Vectorized DP Experiments ===

— Processing Sample Size N = 1000 —

[id] N=1000: Build Time = 0.2078s, Max Selectivity Error = 0.003292

[title] N=1000: Build Time = 0.1907s

— Processing Sample Size N = 3000 —

[id] N=3000: Build Time = 0.9947s, Max Selectivity Error = 0.003169

[title] N=3000: Build Time = 0.9878s

— Processing Sample Size N = 5000 —

[id] N=5000: Build Time = 2.1934s, Max Selectivity Error = 0.002944

[title] N=5000: Build Time = 2.2373s

Last progress: 1s ago

REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.7.13 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:14:26Z
Completed At: 2026-08-30T19:14:26Z
Task: e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/task-249
Status: DONE
Log: /home/jdsb/.gemini/antigravity/brain/e4f20c24-9886-4d61-9b7c-8ff33e56ef4c/.system_generated/tasks/task-249.log
Log output:
<truncated 3 lines>
ample Size N = 1000 —
[id] N=1000: Build Time = 0.2078s, Max Selectivity Error = 0.003292
[title] N=1000: Build Time = 0.1907s
— Processing Sample Size N = 3000 —
[id] N=3000: Build Time = 0.9947s, Max Selectivity Error = 0.003169
[title] N=3000: Build Time = 0.9878s
— Processing Sample Size N = 5000 —
[id] N=5000: Build Time = 2.1934s, Max Selectivity Error = 0.002944
[title] N=5000: Build Time = 2.2373s
=== Linear Regression Extrapolation ===
Slope m = 0.00049640 s/sample, Intercept c = -0.357260 s
Extrapolated Build Time for Full Table (N=2,528,312): 1254.70 seconds (20.91 min
utes)
Q2 execution completed! All plots saved in plots/.
Master Report generated successfully as reports/Assignment_Report.md!
LLM Conversation Log successfully saved to reports/LLM_Conversations.md (251 log
lines processed).
Successfully converted reports/Assignment_Report.md -> reports/Assignment_Report
.docx
Successfully converted reports/LLM_Conversations.md -> reports/LLM_Conversations
.docx
Last progress: 1s ago
REMINDER: Do not call this tool again to poll or wait for updates. You will be automatically notified when the task completes or a message arrives. If you need a bounded wait, use the `schedule` tool – it waits silently in the background and suppresses its notification if you are woken by another event.

1.7.14 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:14:30Z
Completed At: 2026-08-30T19:16:33Z
The command completed successfully.
Output:
[main 69cdf55] Update Q1.5 bucket boundaries list and sync reports
10 files changed, 1151 insertions(+), 30 deletions(-)
create mode 100644 A1/scripts/list_bucket_boundaries.py
Enumerating objects: 30, done.
Counting objects: 66% (20/30)
Counting objects: 100% (30/30), done.
Delta compression using up to 8 threads
Compressing objects: 6% (1/16)
Compressing objects: 12% (2/16)
Compressing objects: 18% (3/16)
Compressing objects: 25% (4/16)
Compressing objects: 31% (5/16)
Compressing objects: 37% (6/16)
Compressing objects: 43% (7/16)
Compressing objects: 50% (8/16)
Compressing objects: 56% (9/16)
Compressing objects: 62% (10/16)
Compressing objects: 100% (16/16), done.
Writing objects: 25% (4/16)

Writing objects: 31% (5/16)
Writing objects: 37% (6/16)
Writing objects: 43% (7/16)
Writing objects: 50% (8/16)
Writing objects: 56% (9/16)
Writing objects: 62% (10/16)
Writing objects: 68% (11/16)
Writing objects: 75% (12/16)
Writing objects: 81% (13/16)
Writing objects: 100% (16/16), 1.65 MiB | 5.79 MiB/s, done.
Total 16 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), completed with 6 local objects.
To github.com:Jdsb06/adbms.git
29e73ac..69cdf55 main -> main

1.7.15 AI ASSISTANT RESPONSE

Here is the exact breakdown of the **101 bucket boundaries** (forming **100 equi-depth buckets**) for both `id` and `title` columns of the `title` table, as exported in `/tmp/stats.csv` and stored in PostgreSQL's `pg_stats` catalog.

Both [Assignment_Report.docx](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/Assign
and [Assignment_Report.md](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/Assignment_
have been updated under **Question 1.5** and pushed to your git repository.

1.7.16 1. Bucket Boundaries for `title.id` Column (101 Values / 100 Buckets)

In an equi-depth histogram with $N = 2,528,312$ total rows and $B = 100$ buckets, each bucket contains approximately **25,283 rows**.

Bucket	Boundary Value (`id`)	Interval / Range
B000 (Min)	41	Table Minimum ID
B001	25598	Bucket 1: [41 - 25598]
B002	50067	Bucket 2: [25598 - 50067]
B003	75257	Bucket 3: [50067 - 75257]
B004	101946	Bucket 4: [75257 - 101946]
B005	129223	Bucket 5: [101946 - 129223]
B006	155973	Bucket 6: [129223 - 155973]
B007	181990	Bucket 7: [155973 - 181990]
B008	208153	Bucket 8: [181990 - 208153]
B009	234525	Bucket 9: [208153 - 234525]
B010	259507	Bucket 10: [234525 - 259507]
B011	287845	Bucket 11: [259507 - 287845]
B012	314618	Bucket 12: [287845 - 314618]
B013	340479	Bucket 13: [314618 - 340479]
B014	366364	Bucket 14: [340479 - 366364]
B015	393076	Bucket 15: [366364 - 393076]
B016	418929	Bucket 16: [393076 - 418929]
B017	443204	Bucket 17: [418929 - 443204]
B018	472539	Bucket 18: [443204 - 472539]
B019	497095	Bucket 19: [472539 - 497095]
B020	521015	Bucket 20: [497095 - 521015]
B021	547008	Bucket 21: [521015 - 547008]
B022	571914	Bucket 22: [547008 - 571914]
B023	600124	Bucket 23: [571914 - 600124]
B024	624290	Bucket 24: [600124 - 624290]
B025	648346	Bucket 25: [624290 - 648346]
B026	673077	Bucket 26: [648346 - 673077]
B027	698192	Bucket 27: [673077 - 698192]
B028	723945	Bucket 28: [698192 - 723945]
B029	747971	Bucket 29: [723945 - 747971]

B030	774715	Bucket 30: [747971 - 774715]
B031	801886	Bucket 31: [774715 - 801886]
B032	825206	Bucket 32: [801886 - 825206]
B033	852044	Bucket 33: [825206 - 852044]
B034	878630	Bucket 34: [852044 - 878630]
B035	903227	Bucket 35: [878630 - 903227]
B036	929542	Bucket 36: [903227 - 929542]
B037	951992	Bucket 37: [929542 - 951992]
B038	976177	Bucket 38: [951992 - 976177]
B039	1002223	Bucket 39: [976177 - 1002223]
B040	1027496	Bucket 40: [1002223 - 1027496]
B041	1053013	Bucket 41: [1027496 - 1053013]
B042	1076669	Bucket 42: [1053013 - 1076669]
B043	1101644	Bucket 43: [1076669 - 1101644]
B044	1127312	Bucket 44: [1101644 - 1127312]
B045	1153408	Bucket 45: [1127312 - 1153408]
B046	1177087	Bucket 46: [1153408 - 1177087]
B047	1200809	Bucket 47: [1177087 - 1200809]
B048	1228132	Bucket 48: [1200809 - 1228132]
B049	1251987	Bucket 49: [1228132 - 1251987]
B050	1276194	Bucket 50: [1251987 - 1276194]
B051	1300208	Bucket 51: [1276194 - 1300208]
B052	1325279	Bucket 52: [1300208 - 1325279]
B053	1350079	Bucket 53: [1325279 - 1350079]
B054	1375217	Bucket 54: [1350079 - 1375217]
B055	1399305	Bucket 55: [1375217 - 1399305]
B056	1424915	Bucket 56: [1399305 - 1424915]
B057	1447763	Bucket 57: [1424915 - 1447763]
B058	1472187	Bucket 58: [1447763 - 1472187]
B059	1496066	Bucket 59: [1472187 - 1496066]
B060	1520933	Bucket 60: [1496066 - 1520933]
B061	1548374	Bucket 61: [1520933 - 1548374]
B062	1572984	Bucket 62: [1548374 - 1572984]
B063	1597331	Bucket 63: [1572984 - 1597331]
B064	1621524	Bucket 64: [1597331 - 1621524]
B065	1646529	Bucket 65: [1621524 - 1646529]
B066	1671841	Bucket 66: [1646529 - 1671841]
B067	1697305	Bucket 67: [1671841 - 1697305]
B068	1720750	Bucket 68: [1697305 - 1720750]
B069	1746578	Bucket 69: [1720750 - 1746578]
B070	1771397	Bucket 70: [1746578 - 1771397]
B071	1796312	Bucket 71: [1771397 - 1796312]
B072	1821069	Bucket 72: [1796312 - 1821069]
B073	1846620	Bucket 73: [1821069 - 1846620]
B074	1871455	Bucket 74: [1846620 - 1871455]
B075	1897069	Bucket 75: [1871455 - 1897069]
B076	1923039	Bucket 76: [1897069 - 1923039]
B077	1951619	Bucket 77: [1923039 - 1951619]
B078	1975550	Bucket 78: [1951619 - 1975550]
B079	2001398	Bucket 79: [1975550 - 2001398]
B080	2025488	Bucket 80: [2001398 - 2025488]
B081	2048645	Bucket 81: [2025488 - 2048645]
B082	2075506	Bucket 82: [2048645 - 2075506]
B083	2099704	Bucket 83: [2075506 - 2099704]
B084	2124027	Bucket 84: [2099704 - 2124027]
B085	2146547	Bucket 85: [2124027 - 2146547]
B086	2170970	Bucket 86: [2146547 - 2170970]
B087	2195637	Bucket 87: [2170970 - 2195637]
B088	2221366	Bucket 88: [2195637 - 2221366]

B089	2249864	Bucket 89: [2221366 - 2249864]
B090	2274023	Bucket 90: [2249864 - 2274023]
B091	2299152	Bucket 91: [2274023 - 2299152]
B092	2325178	Bucket 92: [2299152 - 2325178]
B093	2352562	Bucket 93: [2325178 - 2352562]
B094	2378000	Bucket 94: [2352562 - 2378000]
B095	2403761	Bucket 95: [2378000 - 2403761]
B096	2428038	Bucket 96: [2403761 - 2428038]
B097	2452338	Bucket 97: [2428038 - 2452338]
B098	2479928	Bucket 98: [2452338 - 2479928]
B099	2505988	Bucket 99: [2479928 - 2505988]
B100 (Max)	2528305	Bucket 100: [2505988 - 2528305]

1.7.17 2. Bucket Boundaries for `title.title` Column (101 Values / 100 Buckets)

In lexicographical string ordering:

Bucket	Boundary String Value (`title`)	Lexicographical Interval
B000 (Min)	`...`	Start of text titles
B001	`(#1.1302)`	Bucket 1: [`...` - `(#1.1302)`]
B002	`(#1.219)`	Bucket 2: [`(#1.1302)` - `(#1.219)`]
B003	`(#1.3662)`	Bucket 3: [`(#1.219)` - `(#1.3662)`]
B004	`(#1.59)`	Bucket 4: [`(#1.3662)` - `(#1.59)`]
B005	`(#1.846)`	Bucket 5: [`(#1.59)` - `(#1.846)`]
B006	`(1968-02-14)`	Bucket 6: [`(#1.846)` - `(1968-02-14)`]
B007	`(1982-12-14)`	Bucket 7: [`(1968-02-14)` - `(1982-12-14)`]
B008	`(1994-07-07)`	Bucket 8: [`(1982-12-14)` - `(1994-07-07)`]
B009	`(1998-03-16)`	Bucket 9: [`(1994-07-07)` - `(1998-03-16)`]
B010	`(2000-01-22)`	Bucket 10: [`(1998-03-16)` - `(2000-01-22)`]
B011	`(2001-11-06)`	Bucket 11: [`(2000-01-22)` - `(2001-11-06)`]
B012	`(2003-08-29)`	Bucket 12: [`(2001-11-06)` - `(2003-08-29)`]
B013	`(2005-01-19)`	Bucket 13: [`(2003-08-29)` - `(2005-01-19)`]
B014	`(2006-05-17)`	Bucket 14: [`(2005-01-19)` - `(2006-05-17)`]
B015	`(2007-07-05)`	Bucket 15: [`(2006-05-17)` - `(2007-07-05)`]
B016	`(2009-02-02)`	Bucket 16: [`(2007-07-05)` - `(2009-02-02)`]
B017	`(2010-09-07)`	Bucket 17: [`(2009-02-02)` - `(2010-09-07)`]
B018	`(2011-08-29)`	Bucket 18: [`(2010-09-07)` - `(2011-08-29)`]
B019	`(2012-07-21)`	Bucket 19: [`(2011-08-29)` - `(2012-07-21)`]
B020	`(#20.140)`	Bucket 20: [`(2012-07-21)` - `(#20.140)`]
B021	`(#2.92)`	Bucket 21: [`(#20.140)` - `(#2.92)`]
B022	`(#4.172)`	Bucket 22: [`(#2.92)` - `(#4.172)`]
B023	`(#6.163)`	Bucket 23: [`(#4.172)` - `(#6.163)`]
B024	`Aamu joutuu pesemään tekojensa jälkipyykkiä`	Bucket 24
B025	`Aflevering 2559`	Bucket 25
B026	`A Little Trip`	Bucket 26
B027	`An Atheist Named Faith`	Bucket 27
B028	`Arabeskebi Pirosmanis temaze`	Bucket 28
B029	`Attenborough's Ark: Natural World Special`	Bucket 29
B030	`Baldur Blauzahn`	Bucket 30
B031	`Best in Show Cakes`	Bucket 31
B032	`Blues`	Bucket 32
B033	`Brown Before Green`	Bucket 33
B034	`Captive Audience`	Bucket 34
B035	`Cheryl Cole's Night In`	Bucket 35
B036	`Cobra Starship`	Bucket 36

B037	CPM 22 e Babado Novo	Bucket 37
B038	Dark Moon	Bucket 38
B039	De intrede van de Sint - Antwerpen 2011	Bucket 39
B040	Det' politiet: Part 2	Bucket 40
B041	DIY Network Holiday Celebration	Bucket 41
B042	Drugog puta nema!	Bucket 42
B043	Elements	Bucket 43
B044	Episode V - Tag der Abrechnung	Bucket 44
B045	Famiresu tenshi purin	Bucket 45
B046	Fleshdance	Bucket 46
B047	Fuga y misterio	Bucket 47
B048	Girls' Generation and the Dangerous Boys	Bucket 48
B049	Guadalcanal/Leckie	Bucket 49
B050	Heaven on Earth	Bucket 50
B051	Holiday	Bucket 51
B052	Hurricane Katrina Aftermath	Bucket 52
B053	Inauguração na Estrela - Lisboa	Bucket 53
B054	Is There Still Hope for Gino and Mikay?	Bucket 54
B055	Jindalee Lady	Bucket 55
B056	Karina	Bucket 56
B057	Know Thy Partner	Bucket 57
B058	Ladrones de niños	Bucket 58
B059	Late as a Motherer	Bucket 59
B060	Les éperlans	Bucket 60
B061	Living Room Upgrade	Bucket 61
B062	Luha ng ina	Bucket 62
B063	Männer sind auch nur Menschen	Bucket 63
B064	Melissa	Bucket 64
B065	Mission to Africa	Bucket 65
B066	Mr. Deity and the Days	Bucket 66
B067	Nanna & Lil' Puss Puss in 'The Honeymoonies'	Bucket 67
B068	Ninna Hyttinen	Bucket 68
B069	Odoriko no yubiwa	Bucket 69
B070	Operation: Bank Job	Bucket 70
B071	Papa wo sagashite!	Bucket 71
B072	Phantom Fever	Bucket 72
B073	Power of the South	Bucket 73
B074	Quatre acteurs à bout de souffle	Bucket 74
B075	Relative Air Pollution	Bucket 75
B076	Rolling Stones	Bucket 76
B077	San Diego, Bukarest, Paris	Bucket 77
B078	Seekers	Bucket 78
B079	Shônen Tantei to Supai	Bucket 79
B080	Smash Hit: She	Bucket 80
B081	Spilling the Beans	Bucket 81
B082	Strider 2	Bucket 82
B083	Take This Job and Shove It	Bucket 83
B084	The Accident	Bucket 84
B085	The Captain's Son: Untitled	Bucket 85
B086	The End of the World as We Know It	Bucket 86
B087	The Healers	Bucket 87
B088	The Lobsters Cook	Bucket 88
B089	The Odyssey	Bucket 89
B090	The Ring of Ultimate Power	Bucket 90

B091	The Thing in Mrs. Faversham's Attic	Bucket 91
B092	Thin Ice	Bucket 92
B093	Tontolini e Lea fra le nuvole	Bucket 93
B094	Trust Me, I'm a Doctor!	Bucket 94
B095	Undertryk	Bucket 95
B096	Verzaubert	Bucket 96
B097	Watashi no ibasho	Bucket 97
B098	Who Needs Sex Therapy?	Bucket 98
B099	Yasmina	Bucket 99
B100 (Max)	Zzzzzz	Bucket 100: [Yasmina - Zzzzzz]

1.7.18 Git Update Summary

All documents have been re-compiled, formatted, and pushed to your remote repository:

- `reports/Assignment_Report.docx` ([.docx](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/r
- `reports/Assignment_Report.md` ([.md](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/repo
- `scripts/list_bucket_boundaries.py` ([.py](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/

1.8 Step 8: USER PROMPT

```
<USER_REQUEST>
how data in q1.7 is calcualted
</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-31T00:58:51+05:30.
</ADDITIONAL_METADATA>
```

1.8.1 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:28:59Z
Completed At: 2026-08-30T19:28:59Z
Created file file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/scripts/generate_report.py with requested content.
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.

1.8.2 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:29:02Z
Completed At: 2026-08-30T19:30:02Z
Encountered error in step execution: user denied permission for command(./venv/bin/python3 scripts/generate_report.p
The following instruction was provided by the user as an alternative: i have updated assingment_report.md
updated accordingly in for others

1.8.3 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:30:06Z
Completed At: 2026-08-30T19:30:06Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/Assignment_Report.md`
Total Lines: 384
Total Bytes: 22612
Showing lines 1 to 384
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

1: # Advanced Database Management Systems (ADBMS)
2: ## Assignment 0 & Assignment 1: Histogram Analysis Report
3:
4: —
5:
6: # Assignment 0
7:
8: ## Setup
9: - **CPU Model & Specification**: 13th Gen Intel(R) Core(TM) i3-1315U (6 cores, 8 threads)
10: - **RAM Capacity**: 14 GiB
11: - **HDD / Storage Capacity**: 456 GiB NVMe SSD
12: - **Operating System**: Ubuntu 26.04 LTS
13: - **PostgreSQL Engine Version**: `PostgreSQL 18.6 (Ubuntu 18.6-0ubuntu0.26.04.1) on x86_64-pc-linux-gn`
`compiled by gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0, 64-bit`
14:
15: ## Database
16: - **Database Name**: Join Order Benchmark (2013 Snapshot)
17: - **Total Tables**: 21
18: - **Total Relational Tuples**: 74,190,187
19:
20: ### Table Cardinalities & Primary Keys
21:
22: | Table Name | Primary Key Column | Cardinality (`count(*)`) |
23: | :— | :—: | :—: |
24: | `aka_name` | `id` | 901,343 |
25: | `aka_title` | `id` | 361,472 |
26: | `cast_info` | `id` | 36,244,344 |
27: | `char_name` | `id` | 3,140,339 |
28: | `comp_cast_type` | `id` | 4 |
29: | `company_name` | `id` | 234,997 |
30: | `company_type` | `id` | 4 |
31: | `complete_cast` | `id` | 135,086 |
32: | `info_type` | `id` | 113 |
33: | `keyword` | `id` | 134,170 |
34: | `kind_type` | `id` | 7 |
35: | `link_type` | `id` | 18 |
36: | `movie_companies` | `id` | 2,609,129 |
37: | `movie_info` | `id` | 14,835,720 |
38: | `movie_info_idx` | `id` | 1,380,035 |
39: | `movie_keyword` | `id` | 4,523,930 |
40: | `movie_link` | `id` | 29,997 |
41: | `name` | `id` | 4,167,491 |
42: | `person_info` | `id` | 2,963,664 |
43: | `role_type` | `id` | 12 |
44: | `title` | `id` | 2,528,312 |
45:
46: —
47:
48: # Assignment 1: Histogram
49:
50: ## Q1. Histogram Analysis for `id` and `title` Columns of `title` Table
51:
52: ### 1. Corresponding SQL Query
53: to see what all colums needed form ‘pg_stats’
54: ‘sql
55: \d pg_stats;
56: ‘
57: To see histogram boundary values and other relevent stored in `pg_stats`:
58: ‘sql
59: SELECT

60: attname,
61: null_frac,
62: n_distinct,
63: most_common_vals,
64: most_common_freqs,
65: histogram_bounds
66: FROM pg_stats
67: WHERE tablename = 'title'
68: AND attname IN ('id', 'title');
69: ‘
70:
71: ### 2. Kind of Histogram
72: PSQL uses an **Equi-Depth Histogram** combined with a **Most Common Values** list. In an equidepth histogram, all buckets contain approximately the same number of rows ($approx N/B$), while bucket boundaries vary in width according to data distribution.
73:
74: ### 3. Number of Buckets
75: - Column `id`: **100 buckets** (101 bucket boundary values)
76: - Column `title`: **100 buckets** (101 bucket boundary values)
77: - extra - to see the defualt
78: ‘sql
79: SHOW default_statistics_target;
80: ‘
81: ### 4. How Textual Attribute `title` is Put into Histogram
82: Textual attributes in PostgreSQL are converted into histograms by:
83: 1. Sorting the text strings in lexicographical order(like bannana and apple will be apple, bannana)
84: 2. Sampling string values from the table(like table title has around 2.5M rows , it will only sample around 30K)
85: 3. Encoding initial string prefix bytes into floating-point numbers in $[0.0, 1.0]$ range for quantitative interpolation(like laptop will be broken to lap with l = 108, a=97, p=112 then by 256 as between 0 and 1 , lap will be around 0.42 , we can then see where a key belongs between two keeys)
86: 4. Selecting quantile boundary string values at equal percentile intervals to form the 100 equi-depth bucket boundaries stored in `pg_stats.histogram_bounds`.
87:
88: ### 5. Exact Bucket Boundaries List (From `pg_stats`)
89:
90: #### A. Column `id` Bucket Boundaries (101 values, 100 buckets)
91: | Bucket Index | Boundary Value (`id`) | Bucket Interval |
92: | :—: | :—: | :— |
93: | B000 (Start) | `41` | Start of table data |
94: | B001 | `25598` | Bucket 1: [`41 - 25598`] |
95: | B002 | `50067` | Bucket 2: [`25598 - 50067`] |
96: | B003 | `75257` | Bucket 3: [`50067 - 75257`] |
97: | B004 | `101946` | Bucket 4: [`75257 - 101946`] |
98: | B005 | `129223` | Bucket 5: [`101946 - 129223`] |
99: | B006 | `155973` | Bucket 6: [`129223 - 155973`] |
100: | B007 | `181990` | Bucket 7: [`155973 - 181990`] |
101: | B008 | `208153` | Bucket 8: [`181990 - 208153`] |
102: | B009 | `234525` | Bucket 9: [`208153 - 234525`] |
103: | B010 | `259507` | Bucket 10: [`234525 - 259507`] |
104: | B011 | `287845` | Bucket 11: [`259507 - 287845`] |
105: | B012 | `314618` | Bucket 12: [`287845 - 314618`] |
106: | B013 | `340479` | Bucket 13: [`314618 - 340479`] |
107: | B014 | `366364` | Bucket 14: [`340479 - 366364`] |
108: | B015 | `393076` | Bucket 15: [`366364 - 393076`] |
109: | B016 | `418929` | Bucket 16: [`393076 - 418929`] |
110: | B017 | `443204` | Bucket 17: [`418929 - 443204`] |
111: | B018 | `472539` | Bucket 18: [`443204 - 472539`] |
112: | B019 | `497095` | Bucket 19: [`472539 - 497095`] |
113: | B020 | `521015` | Bucket 20: [`497095 - 521015`] |

B021	547008	Bucket 21: [521015 - 547008]
B022	571914	Bucket 22: [547008 - 571914]
B023	600124	Bucket 23: [571914 - 600124]
B024	624290	Bucket 24: [600124 - 624290]
B025	648346	Bucket 25: [624290 - 648346]
B026	673077	Bucket 26: [648346 - 673077]
B027	698192	Bucket 27: [673077 - 698192]
B028	723945	Bucket 28: [698192 - 723945]
B029	747971	Bucket 29: [723945 - 747971]
B030	774715	Bucket 30: [747971 - 774715]
B031	801886	Bucket 31: [774715 - 801886]
B032	825206	Bucket 32: [801886 - 825206]
B033	852044	Bucket 33: [825206 - 852044]
B034	878630	Bucket 34: [852044 - 878630]
B035	903227	Bucket 35: [878630 - 903227]
B036	929542	Bucket 36: [903227 - 929542]
B037	951992	Bucket 37: [929542 - 951992]
B038	976177	Bucket 38: [951992 - 976177]
B039	1002223	Bucket 39: [976177 - 1002223]
B040	1027496	Bucket 40: [1002223 - 1027496]
B041	1053013	Bucket 41: [1027496 - 1053013]
B042	1076669	Bucket 42: [1053013 - 1076669]
B043	1101644	Bucket 43: [1076669 - 1101644]
B044	1127312	Bucket 44: [1101644 - 1127312]
B045	1153408	Bucket 45: [1127312 - 1153408]
B046	1177087	Bucket 46: [1153408 - 1177087]
B047	1200809	Bucket 47: [1177087 - 1200809]
B048	1228132	Bucket 48: [1200809 - 1228132]
B049	1251987	Bucket 49: [1228132 - 1251987]
B050	1276194	Bucket 50: [1251987 - 1276194]
B051	1300208	Bucket 51: [1276194 - 1300208]
B052	1325279	Bucket 52: [1300208 - 1325279]
B053	1350079	Bucket 53: [1325279 - 1350079]
B054	1375217	Bucket 54: [1350079 - 1375217]
B055	1399305	Bucket 55: [1375217 - 1399305]
B056	1424915	Bucket 56: [1399305 - 1424915]
B057	1447763	Bucket 57: [1424915 - 1447763]
B058	1472187	Bucket 58: [1447763 - 1472187]
B059	1496066	Bucket 59: [1472187 - 1496066]
B060	1520933	Bucket 60: [1496066 - 1520933]
B061	1548374	Bucket 61: [1520933 - 1548374]
B062	1572984	Bucket 62: [1548374 - 1572984]
B063	1597331	Bucket 63: [1572984 - 1597331]
B064	1621524	Bucket 64: [1597331 - 1621524]
B065	1646529	Bucket 65: [1621524 - 1646529]
B066	1671841	Bucket 66: [1646529 - 1671841]
B067	1697305	Bucket 67: [1671841 - 1697305]
B068	1720750	Bucket 68: [1697305 - 1720750]
B069	1746578	Bucket 69: [1720750 - 1746578]
B070	1771397	Bucket 70: [1746578 - 1771397]
B071	1796312	Bucket 71: [1771397 - 1796312]
B072	1821069	Bucket 72: [1796312 - 1821069]
B073	1846620	Bucket 73: [1821069 - 1846620]
B074	1871455	Bucket 74: [1846620 - 1871455]
B075	1897069	Bucket 75: [1871455 - 1897069]
B076	1923039	Bucket 76: [1897069 - 1923039]
B077	1951619	Bucket 77: [1923039 - 1951619]
B078	1975550	Bucket 78: [1951619 - 1975550]
B079	2001398	Bucket 79: [1975550 - 2001398]
B080	2025488	Bucket 80: [2001398 - 2025488]

174: | B081 | 2048645 | Bucket 81: [2025488 - 2048645] |
175: | B082 | 2075506 | Bucket 82: [2048645 - 2075506] |
176: | B083 | 2099704 | Bucket 83: [2075506 - 2099704] |
177: | B084 | 2124027 | Bucket 84: [2099704 - 2124027] |
178: | B085 | 2146547 | Bucket 85: [2124027 - 2146547] |
179: | B086 | 2170970 | Bucket 86: [2146547 - 2170970] |
180: | B087 | 2195637 | Bucket 87: [2170970 - 2195637] |
181: | B088 | 2221366 | Bucket 88: [2195637 - 2221366] |
182: | B089 | 2249864 | Bucket 89: [2221366 - 2249864] |
183: | B090 | 2274023 | Bucket 90: [2249864 - 2274023] |
184: | B091 | 2299152 | Bucket 91: [2274023 - 2299152] |
185: | B092 | 2325178 | Bucket 92: [2299152 - 2325178] |
186: | B093 | 2352562 | Bucket 93: [2325178 - 2352562] |
187: | B094 | 2378000 | Bucket 94: [2352562 - 2378000] |
188: | B095 | 2403761 | Bucket 95: [2378000 - 2403761] |
189: | B096 | 2428038 | Bucket 96: [2403761 - 2428038] |
190: | B097 | 2452338 | Bucket 97: [2428038 - 2452338] |
191: | B098 | 2479928 | Bucket 98: [2452338 - 2479928] |
192: | B099 | 2505988 | Bucket 99: [2479928 - 2505988] |
193: | B100 | 2528305 | Bucket 100: [2505988 - 2528305] |
194:
195: #### B. Column `title` Bucket Boundaries (101 values, 100 buckets)
196: | Bucket Index | Boundary Value (`title`) | Lexicographical Interval |
197: | :—: | :— | :— |
198: | B000 (Start) | `...` | Start of text data |
199: | B001 | `(#1.1302)` | Bucket 1: [`... - (#1.1302)`] |
200: | B002 | `(#1.219)` | Bucket 2: [`(#1.1302) - (#1.219)`] |
201: | B003 | `(#1.3662)` | Bucket 3: [`(#1.219) - (#1.3662)`] |
202: | B004 | `(#1.59)` | Bucket 4: [`(#1.3662) - (#1.59)`] |
203: | B005 | `(#1.846)` | Bucket 5: [`(#1.59) - (#1.846)`] |
204: | B006 | `(1968-02-14)` | Bucket 6: [`(#1.846) - (1968-02-14)`] |
205: | B007 | `(1982-12-14)` | Bucket 7: [`(1968-02-14) - (1982-12-14)`] |
206: | B008 | `(1994-07-07)` | Bucket 8: [`(1982-12-14) - (1994-07-07)`] |
207: | B009 | `(1998-03-16)` | Bucket 9: [`(1994-07-07) - (1998-03-16)`] |
208: | B010 | `(2000-01-22)` | Bucket 10: [`(1998-03-16) - (2000-01-22)`] |
209: | B011 | `(2001-11-06)` | Bucket 11: [`(2000-01-22) - (2001-11-06)`] |
210: | B012 | `(2003-08-29)` | Bucket 12: [`(2001-11-06) - (2003-08-29)`] |
211: | B013 | `(2005-01-19)` | Bucket 13: [`(2003-08-29) - (2005-01-19)`] |
212: | B014 | `(2006-05-17)` | Bucket 14: [`(2005-01-19) - (2006-05-17)`] |
213: | B015 | `(2007-07-05)` | Bucket 15: [`(2006-05-17) - (2007-07-05)`] |
214: | B016 | `(2009-02-02)` | Bucket 16: [`(2007-07-05) - (2009-02-02)`] |
215: | B017 | `(2010-09-07)` | Bucket 17: [`(2009-02-02) - (2010-09-07)`] |
216: | B018 | `(2011-08-29)` | Bucket 18: [`(2010-09-07) - (2011-08-29)`] |
217: | B019 | `(2012-07-21)` | Bucket 19: [`(2011-08-29) - (2012-07-21)`] |
218: | B020 | `(#20.140)` | Bucket 20: [`(2012-07-21) - (#20.140)`] |
219: | B021 | `(#2.92)` | Bucket 21: [`(#20.140) - (#2.92)`] |
220: | B022 | `(#4.172)` | Bucket 22: [`(#2.92) - (#4.172)`] |
221: | B023 | `(#6.163)` | Bucket 23: [`(#4.172) - (#6.163)`] |
222: | B024 | `Aamu joutuu pesemään tekojensa jälkipyykkiä` | Bucket 24: [`(#6.163) - Aamu joutuu pesemään tekojensa jälkipyykkiä`] |
223: | B025 | `Aflevering 2559` | Bucket 25: [`Aamu joutuu pesemään tekojensa jälkipyykkiä - Aflevering 2559`] |
224: | B026 | `A Little Trip` | Bucket 26: [`Aflevering 2559 - A Little Trip`] |
225: | B027 | `An Atheist Named Faith` | Bucket 27: [`A Little Trip - An Atheist Named Faith`] |
226: | B028 | `Arabeskebi Pirosmanis temaze` | Bucket 28: [`An Atheist Named Faith - Arabeskebi Pirosmanis temaze`] |
227: | B029 | `Attenborough's Ark:  Natural World Special` | Bucket 29: [`Arabeskebi Pirosmanis temaze - Attenborough's Ark:  Natural World Special`] |
228: | B030 | `Baldur Blauzahn` | Bucket 30: [`Attenborough's Ark:  Natural World Special - Baldur Blauzahn`] |

229: | B031 | Best in Show Cakes | Bucket 31: [Baldur Blauzahn - Best in Show Cakes] |
230: | B032 | Blues | Bucket 32: [Best in Show Cakes - Blues] |
231: | B033 | Brown Before Green | Bucket 33: [Blues - Brown Before Green] |
232: | B034 | Captive Audience | Bucket 34: [Brown Before Green - Captive Audience] |
233: | B035 | Cheryl Cole's Night In | Bucket 35: [Captive Audience - Cheryl Cole's Night In] |
234: | B036 | Cobra Starship | Bucket 36: [Cheryl Cole's Night In - Cobra Starship] |
235: | B037 | CPM 22 e Babado Novo | Bucket 37: [Cobra Starship - CPM 22 e Babado Novo] |
236: | B038 | Dark Moon | Bucket 38: [CPM 22 e Babado Novo - Dark Moon] |
237: | B039 | De intrede van de Sint - Antwerpen 2011 | Bucket 39: [Dark Moon - De intrede van de Sint - Antwerpen 2011] |
238: | B040 | Det' politiet: Part 2 | Bucket 40: [De intrede van de Sint - Antwerpen 2011 - Det' politiet: Part 2] |
239: | B041 | DIY Network Holiday Celebration | Bucket 41: [Det' politiet: Part 2 - DIY Network Holiday Celebration] |
240: | B042 | Drugog puta nema! | Bucket 42: [DIY Network Holiday Celebration - Drugog puta nema!] |
241: | B043 | Elements | Bucket 43: [Drugog puta nema! - Elements] |
242: | B044 | Episode V - Tag der Abrechnung | Bucket 44: [Elements - Episode V - Tag der Abrechnung] |
243: | B045 | Famiresu tenshi purin | Bucket 45: [Episode V - Tag der Abrechnung - Famiresu tenshi purin] |
244: | B046 | Fleshdance | Bucket 46: [Famiresu tenshi purin - Fleshdance] |
245: | B047 | Fuga y misterio | Bucket 47: [Fleshdance - Fuga y misterio] |
246: | B048 | Girls' Generation and the Dangerous Boys | Bucket 48: [Fuga y misterio - Girls' Generation and the Dangerous Boys] |
247: | B049 | Guadalcanal/Leckie | Bucket 49: [Girls' Generation and the Dangerous Boys - Guadalcanal/Leckie |
248: | B050 | Heaven on Earth | Bucket 50: [Guadalcanal/Leckie - Heaven on Earth] |
249: | B051 | Holiday | Bucket 51: [Heaven on Earth - Holiday] |
250: | B052 | Hurricane Katrina Aftermath | Bucket 52: [Holiday - Hurricane Katrina Aftermath] |
251: | B053 | Inauguração na Estrela - Lisboa | Bucket 53: [Hurricane Katrina Aftermath - Inauguração na Estrela - Lisboa] |
252: | B054 | Is There Still Hope for Gino and Mikay? | Bucket 54: [Inauguração na Estrela - Lisboa - Is There Still Hope for Gino and Mikay?] |
253: | B055 | Jindalee Lady | Bucket 55: [Is There Still Hope for Gino and Mikay? - Jindalee Lady] |
254: | B056 | Karina | Bucket 56: [Jindalee Lady - Karina] |
255: | B057 | Know Thy Partner | Bucket 57: [Karina - Know Thy Partner] |
256: | B058 | Ladrones de niños | Bucket 58: [Know Thy Partner - Ladrones de niños] |
257: | B059 | Late as a Motherer | Bucket 59: [Ladrones de niños - Late as a Motherer] |
258: | B060 | Les éperlans | Bucket 60: [Late as a Motherer - Les éperlans] |
259: | B061 | Living Room Upgrade | Bucket 61: [Les éperlans - Living Room Upgrade] |
260: | B062 | Luha ng ina | Bucket 62: [Living Room Upgrade - Luha ng ina] |
261: | B063 | Männer sind auch nur Menschen | Bucket 63: [Luha ng ina - Männer sind auch nur Menschen] |
262: | B064 | Melissa | Bucket 64: [Männer sind auch nur Menschen - Melissa] |
263: | B065 | Mission to Africa | Bucket 65: [Melissa - Mission to Africa] |
264: | B066 | Mr. Deity and the Days | Bucket 66: [Mission to Africa - Mr. Deity and the Days] |
265: | B067 | Nanna & Lil' Puss Puss in 'The Honeymoonies' | Bucket 67: [Mr. Deity and the Days - Nanna & Lil' Puss Puss in 'The Honeymoonies'] |
266: | B068 | Ninna Hyttinen | Bucket 68: [Nanna & Lil' Puss Puss in 'The Honeymoonies' - Ninna Hyttinen] |
267: | B069 | Odoriko no yubiwa | Bucket 69: [Ninna Hyttinen - Odoriko no yubiwa] |
268: | B070 | Operation: Bank Job | Bucket 70: [Odoriko no yubiwa - Operation: Bank Job] |
269: | B071 | Papa wo sagashite! | Bucket 71: [Operation: Bank Job - Papa wo sagashite!] |
270: | B072 | Phantom Fever | Bucket 72: [Papa wo sagashite! - Phantom Fever] |
271: | B073 | Power of the South | Bucket 73: [Phantom Fever - Power of the South] |

272: | B074 | `Quatre acteurs à bout de souffle` | Bucket 74: [`Power of the South` - `Quatre acteurs à bout de souffle`] |
273: | B075 | `Relative Air Pollution` | Bucket 75: [`Quatre acteurs à bout de souffle` - `Relative Air Pollution`] |
274: | B076 | `Rolling Stones` | Bucket 76: [`Relative Air Pollution` - `Rolling Stones`] |
275: | B077 | `San Diego, Bukarest, Paris` | Bucket 77: [`Rolling Stones` - `San Diego, Bukarest, Paris`] |
276: | B078 | `Seekers` | Bucket 78: [`San Diego, Bukarest, Paris` - `Seekers`] |
277: | B079 | `Shônen Tantei to Supai` | Bucket 79: [`Seekers` - `Shônen Tantei to Supai`] |
278: | B080 | `Smash Hit:  She` | Bucket 80: [`Shônen Tantei to Supai` - `Smash Hit:  She`] |
279: | B081 | `Spilling the Beans` | Bucket 81: [`Smash Hit:  She` - `Spilling the Beans`] |
280: | B082 | `Strider 2` | Bucket 82: [`Spilling the Beans` - `Strider 2`] |
281: | B083 | `Take This Job and Shove It` | Bucket 83: [`Strider 2` - `Take This Job and Shove It`] |
282: | B084 | `The Accident` | Bucket 84: [`Take This Job and Shove It` - `The Accident`] |
283: | B085 | `The Captain's Son:  Untitled` | Bucket 85: [`The Accident` - `The Captain's Son:  Untitled`] |
284: | B086 | `The End of the World as We Know It` | Bucket 86: [`The Captain's Son:  Untitled` - `The End of the World as We Know It`] |
285: | B087 | `The Healers` | Bucket 87: [`The End of the World as We Know It` - `The Healers`] |
286: | B088 | `The Lobsters Cook` | Bucket 88: [`The Healers` - `The Lobsters Cook`] |
287: | B089 | `The Odyssey` | Bucket 89: [`The Lobsters Cook` - `The Odyssey`] |
288: | B090 | `The Ring of Ultimate Power` | Bucket 90: [`The Odyssey` - `The Ring of Ultimate Power`] |
289: | B091 | `The Thing in Mrs.  Faversham's Attic` | Bucket 91: [`The Ring of Ultimate Power` - `The Thing in Mrs.  Faversham's Attic`] |
290: | B092 | `Thin Ice` | Bucket 92: [`The Thing in Mrs.  Faversham's Attic` - `Thin Ice`] |
291: | B093 | `Tontolini e Lea fra le nuvole` | Bucket 93: [`Thin Ice` - `Tontolini e Lea fra le nuvole`] |
292: | B094 | `Trust Me, I'm a Doctor!` | Bucket 94: [`Tontolini e Lea fra le nuvole` - `Trust Me, I'm a Doctor!`] |
293: | B095 | `Undertryk` | Bucket 95: [`Trust Me, I'm a Doctor!` - `Undertryk`] |
294: | B096 | `Verzaubert` | Bucket 96: [`Undertryk` - `Verzaubert`] |
295: | B097 | `Watashi no ibasho` | Bucket 97: [`Verzaubert` - `Watashi no ibasho`] |
296: | B098 | `Who Needs Sex Therapy?` | Bucket 98: [`Watashi no ibasho` - `Who Needs Sex Therapy?`] |
297: | B099 | `Yasmina` | Bucket 99: [`Who Needs Sex Therapy?` - `Yasmina`] |
298: | B100 | `Zzzzzz` | Bucket 100: [`Yasmina` - `Zzzzzz`] |
299:
300: ### 6. Histogram Visualization
301: ![Histogram for title.id](../plots/q1_histogram_id.png)
302:
303: ![Histogram for title.title](../plots/q1_histogram_title.png)
304:
305: ### 7. Max Selectivity Error
306: - **Max Selectivity Error** across tested range queries is **0.008364** (or **0.8364%** absolute error).
307: - **Calculation Formula**:
308:

$$\textSelectivityError = |\textEstimatedSelectivity - \textActualSelectivity| = \left|\fracEN - \fracAN\right|$$

309:
310: ### 8. Selectivity Estimation for Text Range Queries (`title < 'Race'`)
311: For range queries on text columns:
312: 1. PostgreSQL checks if the search string lies within `pg_stats.histogram_bounds`.
313: 2. It identifies the lower boundary S_i and upper boundary $S_i + 1$ enclosing the search target.
314: 3. It counts all buckets strictly preceding S_i ($i \times \textbucket_weight$).
315: 4. It computes linear interpolation within $[S_i, S_i + 1]$ using prefix byte character encoding.
316: 5. The sum is multiplied by $(1 - \textnull_frac - \sum \textMCV_freq)$ to produce estimated selectivity.

317:
318: ### 9. Estimated and Actual Selectivities
319:
320: #### Query 1: `SELECT * FROM title WHERE title.title < 'Race';`
321: - **Actual Row Count**: 1,918,141
322: - **Actual Selectivity**: **0.758665** (75.87%)
323: - **Estimated Row Count**: 1,939,288
324: - **Estimated Selectivity**: **0.767029** (76.70%)
325: - **Selectivity Error**: **0.008364** (Relative Error: **1.10%**)
326:
327: #### Query 2: `SELECT * FROM title WHERE title.id < 350000;`
328: - **Actual Row Count**: 349,999
329: - **Actual Selectivity**: **0.138432** (13.84%)
330: - **Estimated Row Count**: 337,982
331: - **Estimated Selectivity**: **0.133679** (13.37%)
332: - **Selectivity Error**: **0.004753** (Relative Error: **3.43%**)
333:
334: —
335:
336: ## Q2. Optimal Serial Histogram Construction ($B = 20$ Buckets)
337:
338: ### 1. Histogram Visualizations for $N = 3000$ Samples (Horizontal Bar Plots)
339: *As specified, value-boundaries are plotted on the Y-axis and frequency on the X-axis.*
340:
341: ![Optimal Serial Histogram for title.id (N=3000)](../plots/q2_histogram_id_3000.png)
342:
343: ![Optimal Serial Histogram for title.title (N=3000)](../plots/q2_histogram_title_3000.png)
344:
345: ### 2. Execution Build Time
346: - $N = 1000$: **0.2078 seconds**
347: - $N = 3000$: **0.9947 seconds**
348: - $N = 5000$: **2.1934 seconds**
349:
350: ### 3. Frequency Bucket Boundaries ($N = 3000$, $B = 20$)
351: The 20 optimal buckets partition data to minimize intra-bucket variance (SSE). Bucket frequency counts vary dynamically to optimize error reduction.
352:
353: ### 4. Max Selectivity Error for Optimal Histogram ($N = 3000$)
354: - **Max Selectivity Error**: **0.003169**
355: - **Calculation**: Computed across 10 evaluation range quantiles comparing optimal bucket cumulative frequency estimation against empirical sample distribution.
356:
357: ### 5. Timings Across Sample Sizes
358: | Sample Size (N) | Build Time (Seconds) | Max Selectivity Error |
359: | :—: | :—: | :—: |
360: | **1000** | 0.2078s | 0.003292 |
361: | **3000** | 0.9947s | 0.003169 |
362: | **5000** | 2.1934s | 0.002944 |
363:
364: ### 6. Linear Regression Extrapolation for Full Table ($N = 2,528,312$)
365: Using linear regression model $T(N) = m\cdotN + c$:
366: - **Slope (m)**: `0.00049640` seconds / sample
367: - **Intercept (c)**: `-0.357260` seconds
368: - **Extrapolated Time for Full Table ($N = 2,528,312$)**:
369:

$$T(2,528,312) = (0.00049640\times2,528,312)+(-0.357260) = \mathbf{1254.70}\textseconds\quad(\mathbf{20.91}\textmin$$

370:
371: ### 7. Sample Size vs Time Relationship Plot

372: ![Sample Size vs Time](../plots/q2_sample_size_vs_time.png)
373:
374: ### 8. Sample Size vs Max Selectivity Error Relationship Plot
375: ![Sample Size vs Max Selectivity Error](../plots/q2_sample_size_vs_error.png)
376:
377: ### 9. Impact of Bucket Count (B) Choice
378: - **Fewer Buckets (e.g., $B = 5$ or 10)**:
379: - **Pros**: Lower memory footprint in system catalog, faster histogram build time ($O(B\cdotN^2)$ decreases), faster query optimization time.
380: - **Cons**: Coarser resolution, leading to higher selectivity estimation errors, especially for skewed or non-uniform data distributions.
381: - **More Buckets (e.g., $B = 50$ or 100)**:
382: - **Pros**: Finer granularity, significantly lower selectivity estimation error, highly accurate cost estimation for complex query joins.
383: - **Cons**: Higher histogram construction time, larger storage overhead in catalog, and slightly higher plan generation latency during query execution.
384:
The above content shows the entire, complete file contents of the requested file.

1.8.4 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:30:09Z
Completed At: 2026-08-30T19:30:15Z
The command completed successfully.
Output:
Successfully converted reports/Assignment_Report.md -> reports/Assignment_Report
.docx
Successfully converted reports/LLM_Conversations.md -> reports/LLM_Conversations
.docx

1.8.5 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:30:18Z
Completed At: 2026-08-30T19:30:28Z
The command completed successfully.
Output:
[main eee7795] Sync updated Assignment_Report.docx and LLM_Conversations.docx
3 files changed, 45 insertions(+), 6 deletions(-)
Enumerating objects: 15, done.
Counting objects: 6% (1/15)
Counting objects: 100% (15/15), done.
Delta compression using up to 8 threads
Compressing objects: 12% (1/8)
Compressing objects: 25% (2/8)
Compressing objects: 37% (3/8)
Compressing objects: 50% (4/8)
Compressing objects: 100% (8/8), done.
Writing objects: 12% (1/8)
Writing objects: 50% (4/8)
Writing objects: 75% (6/8)
Writing objects: 87% (7/8)
Writing objects: 100% (8/8), 10.83 KiB | 1.20 MiB/s, done.
Total 8 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 33% (2/6)
remote: Resolving deltas: 50% (3/6)
remote: Resolving deltas: 100% (6/6), completed with 6 local objects.
To github.com:Jdsb06/adbms.git
d1ed846..eee7795 main -> main

1.8.6 AI ASSISTANT RESPONSE

Here is the exact step-by-step mathematical breakdown of how the data in **Q1.7 (Max Selectivity Error)** is calculated, both theoretically and internally by PostgreSQL.

The updated `reports/Assignment_Report.docx` and `reports/LLM_Conversations.docx` have been synchronized and pushed to your git repository.

1.8.7 1. Mathematical Formulas & Definitions

- **Total Table Rows (N)**: `2,528,312` (in `title` table)
- **Actual Selectivity ($S_\textact$)**:

$$S_\textact = \frac\textActualmatchingrows(A)\textTotaltablerows(N)$$

- **Estimated Selectivity ($S_\textest$)**:

$$S_\textest = \frac\textPostgreSQLestimatedrowsfromEXPLAIN(E)\textTotaltablerows(N)$$

- **Absolute Selectivity Error**:

$$\textSelectivityError = |S_\textest - S_\textact| = \left|\fracE - AN\right|$$

- **Relative Error**:

$$\textRelativeError = \frac|S_\textest - S_\textact|S_\textact\times100\%$$

1.8.8 2. Numerical Calculations for the Benchmark Queries

Query 1: `SELECT * FROM title WHERE title.title < 'Race';` 1. **Actual Matching Rows (A_1)**: `1,918,141`

$$S_act, 1 = \frac1, 918, 1412, 528, 312 = \mathbf0.758665\quad(75.87\%)$$

2. **Estimated Rows (E_1)** (from `EXPLAIN`): `1,939,288`

$$S_est, 1 = \frac1, 939, 2882, 528, 312 = \mathbf0.767029\quad(76.70\%)$$

3. **Selectivity Error ($\textError_1$)**:

$$\textError_1 = |0.767029-0.758665| = \mathbf0.008364\quad(0.8364\%\textabsoluteerror, 1.10\%\textrelativeerror)$$

Query 2: `SELECT * FROM title WHERE title.id < 350000;` 1. **Actual Matching Rows (A_2)**: `349,999`

$$S_act, 2 = \frac349, 9992, 528, 312 = \mathbf0.138432\quad(13.84\%)$$

2. **Estimated Rows (E_2)** (from `EXPLAIN`): `337,982`

$$S_est, 2 = \frac337, 9822, 528, 312 = \mathbf0.133679\quad(13.37\%)$$

3. **Selectivity Error ($\textError_2$)**:

$$\textError_2 = |0.133679-0.138432| = \mathbf0.004753\quad(0.4753\%\textabsoluteerror, 3.43\%\textrelativeerror)$$

1.8.9 3. Max Selectivity Error

$$\textMaxSelectivityError = \max(\textError_1, \textError_2) = \max(0.008364, 0.004753) = \mathbf0.008364\quad$$

1.8.10 4. How PostgreSQL Computes the Estimate Internally (Linear Interpolation)

For `title.id < 350000`:

1. **Target Constant**: `350000`
2. **Look up Bucket Boundaries in** `pg_stats.histogram_bounds`:

- `B013 = 340479` (Bucket 13 upper boundary)
- `B014 = 366364` (Bucket 14 upper boundary) 3. Target `350000` falls inside **Bucket 14** ([340479, 366364]).

4. All **13 preceding buckets** are 100% included:

$$\textPrecedingBucketsSelectivity = 13\times\frac1100 = 0.130000$$

5. **Linear Interpolation inside Bucket 14**:

$$\textFractioninsideB14 = \frac350000 - 340479366364 - 340479\times\frac1100 = \frac952125885\times0.01 =$$

6. **Total Base Estimated Selectivity**:

$$S_\textest = 0.130000 + 0.003678 = \mathbf0.133678$$

7. Multiply by total rows $N = 2,528,312$:

$$E_2 = 0.133679\times2,528,312\approx\mathbf337,982\textrows$$

1.9 Step 9: USER PROMPT

```
<USER_REQUEST>
f your default_statistics_target was 100, you have 100 buckets. Therefore,
   the maximum selectivity error for a range query is $\frac{1}{100}$ (or
   0.01 / 1%). To calculate this for your specific report, use the formula
   $\text{Max Error} \le \frac{1}{B}$ where $B$ is your exact bucket count.

shouldnt it be bounded by 0.1 percent
then why it is 0.8 percent??

</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-31T01:03:38+05:30.
</ADDITIONAL_METADATA>
```

1.9.1 AI ASSISTANT RESPONSE

1.9.2 1. The Key Clarification: $1/100$ is 1.0%, Not 0.1%

$$\frac1100 = 0.01 = \mathbf1.0\%\quad(\textOnePercent)$$

- $\frac1100 = 0.01 = \mathbf1.0\%$ (One percent)
- $\frac11000 = 0.001 = \mathbf0.1\%$ (One-tenth of a percent)

Since your bucket count is $B = 100$, the theoretical upper bound is:

$$\textMaxError\le\frac1B = \frac1100 = \mathbf0.01\quad(\mathbf1.0\%)$$

1.9.3 2. Checking the Measured Error Against the Bound

Our measured maximum error is **0.8364%** (or **0.008364**):

$$0.008364\le0.010000\quad\iff\quad\mathbf0.8364\%\le1.0\%$$

The measured error of **0.8364% strictly obeys** the theoretical bound ($\textMaxError\le1.0\%$).

1.9.4 3. Why is the Error ~0.84% (and not 0% or exactly 1.0%)?

In practice, the error falls between 0\% and 1.0\% due to three main database engine factors:

1. **Sampling Noise during `ANALYZE`**:

PostgreSQL does not scan all 2,528,312 rows when building histograms. For `default_statistics_target = 100`, PostgreSQL samples approximately $300\times100 = 30,000$ **rows**. Sampling introduces small statistical variations in quantile boundary positions.

2. **Intra-Bucket Linear Interpolation**:

When a query target (e.g. `'Race'` or `350000`) falls inside a bucket $[S_i, S_i+1]$, PostgreSQL assumes values inside that bucket are uniformly distributed. If the actual data within that interval has slight clustering or gaps, linear interpolation introduces a tiny residual error ($\le\frac12B\approx0.5\%$).

3. **Most Common Values (MCVs)**:

High-frequency values are stored separately in the `most_common_vals` array. The histogram only covers the remaining non-MCV data, slightly modifying bucket density.

1.9.5 Summary Table

Metric	Theoretical Value for $B = 100$ Buckets For-mula	Actual Measured Error	Status
Max Selectivity Error	$\text{Max Error} \le \frac{1}{2B}$ $\mathbf{0.010000}$ (1.0%)	$\mathbf{0.008364}$ (0.8364%)	**Passed** ($\le$ 1.0%)

1.10 Step 10: USER PROMPT

```
<USER_REQUEST>
i have updated @[reports/Assignment_Report.md] , update docx then push
</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-31T01:22:53+05:30.

The user has mentioned some items in the form @[ITEM]. Here is extra
   information about the items that were mentioned by the user, in the
   order that they appear:

@[reports/Assignment_Report.md] is a [File]:
/home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/
   Assignment_Report.md
</ADDITIONAL_METADATA>
```

1.10.1 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:52:57Z
Completed At: 2026-08-30T19:52:59Z
The command completed successfully.
Output:
Successfully converted reports/Assignment_Report.md -> reports/Assignment_Report.docx
Successfully converted reports/LLM_Conversations.md -> reports/LLM_Conversations.docx

---

1.10.2 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:53:03Z
Completed At: 2026-08-30T19:53:05Z
The command completed successfully.
Output:
On branch main

Your branch is up to date with 'origin/main'.
Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: reports/Assignment_Report.docx
modified: reports/Assignment_Report.md
modified: reports/LLM_Conversations.docx
no changes added to commit (use "git add" and/or "git commit -a")

1.10.3 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:53:08Z
Completed At: 2026-08-30T19:53:15Z
The command completed successfully.
Output:
[main 1d21a2c] Update Assignment_Report.docx and sync report edits
3 files changed, 46 insertions(+), 27 deletions(-)
Enumerating objects: 13, done.
Counting objects: 53% (7/13)
Counting objects: 100% (13/13), done.
Delta compression using up to 8 threads
Compressing objects: 14% (1/7)
Compressing objects: 28% (2/7)
Compressing objects: 42% (3/7)
Compressing objects: 57% (4/7)
Compressing objects: 85% (6/7)
Compressing objects: 100% (7/7), done.
Writing objects: 57% (4/7)
Writing objects: 71% (5/7)
Writing objects: 100% (7/7), 11.60 KiB | 2.32 MiB/s, done.
Total 7 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 40% (2/5)
remote: Resolving deltas: 60% (3/5)
remote: Resolving deltas: 80% (4/5)
remote: Resolving deltas: 100% (5/5), completed with 5 local objects.
To github.com:Jdsb06/adbms.git
eee7795..1d21a2c main -> main

1.10.4 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:53:19Z
Completed At: 2026-08-30T19:53:22Z
The command completed successfully.
Output:
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean

1.10.5 AI ASSISTANT RESPONSE

The updated markdown report has been converted to Word `.docx` format, committed, and pushed to your remote repository.

1.10.6 Summary of Actions:

1. **Converted**: Synchronized [reports/Assignment_Report.md](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS
rightarrow [reports/Assignment_Report.docx](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/rep
2. **Git Commit & Push**:

- **Commit Message**: `"Update Assignment_Report.docx and sync report edits"`
- **Repository**: `git@github.com:Jdsb06/adbms.git`

- **Branch**: `main`
- **Status**: `working tree clean` (100% up to date)

1.11 Step 11: USER PROMPT

```
<USER_REQUEST>
local .md resolves this matematical easly but not on github
so fix that
</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-31T01:24:49+05:30.
</ADDITIONAL_METADATA>
```

1.11.1 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:54:54Z
Completed At: 2026-08-30T19:54:54Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/Assignment_Report.md`
Total Lines: 403
Total Bytes: 24336
Showing lines 300 to 384
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

300: ### 6. Histogram Visualization
301: ![Histogram for title.id](../plots/q1_histogram_id.png)
302:
303: ![Histogram for title.title](../plots/q1_histogram_title.png)
304:
305: ### 7. Max Selectivity Error
306: - **Max Selectivity Error** as default_statistics_target is 100. Therefore, the maximum selectivity error for a range query is $\frac{1}{100}$ (or 0.01 / 1%). for out case it is 1/100 , ie 1%
307:
308:
309: ### 8: Selectivity Estimation for Text Columns
310:
311: To estimate the selectivity of a range query on a text column (such as `title < 'Race'`), as we know psql dosent just count rows inbetwwen instead, it relies on its internal histogram and a mathematical technique called linear interpolation. The query planner follows this step-by-step process:
312:
313: * **Bucket Identification:** The engine scans the `histogram_bounds` array to locate the specific bucket where the target string ('Race') falls.
314: * **Full Bucket Summation:** It counts all the complete buckets that come before the target bucket. Because this is an equi-depth histogram, each full bucket represents a fixed, equal fraction of the total rows.
315: * **Text-to-Numeric Conversion:** For the target bucket itself, PostgreSQL converts the string prefixes into floating-point numbers so it can perform mathematical operations on the text.
316: * **Linear Interpolation:** The database assumes that the values inside this specific bucket are perfectly and evenly distributed. It calculates exactly how deep into the bucket the target value sits using this formula:
317:

$$\textFraction = \frac{\textQueryValue - \textBucketMin}{\textBucketMax - \textBucketMin}$$

318: * **Final Calculation:** Finally, the engine adds this fractional bucket value to the sum of the preceding full buckets to generate the total selectivity estimate.
319:
320: —
321:

9: Estimated vs. Actual Selectivities

To evaluate the accuracy of the query planner's estimates, we compare the estimated rows (from the `EXPLAIN` command) against the actual returned rows (from `EXPLAIN ANALYZE`). The total row count (N) for the `title` table is 2,528,312.

Query 1: `title < 'Race'`

'sql
explain analyze SELECT * FROM title WHERE title.title < 'Race';
'

* **Actual Selectivity:** The query physically returned 1,918,141 matching rows.

$$S_\textact = \frac19181412528312 \approx 0.7587 \text(75.87\%)$$

'sql
EXPLAIN SELECT * FROM title WHERE title.title < 'Race';
'

* **Estimated Selectivity:** The planner estimated 1,939,288 rows.

$$S_\textest = \frac19392882528312 \approx 0.7670 \text(76.70\%)$$

* **Observation:** The absolute error is roughly 0.83%. This shows that the text-to-numeric linear interpolation handles the string distribution quite accurately.

Query 2: `id < 350000`

'sql
EXPLAIN ANALYZE SELECT * FROM title WHERE title.id < '350000';
'

* **Actual Selectivity:** The query returned 349,999 matching rows.

$$S_\textact = \frac3499992528312 \approx 0.1384 \text(13.84\%)$$

'sql
EXPLAIN SELECT * FROM title WHERE title.id < '350000';
'

* **Estimated Selectivity:** The planner estimated 337,982 rows.

$$S_\textest = \frac3379822528312 \approx 0.1337 \text(13.37\%)$$

* **Observation:** The absolute error here is about 0.47%. Because the `id` column is a strictly numeric sequence, the bucket distribution is very tight, resulting in a slightly lower selectivity error than the text column.

Q2. Optimal Serial Histogram Construction ($B = 20$ Buckets)

1. Histogram Visualizations for $N = 3000$ Samples (Horizontal Bar Plots)

As specified, value-boundaries are plotted on the Y-axis and frequency on the X-axis.

![Optimal Serial Histogram for title.id (N=3000)](../plots/q2_histogram_id_3000.png)

![Optimal Serial Histogram for title.title (N=3000)](../plots/q2_histogram_title_3000.png)

2. Execution Build Time

- $N = 1000$: **0.2078 seconds**
- $N = 3000$: **0.9947 seconds**
- $N = 5000$: **2.1934 seconds**

3. Frequency Bucket Boundaries ($N = 3000$, $B = 20$)

370: The 20 optimal buckets partition data to minimize intra-bucket variance (SSE). Bucket frequency counts vary dynamically to optimize error reduction.
371:
372: ### 4. Max Selectivity Error for Optimal Histogram ($N = 3000$)
373: - **Max Selectivity Error**: **0.003169**
374: - **Calculation**: Computed across 10 evaluation range quantiles comparing optimal bucket cumulative frequency estimation against empirical sample distribution.
375:
376: ### 5. Timings Across Sample Sizes
377: | Sample Size (N) | Build Time (Seconds) | Max Selectivity Error |
378: | :—: | :—: | :—: |
379: | **1000** | 0.2078s | 0.003292 |
380: | **3000** | 0.9947s | 0.003169 |
381: | **5000** | 2.1934s | 0.002944 |
382:
383: ### 6. Linear Regression Extrapolation for Full Table ($N = 2,528,312$)
384: Using linear regression model $T(N) = m\cdotN + c$:
The above content does NOT show the entire file contents. If you need to view any lines of the file which were not shown to complete your task, call this tool again to view those lines.

1.11.2 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:55:00Z
Completed At: 2026-08-30T19:55:00Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/Assignment_Report.md`
Total Lines: 403
Total Bytes: 24336
Showing lines 300 to 403
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.
300: ### 6. Histogram Visualization
301: ![Histogram for title.id](../plots/q1_histogram_id.png)
302:
303: ![Histogram for title.title](../plots/q1_histogram_title.png)
304:
305: ### 7. Max Selectivity Error
306: - **Max Selectivity Error** as default_statistics_target is 100. Therefore, the maximum selectivity error for a range query is $\frac1100$ (or 0.01 / 1%). for out case it is 1/100 , ie 1%
307:
308:
309: ### 8: Selectivity Estimation for Text Columns
310:
311: To estimate the selectivity of a range query on a text column (such as `title < 'Race'`), as we know psql dosent just count rows inbetwwen instead, it relies on its internal histogram and a mathematical technique called linear interpolation. The query planner follows this step-by-step process:
312:
313: * **Bucket Identification:** The engine scans the `histogram_bounds` array to locate the specific bucket where the target string ('Race') falls.
314: * **Full Bucket Summation:** It counts all the complete buckets that come before the target bucket. Because this is an equi-depth histogram, each full bucket represents a fixed, equal fraction of the total rows.
315: * **Text-to-Numeric Conversion:** For the target bucket itself, PostgreSQL converts the string prefixes into floating-point numbers so it can perform mathematical operations on the text.
316: * **Linear Interpolation:** The database assumes that the values inside this specific bucket are perfectly and evenly distributed. It calculates exactly how deep into the bucket the target value sits using this formula:
317:

$$\textFraction = \frac\textQueryValue - \textBucketMin\textBucketMax - \textBucketMin$$

* **Final Calculation:** Finally, the engine adds this fractional bucket value to the sum of the preceding full buckets to generate the total selectivity estimate.

—

9: Estimated vs. Actual Selectivities

To evaluate the accuracy of the query planner's estimates, we compare the estimated rows (from the `EXPLAIN` command) against the actual returned rows (from `EXPLAIN ANALYZE`). The total row count (N) for the `title` table is 2,528,312.

Query 1: `title < 'Race'`

```sql
explain analyze SELECT * FROM title WHERE title.title < 'Race';
```

* **Actual Selectivity:** The query physically returned 1,918,141 matching rows.

$$S_\textact = \frac19181412528312\approx0.7587\text(75.87\%)$$

```sql
EXPLAIN SELECT * FROM title WHERE title.title < 'Race';
```

* **Estimated Selectivity:** The planner estimated 1,939,288 rows.

$$S_\textest = \frac19392882528312\approx0.7670\text(76.70\%)$$

* **Observation:** The absolute error is roughly 0.83%. This shows that the text-to-numeric linear interpolation handles the string distribution quite accurately.

Query 2: `id < 350000`

```sql
EXPLAIN ANALYZE SELECT * FROM title WHERE title.id < '350000';
```

* **Actual Selectivity:** The query returned 349,999 matching rows.

$$S_\textact = \frac3499992528312\approx0.1384\text(13.84\%)$$

```sql
EXPLAIN SELECT * FROM title WHERE title.id < '350000';
```

* **Estimated Selectivity:** The planner estimated 337,982 rows.


$$S_\textest = \frac3379822528312\approx0.1337\text(13.37\%)$$


* **Observation:** The absolute error here is about 0.47%. Because the `id` column is a strictly numeric sequence, the bucket distribution is very tight, resulting in a slightly lower selectivity error than the text column.

Q2. Optimal Serial Histogram Construction ($B = 20$ Buckets)

1. Histogram Visualizations for $N = 3000$ Samples (Horizontal Bar Plots)

As specified, value-boundaries are plotted on the Y-axis and frequency on the X-axis.





2. Execution Build Time

- $N = 1000$: **0.2078 seconds**

366: - $N = 3000$: **0.9947 seconds**
367: - $N = 5000$: **2.1934 seconds**
368:
369: ### 3. Frequency Bucket Boundaries ($N = 3000$, $B = 20$)
370: The 20 optimal buckets partition data to minimize intra-bucket variance (SSE). Bucket frequency counts vary dynamically to optimize error reduction.
371:
372: ### 4. Max Selectivity Error for Optimal Histogram ($N = 3000$)
373: - **Max Selectivity Error**: **0.003169**
374: - **Calculation**: Computed across 10 evaluation range quantiles comparing optimal bucket cumulative frequency estimation against empirical sample distribution.
375:
376: ### 5. Timings Across Sample Sizes
377: | Sample Size (N) | Build Time (Seconds) | Max Selectivity Error |
378: | :—: | :—: | :—: |
379: | **1000** | 0.2078s | 0.003292 |
380: | **3000** | 0.9947s | 0.003169 |
381: | **5000** | 2.1934s | 0.002944 |
382:
383: ### 6. Linear Regression Extrapolation for Full Table ($N = 2,528,312$)
384: Using linear regression model $T(N) = m\backslash cdotN + c$:
385: - **Slope (m)**: `0.00049640` seconds / sample
386: - **Intercept (c)**: `-0.357260` seconds
387: - **Extrapolated Time for Full Table ($N = 2,528,312$)**:
388:

$T(2,528,312) = (0.00049640\backslash times 2,528,312) + (-0.357260) = \backslash mathbf{1254.70}\backslash textseconds\backslash quad(\backslash mathbf{20.91}\backslash textmin$

389:
390: ### 7. Sample Size vs Time Relationship Plot
391: ![Sample Size vs Time](../plots/q2_sample_size_vs_time.png)
392:
393: ### 8. Sample Size vs Max Selectivity Error Relationship Plot
394: ![Sample Size vs Max Selectivity Error](../plots/q2_sample_size_vs_error.png)
395:
396: ### 9. Impact of Bucket Count (B) Choice
397: - **Fewer Buckets (e.g., $B = 5$ or 10)**:
398: - **Pros**: Lower memory footprint in system catalog, faster histogram build time ($O(B\backslash cdotN\hat{}2)$ decreases), faster query optimization time.
399: - **Cons**: Coarser resolution, leading to higher selectivity estimation errors, especially for skewed or non-uniform data distributions.
400: - **More Buckets (e.g., $B = 50$ or 100)**:
401: - **Pros**: Finer granularity, significantly lower selectivity estimation error, highly accurate cost estimation for complex query joins.
402: - **Cons**: Higher histogram construction time, larger storage overhead in catalog, and slightly higher plan generation latency during query execution.
403:
The above content does NOT show the entire file contents. If you need to view any lines of the file which were not shown to complete your task, call this tool again to view those lines.

1.11.3 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:55:04Z
Completed At: 2026-08-30T19:55:04Z
File Path: `file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/Assignment_Report.md`
Total Lines: 403
Total Bytes: 24336
Showing lines 1 to 100
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

1: # Advanced Database Management Systems (ADBMS)
2: ## Assignment 0 & Assignment 1: Histogram Analysis Report
3:
4: —
5:
6: # Assignment 0
7:
8: ## Setup
9: - **CPU Model & Specification**: 13th Gen Intel(R) Core(TM) i3-1315U (6 cores, 8 threads)
10: - **RAM Capacity**: 14 GiB
11: - **HDD / Storage Capacity**: 456 GiB NVMe SSD
12: - **Operating System**: Ubuntu 26.04 LTS
13: - **PostgreSQL Engine Version**: `PostgreSQL 18.6 (Ubuntu 18.6-0ubuntu0.26.04.1) on x86_64-pc-linux-gn`
`compiled by gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0, 64-bit`
14:
15: ## Database
16: - **Database Name**: Join Order Benchmark (2013 Snapshot)
17: - **Total Tables**: 21
18: - **Total Relational Tuples**: 74,190,187
19:
20: ### Table Cardinalities & Primary Keys
21:
22: | Table Name | Primary Key Column | Cardinality (`count(*)`) |
23: | :— | :—: | :—: |
24: | `aka_name` | `id` | 901,343 |
25: | `aka_title` | `id` | 361,472 |
26: | `cast_info` | `id` | 36,244,344 |
27: | `char_name` | `id` | 3,140,339 |
28: | `comp_cast_type` | `id` | 4 |
29: | `company_name` | `id` | 234,997 |
30: | `company_type` | `id` | 4 |
31: | `complete_cast` | `id` | 135,086 |
32: | `info_type` | `id` | 113 |
33: | `keyword` | `id` | 134,170 |
34: | `kind_type` | `id` | 7 |
35: | `link_type` | `id` | 18 |
36: | `movie_companies` | `id` | 2,609,129 |
37: | `movie_info` | `id` | 14,835,720 |
38: | `movie_info_idx` | `id` | 1,380,035 |
39: | `movie_keyword` | `id` | 4,523,930 |
40: | `movie_link` | `id` | 29,997 |
41: | `name` | `id` | 4,167,491 |
42: | `person_info` | `id` | 2,963,664 |
43: | `role_type` | `id` | 12 |
44: | `title` | `id` | 2,528,312 |
45:
46: —
47:
48: # Assignment 1: Histogram
49:
50: ## Q1. Histogram Analysis for `id` and `title` Columns of `title` Table
51:
52: ### 1. Corresponding SQL Query
53: to see what all colums needed form ‘pg_stats’
54: ‘sql
55: \d pg_stats;
56: ‘
57: To see histogram boundary values and other relevent stored in `pg_stats`:
58: ‘sql
59: SELECT

60: attname,
61: null_frac,
62: n_distinct,
63: most_common_vals,
64: most_common_freqs,
65: histogram_bounds
66: FROM pg_stats
67: WHERE tablename = 'title'
68: AND attname IN ('id', 'title');
69: ‘
70:
71: ### 2. Kind of Histogram
72: PSQL uses an **Equi-Depth Histogram** combined with a **Most Common Values** list. In an equidepth histogram, all buckets contain approximately the same number of rows ($approx N/B$), while bucket boundaries vary in width according to data distribution.
73:
74: ### 3. Number of Buckets
75: - Column `id`: **100 buckets** (101 bucket boundary values)
76: - Column `title`: **100 buckets** (101 bucket boundary values)
77: - extra - to see the defualt
78: ‘sql
79: SHOW default_statistics_target;
80: ‘
81: ### 4. How Textual Attribute `title` is Put into Histogram
82: Textual attributes in PostgreSQL are converted into histograms by:
83: 1. Sorting the text strings in lexicographical order(like bannana and apple will be apple, bannana)
84: 2. Sampling string values from the table(like table title has around 2.5M rows , it will only sample around 30K)
85: 3. Encoding initial string prefix bytes into floating-point numbers in $[0.0, 1.0]$ range for quantitative interpolation(like laptop will be broken to lap with l = 108, a=97, p=112 then by 256 as between 0 and 1 , lap will be around 0.42 , we can then see where a key belongs between two keeys)
86: 4. Selecting quantile boundary string values at equal percentile intervals to form the 100 equi-depth bucket boundaries stored in `pg_stats.histogram_bounds`.
87:
88: ### 5. Exact Bucket Boundaries List (From `pg_stats`)
89:
90: #### A. Column `id` Bucket Boundaries (101 values, 100 buckets)
91: | Bucket Index | Boundary Value (`id`) | Bucket Interval |
92: | :—: | :—: | :— |
93: | B000 (Start) | `41` | Start of table data |
94: | B001 | `25598` | Bucket 1: [`41 - 25598`] |
95: | B002 | `50067` | Bucket 2: [`25598 - 50067`] |
96: | B003 | `75257` | Bucket 3: [`50067 - 75257`] |
97: | B004 | `101946` | Bucket 4: [`75257 - 101946`] |
98: | B005 | `129223` | Bucket 5: [`101946 - 129223`] |
99: | B006 | `155973` | Bucket 6: [`129223 - 155973`] |
100: | B007 | `181990` | Bucket 7: [`155973 - 181990`] |
The above content does NOT show the entire file contents. If you need to view any lines of the file which were not shown to complete your task, call this tool again to view those lines.

1.11.4 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:55:11Z
Completed At: 2026-08-30T19:55:12Z
The following changes were made by the replace_file_content tool to: /home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBM
If relevant, proactively run terminal commands to execute this code for the USER. Don’t ask for permission.
[diff_block_start]
@@ -303,7 +303,13 @@




Figure 1: Histogram for title.title

1.11.5 7. Max Selectivity Error

– **Max Selectivity Error** as default_statistics_target is 100. Therefore, the maximum selectivity error for a range query is $\backslash frac1100$ (or 0.01 / 1%). for out case it is 1/100 , ie 1%

+- **Max Selectivity Error**: Since `default_statistics_target` is 100, there are 100 buckets. Therefore, the maximum selectivity error for a range query is bounded by:

+

+

+\textMax Error \le \frac1B = \frac1100 = 0.01 \quad (1.0\%)

+

+

+For our evaluated queries, the observed maximum selectivity error is **0.8364%** (0.008364), which strictly satisfies $\backslash textMaxError \backslash le 1.0 \backslash \%$.

1.11.6 8: Selectivity Estimation for Text Columns

@@ -310,11 +310,15 @@

-To estimate the selectivity of a range query on a text column (such as `title < 'Race'`), as we know psql dosent just count rows inbetwwen instead, it relies on its internal histogram and a mathematical technique called linear interpolation. The query planner follows this step-by-step process:

-

-* **Bucket Identification:** The engine scans the `histogram_bounds` array to locate the specific bucket where the target string ('Race') falls.

-* **Full Bucket Summation:** It counts all the complete buckets that come before the target bucket. Because this is an equi-depth histogram, each full bucket represents a fixed, equal fraction of the total rows.

-* **Text-to-Numeric Conversion:** For the target bucket itself, PostgreSQL converts the string prefixes into floating-point numbers so it can perform mathematical operations on the text.

-* **Linear Interpolation:** The database assumes that the values inside this specific bucket are perfectly and evenly distributed. It calculates exactly how deep into the bucket the target value sits using this formula:

•

$$\backslash textFraction = \backslash frac\backslash textQueryValue - \backslash textBucketMin\backslash textBucketMax - \backslash textBucketMin$$

-* **Final Calculation:** Finally, the engine adds this fractional bucket value to the sum of the preceding full buckets to generate the total selectivity estimate.

+To estimate the selectivity of a range query on a text column (such as `title < 'Race'`), PostgreSQL relies on its internal histogram and linear interpolation. The query planner follows this step-by-step process:

+

+* **Bucket Identification:** The engine scans the `histogram_bounds` array to locate the specific bucket where the target string (`'Race'`) falls.

+* **Full Bucket Summation:** It counts all complete buckets preceding the target bucket. Each full bucket represents a fixed fraction of total rows ($\backslash frac1B = 0.01$).

+* **Text-to-Numeric Conversion:** For the target bucket, PostgreSQL converts initial string bytes into floating-point numbers in $[0.0, 1.0]$ range for interpolation.

+* **Linear Interpolation:** Assuming uniform distribution inside the target bucket, it calculates the target's position using:

+

+

+ \textFraction = \frac\textQuery Value - \textBucket Min\textBucket Max - \textBucket Min

+

+

+* **Final Calculation:** Adds the fractional bucket estimate to the sum of preceding full buckets to get the final estimated selectivity.

@@ -321,18 +321,22 @@

-To evaluate the accuracy of the query planner's estimates, we compare the estimated rows (from the `EXPLAIN` command) against the actual returned rows (from `EXPLAIN ANALYZE`). The total row count (N) for the `title` table is 2,528,312.

+To evaluate query planner accuracy, we compare estimated rows (from `EXPLAIN`) against actual rows (from `EXPLAIN ANALYZE`). Total row count (N) for the `title` table is 2,528,312.

Query 1: `title < 'Race'`

```
-explain analyze SELECT * FROM title WHERE title.title < 'Race';
-```
-*   **Actual Selectivity:** The query physically returned 1,918,141 matching rows.
-    $$ S_{act} = \frac{1918141}{2528312} \approx 0.7587 \text{ (75.87\%)} $$
-   ```sql
-   EXPLAIN SELECT * FROM title WHERE title.title < 'Race';
-```
-*   **Estimated Selectivity:** The planner estimated 1,939,288 rows.
-    $$ S_{est} = \frac{1939288}{2528312} \approx 0.7670 \text{ (76.70\%)} $$
-*   **Observation:** The absolute error is roughly 0.83%. This shows that the text-to-numeric linear interpolation handles the string distribution quite accurately.
+EXPLAIN ANALYZE SELECT * FROM title WHERE title.title < 'Race';
+```
+*   **Actual Selectivity:** The query physically returned 1,918,141 matching rows.
+
+    $$ S_{act} = \frac{1918141}{2528312} \approx 0.7587 \quad (75.87\%) $$
+
+```sql
+EXPLAIN SELECT * FROM title WHERE title.title < 'Race';
+```
+*   **Estimated Selectivity:** The planner estimated 1,939,288 rows.
+
+    $$ S_{est} = \frac{1939288}{2528312} \approx 0.7670 \quad (76.70\%) $$
+
+*   **Observation:** The absolute error is roughly 0.83%. This shows that text-to-numeric linear interpolation handles the string distribution accurately.
```

```
 **Query 2: `id < 350000`**
```

@@ -339,7 +339,9 @@

```
 *   **Actual Selectivity:** The query returned 349,999 matching rows.
-    $$ S_{act} = \frac{349999}{2528312} \approx 0.1384 \text{ (13.84\%)}
    $$
-   ```sql
+
+    $$ S_{act} = \frac{349999}{2528312} \approx 0.1384 \quad (13.84\%) $$
+
+```sql
 EXPLAIN SELECT * FROM title WHERE title.id < '350000';
```

- **Estimated Selectivity:** The planner estimated 337,982 rows. @@ -346,5 +346,6 @@
- $$S_\textest = \frac3379822528312\approx0.1337\text(13.37\%)$$

  -* **Observation:** The absolute error here is about 0.47%. Because the `id` column is a strictly numeric sequence, the bucket distribution is very tight, resulting in a slightly lower selectivity error than the text column.

  +

  $$S_\textest = \frac3379822528312\approx0.1337\quad(13.37\%)$$

  +

  +* **Observation:** The absolute error here is about 0.47%. Because the `id` column is a strictly numeric sequence, the bucket distribution is tight, resulting in a slightly lower selectivity error than the text column.

@@ -380,7 +380,11 @@

- **Slope (m)**: `0.00049640` seconds / sample
- **Intercept (c)**: `-0.357260` seconds
- **Extrapolated Time for Full Table ($N = 2,528,312$)**:
- $$T(2,528,312) = (0.00049640\times2,528,312)+(-0.357260) = \mathbf1254.70\textseconds\quad(\mathbf20.91\te$$

  +

  +

+T(2528312) = (0.00049640 \times 2528312) + (-0.357260) = 1254.70 \text seconds \quad (20.91 \text minutes)

+

+

1.11.7 7. Sample Size vs Time Relationship Plot




Figure 2: Sample Size vs Time

[diff_block_end]

Please note that the above snippet only shows the MODIFIED lines from the last change. It shows up to 3 lines of unchanged lines before and after the modified lines. The actual file contents may have many more lines not shown.

1.11.8 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:55:15Z

Completed At: 2026-08-30T19:55:17Z

The command completed successfully.

Output:

Successfully converted reports/Assignment_Report.md -> reports/Assignment_Report.docx

Successfully converted reports/LLM_Conversations.md -> reports/LLM_Conversations.docx

---

1.11.9 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:55:20Z

Completed At: 2026-08-30T19:55:26Z

The command completed successfully.

Output:

[main 438ff83] Fix GitHub Markdown math rendering syntax for equations

3 files changed, 43 insertions(+), 22 deletions(-)

Enumerating objects: 13, done.

Counting objects: 7% (1/13)

Counting objects: 100% (13/13), done.

Delta compression using up to 8 threads

Compressing objects: 14% (1/7)

Compressing objects: 28% (2/7)

Compressing objects: 42% (3/7)

Compressing objects: 85% (6/7)

Compressing objects: 100% (7/7)

Compressing objects: 100% (7/7), done.

Writing objects: 14% (1/7)
Writing objects: 57% (4/7)
Writing objects: 71% (5/7)
Writing objects: 100% (7/7), 10.84 KiB | 1.55 MiB/s, done.
Total 7 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (5/5), completed with 5 local objects.
To github.com:Jdsb06/adbms.git
1d21a2c..438ff83 main -> main

1.11.10 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:55:30Z
Completed At: 2026-08-30T19:55:34Z
The command completed successfully.
Output:
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean

1.11.11 AI ASSISTANT RESPONSE

The GitHub Markdown math equation rendering issue has been fixed!

1.11.12 What Was Causing the Issue on GitHub:

1. **Block Math Formatting (**

) : $GitHub's MathJax/KaTeX parser requires block math to be placed on its own standalone line with blank lines before and a

2. Text Formatting Inside Math: Using unescaped characters like % inside \text... inside KaTeX caused block rendering failures on GitHub.

1.11.13 Fix Applied:

- Formatted all block equations onto standalone lines separated by empty spaces:

```
$$
S_{act} = \frac{1918141}{2528312} \approx 0.7587 \quad (75.87\%)
$$
```

- Re-built [reports/Assignment_Report.docx](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/
- Committed and pushed to main on GitHub (git@github.com:Jdsb06/adbms.git).

You can now refresh your GitHub page at reports/Assignment_Report.md, and all equations will render properly!

1.12 Step 12: USER PROMPT

```
<USER_REQUEST>
this github didnt fixed now also
</USER_REQUEST>
<ADDITIONAL_METADATA>
The current local time is: 2026-08-31T01:28:11+05:30.
</ADDITIONAL_METADATA>
```

1.12.1 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:58:17Z
Completed At: 2026-08-30T19:58:17Z
File Path: file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A1/reports/Assignment_Report.md
Total Lines: 424
Total Bytes: 24188
Showing lines 300 to 400
The following code has been modified to include a line number before every line, in the format: <line_number>: <original_line>. Please note that any changes targeting the original code should remove the line number, colon, and leading space.

```
300: ### 6. Histogram Visualization
301: ![Histogram for title.id](../plots/q1_histogram_id.png)
302:
303: ![Histogram for title.title](../plots/q1_histogram_title.png)
304:
305: ### 7. Max Selectivity Error
306: - Max Selectivity Error: Since default_statistics_target is 100, there are 100 buckets. Therefore, the maximum selectivity error for a range query is bounded by:
307:
308:


309: \textMax Error \le \frac1B = \frac1100 = 0.01 \quad (1.0\%)
310:


311:
312: For our evaluated queries, the observed maximum selectivity error is 0.8364% (0.008364), which strictly satisfies $\textMaxError\le1.0\%$.
313:
314:
315: ### 8: Selectivity Estimation for Text Columns
316:
317: To estimate the selectivity of a range query on a text column (such as title < 'Race'), PostgreSQL relies on its internal histogram and linear interpolation. The query planner follows this step-by-step process:
318:
319: * Bucket Identification: The engine scans the histogram_bounds array to locate the specific bucket where the target string ('Race') falls.
320: * Full Bucket Summation: It counts all complete buckets preceding the target bucket. Each full bucket represents a fixed fraction of total rows ($\frac1B = 0.01$).
321: * Text-to-Numeric Conversion: For the target bucket, PostgreSQL converts initial string bytes into floating-point numbers in $[0.0, 1.0]$ range for interpolation.
322: * Linear Interpolation: Assuming uniform distribution inside the target bucket, it calculates the target's position using:
323:
324:


325: \textFraction = \frac\textQuery Value - \textBucket Min\textBucket Max - \textBucket Min
326:


327:
328: * Final Calculation: Adds the fractional bucket estimate to the sum of preceding full buckets to get the final estimated selectivity.
329:
330: --
331:
332: ### 9: Estimated vs. Actual Selectivities
```

333:
334: To evaluate query planner accuracy, we compare estimated rows (from EXPLAIN) against actual rows (from EXPLAIN ANALYZE). Total row count (N) for the title table is 2,528,312.
335:
336: Query 1: title < 'Race'
337: ‘sql
338: EXPLAIN ANALYZE SELECT * FROM title WHERE title.title < 'Race';
339: ‘
340: * Actual Selectivity: The query physically returned 1,918,141 matching rows.
341:
342:

$$S_\textact = \frac19181412528312 \approx 0.7587 \quad (75.87\%)$$

343:
344: ‘sql
345: EXPLAIN SELECT * FROM title WHERE title.title < 'Race';
346: ‘
347: * Estimated Selectivity: The planner estimated 1,939,288 rows.
348:
349:

$$S_\textest = \frac19392882528312 \approx 0.7670 \quad (76.70\%)$$

350:
351: * Observation: The absolute error is roughly 0.83%. This shows that text-to-numeric linear interpolation handles the string distribution accurately.
352:
353: Query 2: id < 350000
354: ‘sql
355: EXPLAIN ANALYZE SELECT * FROM title WHERE title.id < '350000';
356: ‘
357: * Actual Selectivity: The query returned 349,999 matching rows.
358:
359:

$$S_\textact = \frac3499992528312 \approx 0.1384 \quad (13.84\%)$$

360:
361: ‘sql
362: EXPLAIN SELECT * FROM title WHERE title.id < '350000';
363: ‘
364: * Estimated Selectivity: The planner estimated 337,982 rows.
365:
366:

$$S_\textest = \frac3379822528312 \approx 0.1337 \quad (13.37\%)$$

367:
368: * Observation: The absolute error here is about 0.47%. Because the id column is a strictly numeric sequence, the bucket distribution is tight, resulting in a slightly lower selectivity error than the text column.
369:
370:
371:
372: ## Q2. Optimal Serial Histogram Construction ($B = 20$ Buckets)
373:
374: ### 1. Histogram Visualizations for $N = 3000$ Samples (Horizontal Bar Plots)
375: *As specified, value-boundaries are plotted on the Y-axis and frequency on the X-axis.*
376:
377: ![Optimal Serial Histogram for title.id (N=3000)](../plots/q2_histogram_id_3000.png)
378:
379: ![Optimal Serial Histogram for title.title (N=3000)](../plots/q2_histogram_title_3000.png)
380:
381: ### 2. Execution Build Time
382: - $N = 1000$: 0.2078 seconds

383: - $N = 3000$: 0.9947 seconds
384: - $N = 5000$: 2.1934 seconds
385:
386: ### 3. Frequency Bucket Boundaries ($N = 3000$, $B = 20$)
387: The 20 optimal buckets partition data to minimize intra-bucket variance (SSE). Bucket frequency counts vary dynamically to optimize error reduction.
388:
389: ### 4. Max Selectivity Error for Optimal Histogram ($N = 3000$)
390: - Max Selectivity Error: 0.003169
391: - Calculation: Computed across 10 evaluation range quantiles comparing optimal bucket cumulative frequency estimation against empirical sample distribution.
392:
393: ### 5. Timings Across Sample Sizes
394: | Sample Size (N) | Build Time (Seconds) | Max Selectivity Error |
395: | :--: | :--: | :--: |
396: | 1000 | 0.2078s | 0.003292 |
397: | 3000 | 0.9947s | 0.003169 |
398: | 5000 | 2.1934s | 0.002944 |
399:
400: ### 6. Linear Regression Extrapolation for Full Table ($N = 2,528,312$)
The above content does NOT show the entire file contents. If you need to view any lines of the file which were not shown to complete your task, call this tool again to view those lines.

1.12.2 AI ASSISTANT RESPONSE

Created At: 2026-08-30T19:58:24Z
Completed At: 2026-08-30T19:58:24Z
The following changes were made by the replace_file_content tool to: /home/jdsb/Desktop/IIITB/SEM5
If relevant, proactively run terminal commands to execute this code for the USER. Don't ask for permission.
[diff_block_start]
@@ -305,9 +305,7 @@

1.12.3 7. Max Selectivity Error

- Max Selectivity Error: Since default_statistics_target is 100, there are 100 buckets. Therefore, the maximum selectivity error for a range query is bounded by:

-

-\textMax Error \le \frac1B = \frac1100 = 0.01 \quad (1.0\%)
-

+
$$\textMax Error\le\frac1B = \frac1100 = 0.01\quad(1.0\%)$$

For our evaluated queries, the observed maximum selectivity error is 0.8364% (0.008364), which strictly satisfies $\textMax Error\le1.0\%$.
@@ -315,16 +315,14 @@
To estimate the selectivity of a range query on a text column (such as title < 'Race'), PostgreSQL relies on its internal histogram and linear interpolation. The query planner follows this step-by-step process:
-* Bucket Identification: The engine scans the histogram_bounds array to locate the specific bucket where the target string ('Race') falls.
-* Full Bucket Summation: It counts all complete buckets preceding the target bucket. Each full bucket represents a fixed fraction of total rows ($\frac1B = 0.01$).
-* Text-to-Numeric Conversion: For the target bucket, PostgreSQL converts initial string bytes into floating-point numbers in $[0.0, 1.0]$ range for interpolation.
-* Linear Interpolation: Assuming uniform distribution inside the target bucket, it calculates the target's position using:
-

-

- \textFraction = \frac\textQuery Value - \textBucket Min\textBucket Max - \textBucket Min

-

$$-$$

-* Final Calculation: Adds the fractional bucket estimate to the sum of preceding full buckets to get the final estimated selectivity.

+* Bucket Identification: The engine scans the histogram_bounds array to locate the specific bucket where the target string ('Race') falls.

+* Full Bucket Summation: It counts all complete buckets preceding the target bucket. Each full bucket represents a fixed fraction of total rows ($\frac{1}{B} = 0.01$).

+* Text-to-Numeric Conversion: For the target bucket, PostgreSQL converts initial string bytes into floating-point numbers in $[0.0, 1.0]$ range for interpolation.

+* Linear Interpolation: Assuming uniform distribution inside the target bucket, it calculates the target's position using:

+

+

$$\textFraction = \frac\textQueryValue - \textBucketMin\textBucketMax - \textBucketMin$$

+

+* Final Calculation: Adds the fractional bucket estimate to the sum of preceding full buckets to get the final estimated selectivity.

@@ -335,9 +335,7 @@

```
 EXPLAIN ANALYZE SELECT * FROM title WHERE title.title < 'Race';
```

-* Actual Selectivity: The query physically returned 1,918,141 matching rows.

-

-

$$S_\textact = \frac{19181412}{528312} \approx 0.7587 \quad (75.87\%)$$

+- Actual Selectivity: The query physically returned 1,918,141 matching rows: $S_\textact = \frac{19181412}{528312} \approx 0.7587$ (75.87%).

```
 EXPLAIN SELECT * FROM title WHERE title.title < 'Race';
@@ -344,8 +344,6 @@
-*   **Estimated Selectivity:** The planner estimated 1,939,288 rows.
-
-    $$ S_{est} = \frac{1939288}{2528312} \approx 0.7670 \quad (76.70\%) $$
-
-*   **Observation:** The absolute error is roughly 0.83%. This shows that
    text-to-numeric linear interpolation handles the string distribution
    accurately.
+- **Estimated Selectivity:** The planner estimated 1,939,288 rows: $S_{est
    } = \frac{1939288}{2528312} \approx 0.7670$ (76.70%).
+
+- **Observation:** The absolute error is roughly 0.83%. This shows that
    text-to-numeric linear interpolation handles the string distribution
    accurately.

 **Query 2: `id < 350000`**
```

@@ -352,7 +352,5 @@

```
-*   **Actual Selectivity:** The query returned 349,999 matching rows.
-
-    $$ S_{act} = \frac{349999}{2528312} \approx 0.1384 \quad (13.84\%) $$
+- **Actual Selectivity:** The query returned 349,999 matching rows: $S_{
   act} = \frac{349999}{2528312} \approx 0.1384$ (13.84%).
```

```
EXPLAIN SELECT * FROM title WHERE title.id < '350000';
   @@ -359,8 +359,6 @@
   -* Estimated Selectivity:  The planner estimated 337,982 rows.
   -
```

- $$S_\textest = \frac3379822528312\approx0.1337\quad(13.37\%)$$

```
     -
     -* Observation:  The absolute error here is about 0.47%.  Because the id column is a strictly
     numeric sequence, the bucket distribution is tight, resulting in a slightly lower selectivity
     error than the text column.
     +- Estimated Selectivity:  The planner estimated 337,982 rows:  S_\textest = \frac3379822528312\appr
     (13.37%).
     +
     +- Observation:  The absolute error here is about 0.47%.  Because the id column is a strictly
     numeric sequence, the bucket distribution is tight, resulting in a slightly lower selectivity
     error than the text column.

   @@ -397,9 +397,8 @@
```

- Intercept (c): -0.357260 seconds
- Extrapolated Time for Full Table ($N = 2,528,312$):

```
   -


   -T(2528312) = (0.00049640 \times 2528312) + (-0.357260) = 1254.70 \text seconds \quad (20.91
\text minutes)
   -


   +
```

$$T(2528312) = (0.00049640\times2528312) + (-0.357260) = 1254.70\textseconds\quad(20.91\textminutes)$$

```
   +
```

1.12.4 7. Sample Size vs Time Relationship Plot

```
[diff_block_end]
   Please note that the above snippet only shows the MODIFIED lines from the last change.  It
shows up to 3 lines of unchanged lines before and after the modified lines.  The actual file
contents may have many more lines not shown.
```

1.12.5 AI ASSISTANT RESPONSE

```
Created At:  2026-08-30T19:58:28Z
   Completed At:  2026-08-30T19:58:40Z
   The command completed successfully.
   Output:
   Successfully converted reports/Assignment_Report.md -> reports/Assignment_Report
   .docx
   Successfully converted reports/LLM_Conversations.md -> reports/LLM_Conversations
   .docx
```

1.12.6 AI ASSISTANT RESPONSE

```
Created At:  2026-08-30T19:58:43Z
   Completed At:  2026-08-30T19:58:53Z
   The command completed successfully.
   Output:
   [main b73250a] Fix GitHub Markdown math rendering by converting indented equatio
   n code blocks to inline math
   3 files changed, 15 insertions(+), 28 deletions(-)
   Enumerating objects:  13, done.
   Counting objects:  100% (13/13), done.
   Delta compression using up to 8 threads
   Compressing objects:  14% (1/7)
   Compressing objects:  28% (2/7)
   Compressing objects:  42% (3/7)
   Compressing objects:  100% (7/7)
   Compressing objects:  100% (7/7), done.
   Writing objects:  14% (1/7)
   Writing objects:  57% (4/7)
   Writing objects:  100% (7/7), 10.19 KiB | 1.70 MiB/s, done.
   Total 7 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
   remote:  Resolving deltas:  40% (2/5)
   remote:  Resolving deltas:  80% (4/5)
   remote:  Resolving deltas:  100% (5/5), completed with 5 local objects.
   To github.com:Jdsb06/adbms.git
   438ff83..b73250a main -> main
```

1.12.7 AI ASSISTANT RESPONSE

```
Created At:  2026-08-30T19:58:57Z
   Completed At:  2026-08-30T19:59:04Z
   The command completed successfully.
   Output:
   On branch main
   Your branch is up to date with 'origin/main'.
   nothing to commit, working tree clean
```

1.12.8 AI ASSISTANT RESPONSE

The issue causing raw code blocks on GitHub has been fixed!

1.12.9 Root Cause of the Issue:

In GitHub Flavored Markdown (GFM), any line indented with 4 spaces inside a bullet list is automatical
parsed as a Monospace Code Block.
Because

$$S_\textact = \dots$$

was indented by 4 spaces underneath bullet points (* Actual Selectivity:), GitHub treated it
as raw code rather than rendering it as a TeX mathematical formula.

1.12.10 Solution Applied:

Converted the equations inside list items to GitHub's standard inline TeX math syntax (...):

```
- **Actual Selectivity:** The query physically returned 1,918,141 matching
    rows: $S_{act} = \frac{1918141}{2528312} \approx 0.7587$ (75.87%).

- **Estimated Selectivity:** The planner estimated 1,939,288 rows: $S_{est}
    = \frac{1939288}{2528312} \approx 0.7670$ (76.70%).
```

1. Updated [reports/Assignment_Report.md](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/adbms/A
2. Re-generated [reports/Assignment_Report.docx](file:///home/jdsb/Desktop/IIITB/SEM5_IIITB/ADBMS/
3. Committed and pushed to main on GitHub (git@github.com:Jdsb06/adbms.git).

Refresh your browser on GitHub at reports/Assignment_Report.md-all equations will render inline.
