Pleasant Swimming Website Report

FEALY
18024092

Contents

INTRODUCTION....2
WEBSITE IMPLEMENTATION....2
Main Navigational system....2
Implementation of navigation bar....2
Footer Navigation....3
Implementations of footer navigation menu....3
Contact Us Form....5
Implementation of Contact Us Form....5
Index Carsouel....6
Implementation of Index page carousel....7
Embeded Map....7
Implementation of embedded map....7
WEBSITE EVALUATION....9
Usability Testing....10
Content....10
Layout....10
Functionality....10
User testing....11
Accessibility....18
Creative differences between planned and reality....18
CONCLUSION....18
4.1 Results....18
REFERENCES....19

1. INTRODUCTION

This report outlies the development workflow that was used during the development for Pleasant Swimming's website. The unique features for the website will be described in full detail along with the design challenges that these features presented. The features will be given with samples of the code to highlight the methods used to create the features. User testing will be presented along with detailed overview and methods in which the webpage can be changed to reflect their ideas.

WEBSITE IMPLEMENTATION

MAIN NAVIGATIONAL SYSTEM

The main navigation system is based on the top of all webpages, each different webpage has their subject navigation option highlighted. When the user hovers over each options the background colour of that option changes from white to blue. The main navigation bar is full responsive when the webpage decreases in size the navbar will do the same; at a certain point the navigation bar will collapse into a hamburger menu, with the hamburger icon coloured black to clearly distinguish between the sites white background colour.

Implementation of navigation bar

The navigation bar uses the Bootstrap CSS and JS libraries, I got an example navigation bar from the Bootstrap website (Mark Otto, n.d.) I edited my layout of this and colour of the example navigation bar.

```
<nav class="navbar navbar-expand-lg navbar-light bg-light col-lg-12">
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarNavDropdown"
  aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation"> </button>
  <div class="collapse navbar-collapse" id="navbarNavDropdown">
    <ul class="navbar-nav">
      <li class="nav-item active">
        <a class="nav-link" href="index.html">Home <span class="sr-only">(current)</span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="Lessons.html">Lessons</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="Bookings.html">Bookings</a>
      </li>
    <li class="nav-item">
        <a class="nav-link" href="Account.html">Account</a>
      </li>
            <li class="nav-item">
        <a class="nav-link" href="ContactUs.html">Contact Us</a>
            </li>
        </ul>
    </div>
    </nav>
```

```
.navbar{

    padding: 0 10px 0 10px;
}
.nav-link{
    font-family: "source-code-pro";
    font-weight: 400;
}
.nav-link a{

    color: #0A00FF;
    padding: 0 5px 0px 5px;
}
.nav-link a:hover{
    background-color: blue;
}
.nav-item a:active{
    background-color:blue;
}
```

Home Lessons Bookings Account Contact Us



FOOTER NAVIGATION

The footer has the same content hosted on every webpage and is fully responsive. The footer is where Pleasant Swimming's social media links are located; these links are triggerable by clicking buttons that operate as hyperlink references. These buttons were examples, I used and expanded upon the examples given to create a responsive form. There are 3 buttons that allow access to Facebook, Twitter, and Instagram. Additionally, to the buttons being in the footer, the links to the privacy policies, find us, and about us. These links are inaccessible from the main navigation menu.

Implementations of footer navigation menu

The footer menu uses CSS to ensure the stable responsiveness between all screen sizes, the buttons used in-side the footer for social media links were created as exampled by w3schools (W3schools.com n.d.) these examples were changed to suit the display that I want. The other internal links are created using an unordered list which makes to make them responsive easier.

```html
<footer>
<div class="FooterContainer">
<nav class="FootNavBar">
<ul class="FooterLinks">
    <li class="Link">
    <a class="Text-link" href="PrivacyPolicy.html">Privacy Policy</a>
    </li>
    <li class="Link">
    <a class="Text-link" href="FindUS.html">Find Us</a>
    </li>
        <li class="Link">
    <a class="Text-link" href="AboutUs.html">About Us</a>
    </li>
    </ul>
    </nav>
    <form>
        <button type="submit" class="btn btn-primary" target="_blank"
        formaction="https://www.facebook.com/">Facebook</button>
        <button type="submit" class="btn btn-primary"  target="_blank"
        formaction="https://www.twitter.com//">Twitter</button>
        <button type="submit" class="btn btn-primary"  target="_blank"
        formaction="https://www.instagram.com/">Instagram</button>
  </form>
</div>
</footer>
```

```css
.Text-link{
    text-decoration: none;
    text-decoration-color: none;
    color:white;
    font-family: "source-sans-pro";
font-size:15px;
    padding-right: 100px;
}
.FootNavBar ul li{
    display: inline-block;
}
.FooterContainer{
    background-color: black;
}
input[type=text], select, textarea{
    width:100%;
    padding:12px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    margin-top:6px;
    margin-bottom: 16px;
    resize: vertical;
}
```

CONTACT US FORM

The contact us form has the ability for users to contact directly while also keeping Pleasant Swimming's email off the website, this prevents bots from adding their email to a spam email chain. The client is required to enter their first name, last name, email address and then their message. If any field is unfilled then a popup will appear and focus the client on the field that is missing. If the user has multiple fields missing only the first will be highlighted as empty. When the user presses the submit button then then another popup will appear stating that the message has been received and that Pleasant Swimming will be in contact shortly.

Implementation of Contact Us Form

The validation for the contact us form was created by Geeks for geeks (GeeksforGeeks. (2019). This validation checks all the form text boxes to check whether there is text in them or not. The examples given by Geeks for Geeks only validates one box, I modified the JavaScript code, so it can check all the boxes. The form uses the bootstrap CSS files, I used an W3Schools example to create the form (W3schools.com. n.d.). When the validation has been checked a new page will be opened thanking the user for their email.

```
div class="MainText">
class="container">
   <form name="ContactForm"
       action="ThankYou.html"
         onsubmit="return validateForm()"
         method="post">
       <br>
   <label for="fname">First Name</label>
       <input type="text" id="fname" name="Firstename" placeholder="First Name" required>
       <label for="lname">Last Name</label>
       <input type="text" id="lname" name="Lastename" placeholder="Last Name" required>
       <label for="Email">Email</label>
       <input type="text" id="fEmail" name="Email" placeholder="Email Address" required>
       <label for="Subject">Message</label>
       <textarea id="Subject" name="subject" placeholder="Please Write Your Message" style="height:200px" required></textarea>
       <input type="submit" value="Submit">
       <br>
/form>
```

```
<script src="js/contactForm.js"></script>
      <script>
          $ (function(){
              $('[data-toggle="popover"]').popover()
          })
      $('.popover-dismiss').submit({
        trigger: 'focus'
      })
      </script>
```

```javascript
function ValidateForm(){

    var Firstname = document.forms["ContactForm"]["fname"];
    var Lastname = document.forms["ContactForm"]["lname"];
    var Email = document.forms["ContactForm"]["Email"];
    var Message = document.forms["ContactForm"]["subject"];

    if(Firstname.value == "")
        {
            alert("Please enter your first name");
            Firstname.focus();
            return false;
        }
        if(Lastname.value == "")
        {
            alert("Please enter your last name");
            Lastname.focus();
            return false;
        }
        if(Email.value == "")
        {
            alert("Please enter your email");
            Email.focus();
            return false;
        }
        if(Message.value == "")
        {
            alert("Please enter your message");
            Message.focus();
            return false;
        }
    }
}
```



INDEX CARSOUEL

The index page contains a carousel that automatically rotates between three images, these images are of a man swimming (Pool in Former, n.d.), a woman swimming, and a young girl swimming (Body form, n.d.). When the client hovers over the carousel the images stop changing and essentially pauses, the client can also manually change slide with the arrows either side of the carousel.

Implementation of Index page carousel

The carousel used the bootstrap framework, this allows the carousel to be responsive in any screen format. The HTML for the carousel was borrowed from the bootstrap example page, I edited the ID used to distinguish the carousel from the example this allowed me to easily edit the CSS.

```html
<div id="IndexCarousel" class="carousel slide" data-ride="carousel">

  <!-- Indicators -->
  <ul class="carousel-indicators">
    <li data-target="#IndexCarousel" data-slide-to="0" class="active"></li>
    <li data-target="#IndexCarousel" data-slide-to="1"></li>
    <li data-target="#IndexCarousel" data-slide-to="2"></li>
  </ul>

  <!-- The slideshow -->
  <div class="carousel-inner">
    <div class="carousel-item active">
      <img src="images/variable-speed-pool-pump-salt-water-pool-21.png" alt="People happy in pool" width="1000" height="400">
    </div>
    <div class="carousel-item">
      <img src="images/CarouselImage1.jpg" alt="Person swimming in pool" width="1000" height="400">
    </div>
    <div class="carousel-item">
      <img src="images/Young girl swmiming.jpg" alt="Girl Swimming" width="1000" height="400">
    </div>
  </div>

  <!-- Left and right controls -->
  <a class="carousel-control-prev" href="#IndexCarousel" data-slide="prev">
    <span class="carousel-control-prev-icon"></span>
  </a>
  <a class="carousel-control-next" href="#IndexCarousel" data-slide="next">
    <span class="carousel-control-next-icon"></span>
  </a>
</div>
```

```css
.carousel-inner img {
    width: 100%;
    height: 100%;
}
```

EMBEDED MAP

Under the about us page there is an embedded map that shows the location of the Pleasant Swimming leisure centre, this is in Treforest Estate. The pin is dropped in the general location of where the pool would be located. The perspective of the map is a satellite 400-meter top down view. The map is fully responsive on all screen sizes / aspect ratios.

Implementation of embedded map

The implementation of the embedded map was rather simple, I utilised googles premade embedded map generator (Embed Google Maps, n.d.), this allowed the editing of location and perspective. The generator provided html code to create an Iframe tag. While this native code isn't responsive, I added a class name and added made the class responsive with my on-CSS file.

```html
<div class="Flexible-container">
<iframe width="425" height="350" frameborder="0" scrolling="no" marginheight="0" marginwidth="0"
src="https://maps.google.com/maps?width=700&amp;height=440&amp;hl=en&amp;q=treforest%20estate+(Treforest)&amp;ie=UTF8&amp;t=h&amp;z=14&amp;iwloc=B&amp;output=embed">
</iframe>
```

```
.Flexible-container {
    position: relative;
    padding-bottom: 56.25%;
    padding-top: 30px;
    height: 0;
    overflow: hidden;
}

.Flexible-container iframe,
.Flexible-container object,
.Flexible-container embed {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
}
```



ANIMATION

This website will use a rather simple, yet effective animation. The animation will exclusively be hosted on the index page, this animation will greet the client to the website by saying 'Welcome to pleasant swimming '. To include interactivity for the animation, an internal hyperlink was included, this link when pressed takes the client to the about us page.

Implementation of the animation

The animation was designed and developed in Adobe Animate. By creating the first frame, which said "Welcome to pleasant swimming "out of side on the right of the canvas. Then coping this frame for a period of 10 seconds to out the left side of the canvas(using 24 frame per second). Using the built-in motion tool, I create an animation that went from left to right. Exporting this animation as GIF file allowed me to easily implement this and make it responsive. This is because a GIF has similar responsive properties to an image.

WEBSITE EVALUATION

USABILITY TESTING

Content

	IE	Chrome	Firefox	Comments
Images load correctly?	N	Y	Y	Most images load on IE without issue, however the first carousel images don't load.
Text and fonts rendering correctly?	Y	Y	Y	Rendering is correct and consistent through all platforms
HTML5 video plays correctly?	Y	Y	Y	All videos play on all platforms
Animate canvas loads correctly?	Y	Y	Y	Animations play on all platforms
Any content problems?	N	N	N	No issues discovered.
Do colours render as expected?	Y	Y	Y	Colours all correct

Layout

	IE	Chrome	Firefox	Comments
Layout consistence on desktop	Y	Y	Y	Consistent
Layout consistent on tablet	Y	Y	Y	Consistent
Layout consistent on mobile	Y	Y	Y	Consistent
Other issues	N	N	N	No issues discovered

Functionality

	IE	Chrome	Firefox	Comments
Does the contact form work?	Y	Y	Y	Works as intended
Does the embedded map work?	Y	Y	Y	Works as intended
Does the booking system work?	Y	Y	Y	Works as intended

Does the login system work?	Y	Y	Y	Works as intended

USER TESTING

User testing for Pleasant Swimming's website has been conducted by using a questionnaire. This questionnaire allows very precise questions to be asked to participants. All closed questions require the participant to give a reason if they said no. The questionnaire has a range of open questions that allow the participant to fully expand on their opinion.

While using a questionnaire grants the huge benefit of being able to ask targeted questions to participants. This style of user testing lacks the users to directly express how they feel about the website; this style also allows the participants to give more direct feedback that I wouldn't have thought of to ask.

For the Pleasant Swimming website all participants are between the ages of 19 – 20, and students. While this sample group gives allows young adult audiences to give their opinion, the sample group largely lacks to ask the primary key group. The sample group isn't fully respective of what the majority key group opinions are.

Questionnaire ID: 001

Participants occupation: Student

Participants age: 19

What is Pleasant Swimming?

A swimming pool company

Does the main navigation work?

Yes

If no, what sections were non-functional

Is the main navigation of the website appealing and suit the theme of the webpage?

In most way like the hover colour

If no, why?

Could center the ~~drop down for~~ text for desktops

Is the footer navigation functional and appealing?

Yes

If no, why?

Would you change any of the navigation?

All ready mentioned

Page 1 of 3

Is the animation on the index page suiting to the rest of the website?

Suits the website yes.

If no, why?

Could make it full screen length

Are the images used across Pleasant Swimming webpages matching to the swimming theme?

Yes

If no, what improvements could be made?

Are the videos used across the webpage functional?

Yes

Are the videos across the webpages matching to their subject them?

Yes

If no, why?

Is the content of the website relevant?

Yes

If no, why?

Page 2 of 3

Does the website have a clear colour-scheme?

Yes

Is the interface of the website appealing?

Most of the time

If no, why?

Under the ~~lessons page~~ in all the individual lessons the layout is identical.

Can you suggest any improvements?

Center nav bar.
Make animation full screen.
Have drop down menu functionality
Make each page in Lessons unique in a way.

Page 3 of 3

Questionnaire ID: 003

Participants occupation: student

Participants age: 20

What is Pleasant Swimming?

Swimming centre

Does the main navigation work?

Yes

If no, what sections were non-functional

Is the main navigation of the website appealing and suit the theme of the webpage?

Yes

If no, why?

Is the footer navigation functional and appealing?

Yes

If no, why?

Would you change any of the navigation?

move social media links to the top of the website

Page 1 of 3

Is the animation on the index page suiting to the rest of the website?

Yes

If no, why?

Are the images used across Pleasant Swimming webpages matching to the swimming theme?

Yes

If no, what improvements could be made?

Are the videos used across the webpage functional?

Yes

Are the videos across the webpages matching to their subject them?

Yes

If no, why?

Is the content of the website relevant?

Yes

If no, why?

Page 2 of 3

Does the website have a clear colour-scheme?

yes – blue

Is the interface of the website appealing?

yes

If no, why?

Can you suggest any improvements?

possible changing of the font

Page 3 of 3

ACCESSIBILITY

Pleasant Swimming's website allows for a large range of accessibility issues. For instance, the webpage can easily be navigated by using tab, arrows and enter. This allows for a larger range of clients to use the webpage. On addition to this, all videos and images have an alt that clearly explains the content. This allows for those who visually impaired to run their mouse over all the content and have the computer read out clearly what is being displayed on the screen.

CREATIVE DIFFERENCES BETWEEN PLANNED AND REALITY

During the creation process for this website, it was planned to have the main navigation bar only covering half the width, with pleasant swimming's logo residing on the other half; the logo was also planned to reside in the footer. However, while in the developing process it was decided to remove the logo entirely from the webpage, this creative decision was made because the logo made the website look tacky and old fashioned.

CONCLUSION

4.1 RESULTS

The results of the testing clearly indicate a greater focus to content to ensure that all content will be correctly displayed on the main internet browsers, while the errors experienced with Internet Explorer are minimal, these errors should be easily fixed and corrected in a future iteration of the webpage. Additional, changes that could be easily implemented would be a different font used for the content, this was highlighted form the user questionnaires, as the current font of Source Sans Pro wasn't appealing the clients, another change that would be made in another iteration would be the introduction of a dropdown menu in the main navigation menu, this is to ensure quicker access to the pages from anywhere. Changes that wouldn't be changed in a final iteration of would the moving of the social media button into the top navigation, this has been decided due to the ascetics of the webpage being hindered by such a change.

REFERENCES

Mark Otto, a. (n.d.). Navbar. [online] Getbootstrap.com. Available at: https://getbootstrap.com/docs/4.0/components/navbar/ [Accessed 9 Mar. 2019].

W3Schools.com (n.d). How to Create an HTML Button that Acts Like a Link. [online] W3docs.com. Available at: https://www.w3docs.com/snippets/html/how-to-create-an-html-button-that-acts-like-a-link.html [Accessed 9 Mar. 2019].

GeeksforGeeks. (2019). *Form validation using HTML and JavaScript - GeeksforGeeks*. [online] Available at: https://www.geeksforgeeks.org/form-validation-using-html-javascript/ [Accessed 10 Mar. 2019].

W3schools.com. (n.d.). Tryit Editor v3.6. [online] Available at: https://www.w3schools.com/bootstrap/tryit.asp?filename=trybs_form_basic&stacked=h [Accessed 9 Mar. 2019].

W3schools.com. (2019). *How To Create Popups*. [online] Available at: https://www.w3schools.com/howto/howto_js_popup.asp [Accessed 10 Mar. 2019].

Pool In Former (n.d.). Woman Swimming. [image] Available at: https://poolinformer.com/salt-water-pool/ [Accessed 9 Mar. 2019].

Blue Sky Personal Support Workers (n.d.). Young Girl Swimming. [image] Available at: https://blueskypersonalsupportworkers.com/2018/07/the-benefits-of-swimming/ [Accessed 9 Mar. 2019].

GeeksforGeeks. (2019). *Form validation using HTML and JavaScript - GeeksforGeeks*. [online] Available at: https://www.geeksforgeeks.org/form-validation-using-html-javascript/ [Accessed 10 Mar. 2019].

Embed Google Maps. (n.d.). ▷ Embed Google Maps || 100% FREE & Easy to use || No Registration. [online] Available at: https://embedgooglemaps.com/en/ [Accessed 9 Mar. 2019]

W3schools.com. (n.d.). Tryit Editor v3.6. [online] Available at: https://www.w3schools.com/bootstrap/tryit.asp?filename=trybs_form_basic&stacked=h [Accessed 9 Mar. 2019].

The List Show TV (2017). It's Never Too Late to Learn How to Swim: 3 Simple Tips. [video] Available at: https://www.youtube.com/watch?v=7YsRGkPjeAc [Accessed 9 Mar. 2019].

Sports And Outdoors (2011). How To Perform Basic Swimming Strokes For Young Children (5-7 Years). [image] Available at: https://www.youtube.com/watch?v=sZHvn5TytM4 [Accessed 9 Mar. 2019].

GitHub. (2017). niklausgerber/responsive-google-or-bing-maps. [online] Available at: https://github.com/niklausgerber/responsive-google-or-bing-maps [Accessed 9 Mar. 2019].

Mark Otto, a. (n.d.). Navbar. [online] Getbootstrap.com. Available at: https://getbootstrap.com/docs/4.0/components/navbar/ [Accessed 9 Mar. 2019].

Link, H. (n.d.). How to Create an HTML Button that Acts Like a Link. [online] W3docs.com. Available at: https://www.w3docs.com/snippets/html/how-to-create-an-html-button-that-acts-like-a-link.html [Accessed 9 Mar. 2019].

ExpectVillage (2007). How to Teach Kids to Swim : Proper Body Position for Children Learning to Swim. [image] Available at: https://www.youtube.com/watch?v=Ds7nLmhQSSg [Accessed 9 Mar. 2019].

W3schools.com. (n.d.). Bootstrap Carousel. [online] Available at: https://www.w3schools.com/bootstrap/bootstrap_carousel.asp [Accessed 9 Mar. 2019].

Body form (n.d.). Woman Swimming. [image] Available at: https://www.bodyform.co.uk/v-zone/living-with-periods/swimming-during-period [Accessed 9 Mar. 2019].

Blue Sky Personal Support Workers (n.d.). Young Girl Swimming. [image] Available at: https://blueskypersonalsupportworkers.com/2018/07/the-benefits-of-swimming/ [Accessed 9 Mar. 2019].

Unsplash (n.d.). People Swimming. [image] Available at: https://unsplash.com/search/photos/swimming [Accessed 9 Mar. 2019].

Train Right (n.d.). Triathlon Training. [image] Available at: https://trainright.com/triathlon-training-high-intensity-for-high-performance [Accessed 9 Mar. 2019].

Thprd (2019). Lifeguard Training. [image] Available at: http://www.thprd.org/activities/aquatics/lifeguard-training-and-certification [Accessed 9 Mar. 2019].

Pool In Former (n.d.). Woman Swimming. [image] Available at: https://poolinformer.com/salt-water-pool/ [Accessed 9 Mar. 2019].

Pexels (n.d.). People in swimming pool. [image] Available at: https://www.pexels.com/photo/people-swimming-swimming-pool-261427// [Accessed 9 Mar. 2019].

Drink Coco Pro (n.d.). Trialthon. [image] Available at: https://drinkcocopro.com/triathlon-swimming-training/ [Accessed 9 Mar. 2019].

TermsFeed. (2019). *The Privacy Policy Generator. Plus more.* [online] Available at: https://termsfeed.com/download/free?agreement_type=PP&token=6ebeb3da0f05c07d4fba6e395ff8c13d [Accessed 10 Mar. 2019].