
12/20/2017 HackerRank



Insertion Sort - Part 2



Problem	Submissions Leaderb	pard Discussions
---------	---------------------	------------------

In Insertion Sort Part 1, you sorted one element into an array. Using the same approach repeatedly, can you sort an entire unsorted array?

Guideline: You already can place an element into a sorted array. How can you use that code to build up a sorted array, one element at a time? Note that in the first step, when you consider an array with just the first element - that is already "sorted" since there's nothing to its left that is smaller

In this challenge, don't print every time you move an element. Instead, print the array after each iteration of the insertion-sort, i.e., whenever the next element is placed at its correct position.

Since the array composed of just the first element is already "sorted", begin printing from the second element and on.

Input Format

There will be two lines of input:

- s the size of the array
- ar a list of numbers that makes up the array

Output Format

On each line, output the entire array at every iteration.

Constraints

 $1 \le s \le 1000 \\ -10000 \le x \le 10000, x \in ar$

Sample Input

6 1 4 3 5 6 2

Sample Output

1 4 3 5 6 2 1 3 4 5 6 2 1 3 4 5 6 2 1 3 4 5 6 2 1 2 3 4 5 6

Explanation

Insertion Sort checks **4** first and doesn't need to move it, so it just prints out the array. Next, **3** is inserted next to **1**, and the array is printed out. This continues one element at a time until the entire array is sorted.

Task

The method **insertionSort** takes in one parameter: *ar*, an unsorted array. Use an Insertion Sort Algorithm to sort the entire array.

f ⊌ ir

12/20/2017 HackerRank

Submissions:<u>70774</u>
Max Score:30
Difficulty: Easy
Rate This Challenge:
☆☆☆☆☆☆

```
Current Buffer (saved locally, editable) & 🔈
                                                                     C++14
 1 ▼ #include <cmath>
 2 #include <cstdio>
 3 #include <vector>
 4 #include <iostream>
   #include <algorithm>
   using namespace std;
 8
 9 v int main() {
      10 ▼
      return 0;
11
12
  }
13
                                                                                         Line: 1 Col: 1
                                                                                Run Code
                                                                                          Submit Code
1 Upload Code as File
                 Test against custom input
```

Contest Calendar | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature