



Structs

by **abhiranjan**

Problem

Submissions

Leaderboard

Discussions

struct is a way to combine multiple fields to represent a composite data structure, which further lays the foundation for Object Oriented Programming. For example, we can store details related to a student in a struct consisting of his *age* (*int*), *first_name* (*string*), *last_name* (*string*) and *standard* (*int*).

struct can be represented as

```
struct NewType {  
    type1 value1;  
    type2 value2;  
    .  
    .  
    .  
    typeN valueN;  
};
```

You have to create a struct, named *Student*, representing the student's details, as mentioned above, and store the data of a student.

Input Format

Input will consist of four lines.

The first line will contain an integer, representing *age*.

The second line will contain a string, consisting of lower-case Latin characters ('a'-'z'), representing the *first_name* of a student.

The third line will contain another string, consisting of lower-case Latin characters ('a'-'z'), representing the *last_name* of a student.

The fourth line will contain an integer, representing the *standard* of student.

Note: The number of characters in *first_name* and *last_name* will not exceed 50.

Output Format

Output will be of a single line, consisting of *age*, *first_name*, *last_name* and *standard*, each separated by one white space.

P.S.: I/O will be handled by HackerRank.

Sample Input

```
15  
john  
carmack  
10
```

Sample Output

```
15 john carmack 10
```

Easy

Submitted 42585 times
Max Score 10

Need Help?

[View Discussions](#)[View Top Submissions](#)**Rate This Challenge:**[Download problem statement](#)[Download sample test cases](#)[Suggest Edits](#)

Current Buffer (saved locally, editable)

C++14

```
1 #include <cmath>
2 #include <cstdio>
3 #include <vector>
4 #include <iostream>
5 #include <algorithm>
6 using namespace std;
7
8 /*
9  add code for struct here.
10 */
11
12 int main() {
13     Student st;
14
15     cin >> st.age >> st.first_name >> st.last_name >> st.standard;
16     cout << st.age << " " << st.first_name << " " << st.last_name << " " << st.standard;
17
18     return 0;
19 }
20
```

Line: 1 Col: 1

[Upload Code as File](#)☐ Test against custom input[Run Code](#)[Submit Code](#)