

# MyTwip OpenAgenda API 1.0.0 OAS 3.1

/openapi.json

API for parsing OpenAgenda agendas and avents

Authorize



## default



GET

/ Root



Current API Status

### Parameters

Try it out

No parameters

### Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div>"string"</div>	No links

**Code****Description****Links****GET**`/agendas/search/{search_term}` Agendas Search

Search for OpenAgenda agendas by search term.

- **search\_term**: Search term. WARNING : OpenAgenda platform is apparently case sensitive.

**Parameters**[Try it out](#)**Name****Description****search\_term** \* required

string  
(path)

**Responses****Code****Description****Links**

200

Successful Response

*No links*

Media type

**application/json** ▼

Controls Accept header.

**Example Value** | Schema**"string"**

422

Validation Error

*No links*

Media type

**application/json** ▼**Example Value** | Schema

**Code****Description****Links**

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**GET****/agendas/by\_slug/{agenda\_slug}** Agendas By Slug

Search for OpenAgenda agendas by slug

- **agenda\_slug**: The slug of this agenda on the OpenAgenda platform. SHOULD be unique.

**Parameters****Try it out****Name****Description****agenda\_slug** \* requiredstring  
(path)

agenda\_slug

**Responses****Code****Description****Links**

200

Successful Response

No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

"string"

Code	Description	Links
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value   Schema</div> <div><pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre></div>	No links

GET

/agendas/details/{agenda\_uid} Agendas Details



Search for OpenAgenda agendas by uid

- **agena\_uid**: The ID of this agenda on the OpenAgenda platform.

### Parameters

Try it out

Name	Description
<b>agenda_uid</b> * required integer   (integer   null) (path)	<div>agenda_uid</div>

### Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET /events/by\_agenda\_uid/{agenda\_uid} Events By Agenda Uid



Search for OpenAgenda events by agenda uid

- **agenda\_uid**: The ID of the agenda for which you want to retrieve the events.

Parameters

Try it out

Name	Description
<b>agenda_uid</b> * required integer   (integer   null)	<div>agenda_uid</div>

Name

Description

(path)

## Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
"string"
```

422

Validation Error

No links

Media type

application/json



Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET

/cache\_query\_cleanup Cache Query Cleanup



Cleanup or reset query cache

- **force**: If specified and true, forces a full reset of the OpenAgenda queries cache.

## Parameters

[Try it out](#)

### Name

### Description

force  
boolean  
(query)

Default value : false

false



## Responses

### Code

### Description

### Links

200

Successful Response

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
"string"
```

422

Validation Error

No links

Media type

application/json



Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

Schemas



**HTTPValidationError** > Expand all **object**

**ValidationError** > Expand all **object**