

Module 3 Progress check

Answer the following Questions:

A 113	wer the following Questions.
1. Whi	ich of the following statements is true concerning PHP functions?
b. c.	PHP function names cannot begin with a digit. PHP functions can have the same name as an existing function. PHP functions must include parameters. PHP function names can contain only letters, digits, and underscores
2. PHI	P variables that are declared inside a function are known as:
b. c.	inside variables local variables outside variables global variables
3. In P	HP, the normal way that function parameters are called is known as:
b. c.	pass by data type pass by reference pass by value pass by class
4. The	PHP keyword return:
b. c.	pauses the execution of a function continues the execution of a function stops the execution of a function restarts the execution of a function
5. A P	HP function that calls itself is known as a function.
b.	local recursive global return

a. from the end of a stringb. from the start and end of a stringc. from the start of a string
d. from the middle of a string
7. Which of the following is an alias for the chop () PHP function?
a. trim()
b. ltrim()
c. rtrim()
d. \0
8. Which of the following represents the HTML encoding of >?
a. <
b. >
c. '
d. &
9. Which PHP function takes a string as a parameter and replaces all the newlines in it
with the HTML tag?
with the HTML tag? a. str_replace()
a. str_replace()
a. str_replace()b. n12br()
a. str_replace()b. n12br()c. htmlspecialchars()
 a. str_replace() b. n12br() c. htmlspecialchars() d. trim() 10. Which of the following conversion specification type codes interprets as an integer
 a. str_replace() b. n12br() c. htmlspecialchars() d. trim() 10. Which of the following conversion specification type codes interprets as an integer and prints as a character?
 a. str_replace() b. n12br() c. htmlspecialchars() d. trim() 10. Which of the following conversion specification type codes interprets as an integer and prints as a character? a. c b. i c. b
 a. str_replace() b. n12br() c. htmlspecialchars() d. trim() 10. Which of the following conversion specification type codes interprets as an integer and prints as a character? a. c b. i
 a. str_replace() b. n12br() c. htmlspecialchars() d. trim() 10. Which of the following conversion specification type codes interprets as an integer and prints as a character? a. c b. i c. b
 a. str_replace() b. n12br() c. htmlspecialchars() d. trim() 10. Which of the following conversion specification type codes interprets as an integer and prints as a character? a. c b. i c. b
 a. str_replace() b. n12br() c. htmlspecialchars() d. trim() 10. Which of the following conversion specification type codes interprets as an integer and prints as a character? a. c b. i c. b

6. The $\mbox{trim}()$ function removes whitespace: