Module 1
Progress check

Answer the following Questions:

1. Which of the following is an example of a short-style PHP tag?

```
a. <?php echo '<p>Order processed.</p>'; ?>
b. <? echo '<p>Order processed.</p>'; ?>
c. <?php echo short_open_tag '<p>Order processed.</p>'; ?>
d. echo '<p>Order processed.</p>';
```

2. What is the purpose of the semicolon in PHP?

    a. statement termination
    b. concatenation
    c. line continuation
    d. subtraction

3. How does the PHP engine process whitespace?

    a. throws an error
    b. throws a warning
    c. prompts the user for input
    d. ignores it

4. Which of the following symbols represents a single-line comment in PHP?

    a. //
    b. /*
    c. */
    d. --

5. PHP string interpolation requires:

    a. braces
    b. single quotation marks
    c. parentheses
    d. double quotation marks

6. To open a file in PHP, you use the _____ function.

    a. fopen()
    b. fputs()
    c. open()
    d. fp()

7. Which of the following is an alternative to the PHP `file_put_contents()` function?

    a. fputs()
    b. fopen()
    c. fwrite()
    d. fp()

8. In PHP, a `while` loop tests for the end of the file by using which function?

    a. fputs()
    b. fopen()
    c. feof()
    d. fgets()

9. The _____ function reads an arbitrary number of bytes from a file.

    a. fread()
    b. file_exists()
    c. fgetc()
    d. fgets()

10. Which of the following represents a reading lock of the `flock()` function?

```
a. LOCK_SH
b. LOCK_EX
c. LOCK_UN
d. LOCK_NB
```