There are general homework guidelines you must always follow. If you fail to follow any of the following guidelines you risk receiving a $\mathbf{0}$ for the entire assignment.

Due: See T-Square

- 1. All submitted code must compile under **JDK 8**. This includes unused code, so don't submit extra files that don't compile. Any compile errors will result in a 0.
- 2. Do not include any package declarations in your classes.
- 3. Do not change any existing class headers, constructors, or method signatures.
- 4. Do not add additional public methods.
- 5. Do not use anything that would trivialize the assignment. (e.g. don't import/use java.util.LinkedList for a Linked List assignment. Ask if you are unsure.)
- 6. Always be very conscious of efficiency. Even if your method is to be O(n), traversing the structure multiple times is considered non-efficient unless that is absolutely required (and that case is extremely rare).
- 7. You must submit your source code, the .java files, not the compiled .class files.
- 8. After you submit your files redownload them and run them to make sure they are what you intended to submit. You are responsible if you submit the wrong files.

Sorting

For this assignment you will be coding 3 different sorts: insertion sort, merge sort, and LSD radix sort. You will also be coding the kth select algorithm that follows the quick sort algorithm. In addition to the requirements for each sort, we will be looking at the number of comparisons made between elements while grading.

Comparator

Each sorting method (except radix sort) will take in a comparator and use it to sort the elements of the array using various sorting algorithms described below and in the sorting file.

Note that comparator.compare(x, y) is equivalent to x.compareTo(y).

Inplace Sorts

Some of the sorts below are inplace sorts. This means that the items in the array passed in aren't copied over to another array or list. Note that you can still create variables that hold only one item; you cannot create another array or list in the method.

Stable Sorts

Some of the sorts below are stable sorts. This means that duplicates should remain in the same relative positions after sorting as they were before sorting.

Insertion Sort

Insertion sort should be implace and stable. It should have a worst case running time of $O(n^2)$ and a best case running time of O(n).

Note that, for this implementation, you should sort from the beginning of the array. This means that after the first pass, index 0 and 1 should be considered as sorted. After the second pass, index 0-2 should be considered as sorted. After the third pass, index 0-3 should be considered as sorted, and so on.

Your implementation of quick sort **must** match the method shown in lecture; otherwise, you may not receive full credit for the sort.

Merge Sort

Merge sort should be stable. It should have a worst case running time of $O(n \log n)$ and a best case running time of $O(n \log n)$.

Radix Sort

Your radix sort implementation will be with the least significant digit (LSD). It should have a worst case running time of O(kn) and a best case running time of O(kn) where k is the number of digits in the longest number. You will be sorting ints. Note that you CANNOT change the ints into Strings at any point in the sort for this exercise. In addition, the sorts **must** be done in base 10.

LSD radix sort should be stable.

If you need to calculate the result of a number raised to a power, you should use the pow() method we have provided. You may *only* use Math.abs() from the Math class.

Kth Select

Kth select should be inplace. It should have a worst case running time of $O(n^2)$ and a best case running time of O(n). Logically, it is similar to a one-sided quick sort. When asked for the kth smallest, it would be equivalent to say that if the array was perfectly sorted you would be returning the element at index k-1.

Important Implementation Note

Your implementation of all sorts and kth Selection **must** match the method shown in lecture; otherwise, you may not receive full credit for the sort.

Grading

Here is the grading breakdown for the assignment. There are various deductions not listed that are incurred when breaking the rules listed in this PDF, and in other various circumstances.

Methods:	
insertionSort	10pts
mergeSort	25pts
kthSelect	25pts
lsdRadixSort	15pts
Other:	
Checkstyle	10pts
Efficiency	15pts
Total:	100pts

A note on JUnits

We have provided a **very basic** set of tests for your code, in **SortingStudentTests.java**. These tests do not guarantee the correctness of your code (by any measure), nor does it guarantee you any grade. You may additionally post your own set of tests for others to use on the Georgia Tech GitHub as a gist. Do **NOT** post your tests on the public GitHub. There will be a link to the Georgia Tech GitHub as well as a list of JUnits other students have posted on the class Piazza.

Due: See T-Square

If you need help on running JUnits, there is a guide, available on T-Square under Resources, to help you run JUnits on the command line or in IntelliJ.

Style and Formatting

It is important that your code is not only functional but is also written clearly and with good style. We will be checking your code against a style checker that we are providing. It is located in T-Square, under Resources, along with instructions on how to use it. We will take off a point for every style error that occurs. If you feel like what you wrote is in accordance with good style but still sets off the style checker please email Grayson Bianco (gbianco6@gatech.edu) with the subject header of "CheckStyle XML".

Javadocs

Javadoc any helper methods you create in a style similar to the existing Javadocs. If a method is overridden or implemented from a superclass or an interface, you may use <code>@Override</code> instead of writing Javadocs.

Exceptions

When throwing exceptions, you must include a message by passing in a String as a parameter. **The message must be useful and tell the user what went wrong**. "Error", "BAD THING HAPPENED", and "fail" are not good messages. The name of the exception itself is not a good message.

```
For example:
```

```
throw new PDFReadException("Did not read PDF, will lose points.");
throw new IllegalArgumentException("Cannot insert null data into data structure.");
```

Generics

If available, use the generic type of the class; do **not** use the raw type of the class. For example, use **new** LinkedList<Integer>() instead of new LinkedList(). Using the raw type of the class will result in a penalty.

Forbidden Statements

You may not use these in your code at any time in CS 1332.

- break may only be used in switch-case statements
- continue
- package
- Integer.toString()
- String.parseInt()

- System.arraycopy()
- clone()
- assert()
- Arrays class
- Array class
- Collections class
- Collection.toArray()
- Reflection APIs
- Inner, nested, or anonymous classes
- Anything besides Math.abs() in the Math class (for this homework only)

Debug print statements are fine, but nothing should be printed when we run them. We expect clean runs - printing to the console when we're grading will result in a penalty. If you use these, we will take off points.

Provided

The following file(s) have been provided to you. There are several, but you will edit only one of them.

1. Sorting.java

This is the class in which you will implement the different sorting algorithms. Feel free to add private static helper methods but do not add any new public methods, new classes, instance variables, or static variables.

2. SortingStudentTests.java

This is the test class that contains a set of tests covering the basic operations on the Sorting class. It is not intended to be exhaustive and does not guarantee any type of grade. Write your own tests to ensure you cover all edge cases.

Deliverables

You must submit **all** of the following file(s). Please make sure the filename matches the filename(s) below, and that *only* the following file(s) are present. T-Square does **not** delete files from old uploads; you must do this manually. Failure to do so may result in a penalty.

DO NOT ZIP HOMEWORK FILES.

After submitting, be sure you receive the confirmation email from T-Square, and then download your uploaded files to a new folder, copy over the interfaces, recompile, and run. It is your responsibility to re-test your submission and discover editing oddities, upload issues, etc.

1. Sorting.java