

Mr. Vishal J Kansagara A.Y.: 2024-25 Sem./Year: 1 Course: 2301CS101 - Computer Programming using C Slot Type: Lab Division: CSE-1A				
No.	Course Content	Planning Title	Planning Description	Status
1	Overview of C	Basic Algorithm and Flowchart	<p>A Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Calculate addition of two numbers. 2. Calculate average of three numbers. 3. Find area of circle. ($\text{pie} \times r \times r$) 4. Find area of triangle. ($(\text{height} \times \text{base}) / 2$) <p>-----</p> <p>B. Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Calculate simple interest. ($\text{principal} \times \text{roi} \times \text{time period} / 100$). 2. Calculate distance between two points. <p>-----</p> <p>C. Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Convert temperature from Fahrenheit to Celsius. (Formula: $c = (((f - 32) \times 5)) / 9$) 2. Convert temperature from Celsius to Fahrenheit. 	Not Started
2	Overview of C	Intermediate Algorithm and Flowchart	<p>A Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Convert given feet into inches. ($\text{feet} \times 12$) 2. Swap two numbers. (Using temporary variable) 3. Check whether the given number is odd or even. 4. Check whether given number is positive or negative. <p>-----</p> <p>B Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Find out smallest number from given three numbers. 2. Find out largest number from given three numbers. <p>-----</p> <p>C Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Swap two numbers without using temporary variable. 2. Accept three numbers from user and print them in ascending and descending order. (use only three conditions for each order) 	Not Started

3	Overview of C	Advanced Algorithm and Flowchart	<p>A Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Display day name for the given number. 2. Calculate an age from current date to user's birth date <p>-----</p> <p>B Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Check whether the given year is leap year or not. [If a year can be divisible by 4 but not divisible by 100 then it is leap year but if it is divisible by 400 then it is leap year]. 2. Evaluate the expressions using operator precedence. <p>a) $10 + 20 * 30$ b) $100 / 10 * 100$ c) $5 * 4 / 4 \% 3$ d) $100 + 200 / 10 - 3 * 10$ e) $(10 - 4) + (20 / (2 * 5)) * 3$ f) $(3 + 8) \% 35 - 28 / 7$</p> <p>-----</p> <p>C Write an algorithm and Draw Flowchart for following.</p> <ol style="list-style-type: none"> 1. Input electricity unit charge and calculate the total electricity bill according to the given condition: <ul style="list-style-type: none"> - For first 50 units Rs. 0.50/unit - For next 100 units Rs. 0.75/unit - For next 100 units Rs. 1.20/unit - For unit above 250 Rs. 1.50/unit - An additional surcharge of 20% is added to the bill. 2. Calculate the angle between hour hand and minute hand 	Not Started
			<p>A Write following programs in C. (Basic)</p> <ol style="list-style-type: none"> 1. Print "Hello World". 2. Print your address i) using single printf ii) using multiple printf. 3. Print addition of 2 numbers. (with & without scanf) 4. Print average of three numbers. (with & without scanf) 5. Print area of circle. ($\text{pie} * r * r$) <p>-----</p> <p>B Write following programs in C. (Basic)</p> <ol style="list-style-type: none"> 1. Print area of triangle. $((\text{height} * \text{base}) / 2)$ 2. Print simple interest. $(\text{principal} * \text{roi} * \text{time period}) / 100$ 3. Print temperature from Fahrenheit to Celsius. (Formula: $c = (((f - 32) * 5)) / 9$) 	

4	Overview of C	Programs Using Basic Syntax in C	<p>-----</p> <p>C Write following programs in C. (Basic)</p> <ol style="list-style-type: none"> 1. Convert seconds into hours, minutes & seconds and print in HH:MM:SS. [e.g. 10000 seconds = 02:46:40]] 2. Convert number of days into year, week & days. [e.g. 375 days mean 1 year, 1 week and 3 days] 3. Output of the following program. <pre>#include <stdio.h> void main() { printf("includehelp.com\rOK\n"); printf("includehelp.com\b\b\bOK\n"); } #include <stdio.h> void main(){ unsigned char c=290; printf("%d",c); } #include <stdio.h> int main() { int ok=-100; -100; printf("%d",ok); return 0; }</pre>	Not Started
			<p>A Write following programs in C. (Decision Making: if, else)</p> <ol style="list-style-type: none"> 1. Print given feet into inches. (inches = feet*12) 2. Swap two numbers. (Using temporary variable and without using temporary variable) 3. Check whether given number is positive or negative. 4. Check whether the given number is odd or even. 	

5	Decision Making & Looping	Programs Using Decision making statement	<p>5. Find out largest number from given three numbers.</p> <p>6. Check whether given character is vowel or consonant. (Using single if only)</p> <p>-----</p> <p>B Write following programs in C. (Decision Making: if, else)</p> <p>1. Shutdown Windows/Linux Shutdown Machine. [#include <stdlib.h> to be used for system () function]</p> <p>2. Display the current Date & Time. [#include <time.h> for time and ctime function and time_t datatype.]</p> <p>-----</p> <p>C Write following programs in C.</p> <p>1. Print "Hello World" without using ';' symbol.</p> <p>2. Check whether the given number is odd or even without using % operator.</p> <p>3. Multiply and divide a number by 2 without using multiplication/division operator.</p> <p>1. Output of the following program.</p> <pre>#include<stdio.h> void main(){ int x=5; if(x=1){ printf("%d",x); } else{ printf("%d",x); } } #include <stdio.h> void main() { int x = 5; if (true); printf("hello"); }</pre>	Not Started
---	---------------------------	--	--	-------------

			<pre>#include <stdio.h> void main() { int x = 5; if (x < 1) printf("hello"); if (x == 5) printf("hi"); else printf("no"); }</pre>	
6	Decision Making & Looping	Programs Using Nested if and else if ladder	<p>A Write following programs in C. (Decision Making: Nested and Ladder if)</p> <ol style="list-style-type: none"> 1. Perform Addition, Subtraction, Multiplication and Division of 2 numbers as per user's choice. 2. Enter basic salary of an employee and calculate Gross salary according to given conditions: <ul style="list-style-type: none"> - Basic Salary ≥ 10000 : HRA = 20% of basic, DA = 80% of basic - Basic Salary ≥ 20000 : HRA = 25% of basic, DA = 90% of basic - Basic Salary ≥ 30000 : HRA = 30% of basic, DA = 95% of basic 3. Check whether the entered character is upper case, lower case, digit or any special character. 4. Input an integer number and check the last digit of number is even or odd. 5. Read marks of five subjects. Calculate percentage and print class accordingly. Fail below 35, Pass Class between 36 to 45, Second Class between 46 to 60, First Class between 61 to 70, Distinction if more than 70. <p>-----</p> <p>B Write following programs in C. (Decision Making: Nested and Ladder if)</p> <ol style="list-style-type: none"> 1. Input electricity unit charge and calculate the total electricity bill according to the given condition: <ul style="list-style-type: none"> - For first 50 units Rs. 0.50/unit - For next 100 units Rs. 0.75/unit - For next 100 units Rs. 1.20/unit - For unit above 250 Rs. 1.50/unit - An additional surcharge of 20% is added to the bill. 	Not Started

			<p>2. Determine the roots of the equation $ax^2+bx+c=0$.</p> <p>3. Three sides of a triangle are entered through the keyboard, WAP to check whether the triangle is isosceles, equilateral, scalene or right angled triangle.</p> <p>-----</p> <p>C Write following programs in C. (Decision Making: Nested and Ladder if)</p> <p>1. Find the second largest number among three user input numbers.</p> <p>2. In digital world colors are specified in RGB format, with values of R, G, and B varying on integer scale from 0 to 255. Colors are mentioned in Cyan-Magenta-Yellow-Black (CMYK) format with values of C, M, Y and K varying on a real scale from 0.0 to 1.0. Convert RGB color to CMYK as per formula:</p> <p>- White=Max(red/255,green/255,blue/255)</p> <p>- Cyan=(white - red/255)/white</p> <p>- Magenta=(white - green/255)/white</p> <p>- Yellow=(white - blue/255)/white</p> <p>- Black=1 - white</p> <p>Note: if RGB values are all 0, then the CMY values are all 0 and the K value is 1.</p>	
7	Decision Making & Looping	Programs Using Switch case and conditional statement	<p>A Write following programs in C. (Decision Making: Switch...Case, Conditional Operator)</p> <p>1. Print day name of week using switch.</p> <p>2. Print number of days in a month using switch.</p> <p>3. Perform Addition, Subtraction, Multiplication and Division of 2 numbers as per user's choice using switch.</p> <p>4. Find out largest number from given 3 numbers using conditional operator.</p> <p>5. Check whether number is even number or odd number using conditional operator.</p> <p>-----</p> <p>B Write following programs in C. (Decision Making: Switch...Case, Conditional Operator)</p> <p>1. Read 3 numbers, multiply largest number from first two numbers to third one using conditional.</p> <p>2. Check whether character is an alphabet or not using conditional operator.</p> <p>-----</p> <p>C Write following programs in C. (Decision Making: Switch...Case, Conditional Operator)</p> <p>1. Check for equality of two numbers without using arithmetic or comparison operator.</p> <p>2. Print number of days in a month considering leap year using switch.</p>	Not Started

8	Decision Making & Looping	Basic Programs Using While Loop	<p>A Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Print 1 to 10 then modify program Print 1 to n using while and do while loop. 2. Print odd numbers between 1 to 10 then modify 1 to n using while and do while loop. 3. Print numbers between two given numbers which is divisible by 2. 4. Print sum of 1 to n numbers. 5. Get 10 numbers from user print count of odd, even numbers. <p>-----</p> <p>B Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Print number and its square root for 0 to 9. 2. Print all integer greater than 100 and less than 200 that are divisible by 7 but not divisible by 5. 3. Print first 50 numbers in series 1, 4, 7, 10... <p>-----</p> <p>C Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Calculate sum and average of the square of first 10 integers whose square has last digit 3. 2. Print sum of series $1 + 4 + 9 + 16 + 25 + 36 + \dots n$. 3. Take two numbers input from user and perform a division operation and find out quotient and reminder (without using / and % operator) also note that a smaller number should divide a bigger number. 4. Take two numbers input from user and perform a multiplication without using a * operator. 	Not Started
---	---------------------------	---------------------------------	--	-------------

9	Decision Making & Looping	Intermediate Programs Using While Loop	<p>A Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Print sum of series $1 - 2 + 3 - 4 + 5 - 6 + 7 \dots n$. 2. Print multiplication table of a given number. 3. Calculate π without using power function. 4. Find factorial of the given number. 5. Find factors of the given number. <p>-----</p> <p>B Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Print all uppercase and lowercase alphabets. 2. Get a decimal number from user and convert it into roman digits. (Symbol: I:1, IV:4, V:5, IX:9, X:10, XL:40, L:50, XC:90, C:100, CD:400, D:500, CM:900, M:1000) <p>-----</p> <p>C Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Convert given number in words. (i.e. n=3456 output: Three Four Five Six) 2. Convert decimal number to binary. (i.e. n=11 output: 1101) 3. Output of the following program <pre>void main() { int a=25; while(a <= 27) { printf("%d ", a); a++; } }</pre> <pre>#include<stdio.h> void main() { while(0) { printf("Hello"); } }</pre>	Not Started
---	---------------------------	--	--	-------------

10	Decision Making & Looping	Advanced Programs Using While Loop	<p>Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Find out sum of first and last digit of a given number. 2. Find the sum and average of different numbers which are accepted by user as many as user wants. 3. Find whether the given number is prime or not. 4. Print digits of given number. 5. Print given number in reverse order. <p>-----</p> <p>B Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Check whether the given number is perfect or not. 2. Find whether the given number is prime or not using flag. 3. Check whether the given number is palindrome or not. <p>-----</p> <p>C Write following programs in C. (While Loop)</p> <ol style="list-style-type: none"> 1. Check whether the given number is Armstrong or not. 2. Find HCF and LCM of two numbers. 3. Output of the following program <pre>#include <stdio.h> int main() { int i = 0, j = 0; while (i<5,j<10) { i++; j++; } printf("%d %d", i, j); }</pre>	Not Started
----	---------------------------	------------------------------------	--	-------------

11	Decision Making & Looping	Programs using For Loop	<p>A Write following programs in C. (For Loop)</p> <ol style="list-style-type: none"> 1. Print 1 to 10 then modify program print 1 to n. 2. Print sum of 1 to n numbers. 3. Print multiplication table of a given number. 4. Calculate π without using power function. 5. Find factorial of the given number. <p>-----</p> <p>B Write following programs in C. (For Loop)</p> <ol style="list-style-type: none"> 1. Print the Fibonacci Series. 2. Count frequency of digits in an integer. 3. Print all ASCII character with their values. <p>-----</p> <p>C Write following programs in C. (For Loop)</p> <ol style="list-style-type: none"> 1. Swap first and last digits of a number. 2. Calculate without using power function and without using multiplication. 	Not Started
			<p>A Write following programs in C. (Nested For Loop)</p> <p>Print following patterns</p> <p>(a)</p> <pre>* ** *** **** *****</pre> <p>(b)</p> <pre>1 12 123 1234 12345</pre> <p>(c)</p> <pre>5 54 543 5432</pre>	

12	Decision Making & Looping	Basic Patterns Programs using Nested For loop	<p>54321 (d) 1 22 333 4444 55555</p> <p>-----</p> <p>B Write following programs in C. (Nested For Loop) Find the sum of $1 + (1+2) + (1+2+3) + (1+2+3+4) + \dots + (1+2+3+4+\dots +n)$. Estimate the value of the mathematical constant e. (Formula: $e=1+1/1!+1/2!+1/3!+1/4!...$)</p> <p>-----</p> <p>C Write following programs in C. (Nested For Loop) Print Pascal triangle. Output of the following program. #include <stdio.h> void main() { int i = 0, j = 0; for (i = 0; i < 5; i++) { for (j = 0; j < 1;) { break; } printf("Darshan University\n"); } }</p>	Not Started
			<p>Write following programs in C. (Nested For Loop) 1. Print following patterns (a) ***** **** ***</p>	

13	Decision Making & Looping	Advanced Pattern Programs Using Nested For Loop	<pre> ** * (b) 12345 1234 123 12 1 (c) * * * * * * * * * * * * * * * (d) 1 1 2 1 2 3 1 2 3 4 1 2 3 4 5 B Write following programs in C. (Nested For Loop) 1. Print following patterns (a) 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 (b) 1 0 1 0 1 0 1 0 1 0 </pre>	Not Started
----	---------------------------	---	---	-------------

			<div> 1 0 1 0 1 (c) * * * * * * * * * * * * * * * (d) 1 A B 1 2 3 C D E F 1 2 3 4 5 (e) * * * * * * * * * * * * * * * * </div>	
--	--	--	--	--

14	Arrays, Strings & Pointer	Basic Programs Using Array	<p>A Write following programs in C. (Array)</p> <ol style="list-style-type: none"> 1. Read n numbers from user and print in normal and reverse order. 2. Count number of positive or negative number from an array of n numbers. 3. Count number of even or odd number from an array of n numbers. 4. Find Max, Min, Sum, Avg. of given numbers from an array. 5. Read five person height and weight and count the number of person having height greater than 170 and weight less than 50. <p>-----</p> <p>B Write following programs in C. (Array)</p> <ol style="list-style-type: none"> 1. Count numbers higher than the average of an array. 2. Calculate the average, geometric and harmonic mean of n elements in an array. 3. Sort elements of an array in an ascending order. <p>-----</p> <p>C Write following programs in C. (Array)</p> <ol style="list-style-type: none"> 1. Count total duplicate elements in an array. 2. Find missing numbers of sequence using array.(in a sequence 1,2,4,5,7,8,10, Missing numbers are 3,6,9) 3. Given an integer array nums sorted in non-decreasing order, remove the duplicates in-place such that each unique element appears only once. The relative order of the elements should be kept the same. Then return the number of unique elements in nums. <p>Consider the number of unique elements of nums to be k, to get accepted, you need to do the following things:</p> <p>Change the array nums such that the first k elements of nums contain the unique elements in the order they were present in nums initially. The remaining elements of nums are not important as well as the size of nums.</p> <p>Return k.</p>	Not Started
----	---------------------------	----------------------------	--	-------------

15	Arrays, Strings & Pointer	Advanced Programs Using Array	<p>A Write following programs in C. (Array)</p> <ol style="list-style-type: none"> 1. Copy all elements of one array to another. 2. Count total number of negative elements in array. 3. Count number of elements divisible by 3 in array. 4. Search element in array. 5. Input a string in character array and print string and length of string. <p>-----</p> <p>B Write following programs in C. (Array)</p> <ol style="list-style-type: none"> 1. Delete all duplicate elements from an array. 2. Reverse elements of an array without using second array. 3. Swap first element with last, second to second last and so on. <p>-----</p> <p>C Write following programs in C. (Array)</p> <ol style="list-style-type: none"> 1. Find two largest elements in a one dimensional array. 2. Insert new value in the sorted array. 3. Given an integer array nums and an integer val, remove all occurrences of val in nums in-place. The order of the elements may be changed. Then return the number of elements in nums which are not equal to val. <p>Consider the number of elements in nums which are not equal to val be k, to get accepted, you need to do the following things:</p> <p>Change the array nums such that the first k elements of nums contain the elements which are not equal to val. The remaining elements of nums are not important as well as the size of nums.</p> <p>Return k.</p>	Not Started
----	---------------------------	-------------------------------	---	-------------

16	Arrays, Strings & Pointer	Programs Using 2D Array	<p>A Write following programs in C. (2D Array)</p> <ol style="list-style-type: none"> 1. Read values in two-dimensional array and print them in matrix form. 2. Count number of positive, negative and zero elements from 3 X 3 matrix. 3. Read and store the roll no and marks of 20 students using 2D array. 4. Perform Addition of two matrices. <p>-----</p> <p>B Write following programs in C. (2D Array)</p> <ol style="list-style-type: none"> 1. Print Transpose of a matrix. 2. Perform Multiplication of two matrices. 3. Read a matrix and print diagonal elements and its sum. <p>-----</p> <p>C Write following programs in C. (2D Array)</p> <ol style="list-style-type: none"> 1. Check a given matrix is a sparse matrix or not. 2. Print the upper triangular matrix. 	Not Started
17	Arrays, Strings & Pointer	Programs Using Pointer	<p>A Write following programs in C. (Pointer)</p> <ol style="list-style-type: none"> 1. Print value and address of a variable. 2. Demonstrate int, float, double and char pointer. 3. Calculate sum of two numbers using pointer. 4. Swap value of two numbers using pointer. 5. Store n elements in an array and print the elements using pointer. <p>-----</p> <p>B Write following programs in C. (Pointer)</p> <ol style="list-style-type: none"> 1. Copy one array to another using pointers. 2. Swap two arrays using pointers. 3. Add two matrix using pointers. <p>-----</p> <p>C Write following programs in C. (Pointer)</p> <ol style="list-style-type: none"> 1. Find length of string using pointers. 2. Sort array using pointers. 	Not Started

18	Functions	Programs Using User Defined Function	<p>A Write following programs in C. (User Defined Function)</p> <ol style="list-style-type: none"> 1. Add two numbers using function. 2. Find maximum and minimum between two numbers using function. 3. Count simple interest using function. 4. Return the maximum of three floating-point numbers. 5. Swap two numbers using call by value and call by reference. <p>-----</p> <p>B Write following programs in C. (User Defined Function)</p> <ol style="list-style-type: none"> 1. Generate Fibonacci series of N given number using function name fibbo(). 2. Check whether a number is prime, Armstrong or perfect number using functions. (create custom library) 3. Find all prime numbers between given interval using functions. <p>-----</p> <p>C Write following programs in C. (User Defined Function)</p> <ol style="list-style-type: none"> 1. Create a menu driven program to implement own string.h library. (without using built-in string functions) 2. Create a function that converts amount into words. (i.e. 9241: Nine Thousand Two Hundred Forty One) 	Not Started
----	-----------	--------------------------------------	---	-------------

19	Functions	Programs Using Built-In String Functions and User Defined Functions	<p>A Write following programs in C. (User Defined Functions and Built-In String Functions)</p> <ol style="list-style-type: none"> 1. Find factorial of a number using function and recursive function. 2. Pass an array in function to print array elements. 3. Use string handling functions strlen(), strcmp(), strcpy(), strcat(), strrev(), strlwr() andstrupr() 4. Find a character from given string. 5. Replace a character in given string. <p>-----</p> <p>B Write following programs in C. (User Defined Functions)</p> <ol style="list-style-type: none"> 1. Find power of any number using recursion. 2. Scan a character string passed as an argument and convert all lowercase string to uppercase string. 3. Swap elements of two integer arrays using user define function. <p>-----</p> <p>C Write following programs in C. (User Defined Functions)</p> <ol style="list-style-type: none"> 1. Find reverse of any number using recursion. 2. C Program find nCr (Combination) and nPr (Permutation). (Formula: $nCr = n!/(r!(n-r)!)$, $nPr = n!/(n-r)!$) 	Not Started
20	Arrays, Strings & Pointer	Programs Using String	<p>A Write following programs in C.(String)</p> <ol style="list-style-type: none"> 1. Find weather given string is palindrome or not. 2. Using a String pointer remove a space and special character from string. <p>-----</p> <p>B Write following programs in C.(String)</p> <ol style="list-style-type: none"> 1. Copy a one string's value in another string using a string pointer. 2. Manual implementation of strlen(), strcpy() and strcmp() function. <p>-----</p> <p>C Write following programs in C.(String)</p> <ol style="list-style-type: none"> 1. Manual implementation of strncmp(), strncpy(),strncat() function. 	Not Started

21	Structure, Unions, File Management & Dynamic Memory Allocation	Programs Using Structure and Union	<p>A Write following programs in C. (Structure and Union)</p> <ol style="list-style-type: none"> 1. Create, declare and initialize structure employee. 2. Create a structure book with book title, author, publication, and price. Read data of 3 books and display. 3. Demonstrate difference between structure and union. 4. Create structure student with name, percentage and age. Read data of 5 students using array of structure. <p>-----</p> <p>B Write following programs in C. (Structure and Union)</p> <ol style="list-style-type: none"> 1. Demonstrate structure pointer. 2. Demonstrate nested structure. <p>-----</p> <p>C Write following programs in C. (Structure and Union)</p> <ol style="list-style-type: none"> 1. Add two distances in feet and inches using structure. 2. Add two times hh, mm and ss using structure. 	Not Started
22	Structure, Unions, File Management & Dynamic Memory Allocation	Programs Using File Handling	<p>A Write following programs in C. (File Handling)</p> <ol style="list-style-type: none"> 1. Create, open and close a file. 2. Count chars, spaces, tabs and new lines in a file. 3. Demonstrate functions fprintf(), fscanf(), fputc(), fgetc(), fseek() and rewind(). 4. Append one file at the end of other. 5. Copy one file to another file. <p>-----</p> <p>B Write following programs in C. (File Handling)</p> <ol style="list-style-type: none"> 1. Print contents of file in reverse order. 2. Capitalize first letter of each word in file. 3. Merge alternate lines from two files. <p>-----</p> <p>C Write following programs in C. (File Handling)</p> <ol style="list-style-type: none"> 1. Capitalize the first letter of every word in a file. 2. Delete all blank lines in a file then insert a blank line after the third line in a file. 	Not Started

23	Structure, Unions, File Management & Dynamic Memory Allocation	Program using Function, Structure and File	<p>A Write following programs in C. (Structure and File Handling)</p> <ol style="list-style-type: none"> 1. Read a data into Student structure (roll number, name and backlogs) and store the data in to student.txt file. Now open a file in read mode and find out a students' roll number who has more than 5 backlogs. <p>-----</p> <p>B Write following programs in C. (Structure and File Handling)</p> <ol style="list-style-type: none"> 1. Now modify the backlogs of any 1 student to 3 and store the data into file again and verify the data stored into file by printing onto console. <p>-----</p> <p>C Write following programs in C. (Function, Structure and File Handling)</p> <ol style="list-style-type: none"> 1. Perform 23-A and 23-B using a function (Do not use a global structure variable) 	Not Started
24	Structure, Unions, File Management & Dynamic Memory Allocation	Programs Using Dynamic Memory Allocation	<p>A Write following programs in C. (Dynamic Memory Allocation)</p> <ol style="list-style-type: none"> 1. Allocate and de-allocate memory for int, char and float variable at run time. 2. Calculate the sum of n numbers entered by the user using malloc(). 3. Calculate the sum of n numbers entered by the user using calloc(). 4. Allocate dynamic memory for structure variable. <p>-----</p> <p>-----</p> <p>C Write following programs in C.</p> <p>Given an integer array nums of length n, you want to create an array ans of length 2n where $ans[i] == nums[i]$ and $ans[i + n] == nums[i]$ for $0 \leq i < n$ (0-indexed). Specifically, ans is the concatenation of two nums arrays.</p> <p>Return the array ans.</p> <p>Input: nums = [1,2,1] Output: [1,2,1,1,2,1] Explanation: The array ans is formed as follows: - ans = [nums[0],nums[1],nums[2],nums[0],nums[1],nums[2]] - ans = [1,2,1,1,2,1]</p>	Not Started

25		Application Beginner Level Program -1	<p>Write following programs in C.</p> <p>You are given a string s, which contains stars *.</p> <p>In one operation, you can:</p> <p>Choose a star in s.</p> <p>Remove the closest non-star character to its left, as well as remove the star itself. Return the string after all stars have been removed.</p> <p>Note:</p> <p>The input will be generated such that the operation is always possible. It can be shown that the resulting string will always be unique.</p>	Not Started
26		Application Intermediate Level Program -1	<p>Write following programs in C.</p> <p>We have two special characters:</p> <p>The first character can be represented by one bit 0.</p> <p>The second character can be represented by two bits (10 or 11).</p> <p>Given a binary array bits that ends with 0, return true if the last character must be a one-bit character.</p> <p>Example 1:</p> <p>Input: bits = [1,0,0]</p> <p>Output: true</p> <p>Explanation: The only way to decode it is two-bit character and one-bit character.</p> <p>So the last character is one-bit character.</p>	Not Started