Functions

Exercises

Week 4

Prior to attempting these exercises ensure you have read the lecture notes and/or viewed the video, and followed the practical. You may wish to use the Python interpreter in interactive mode to help work out the solutions to some of the questions.

Download and store this document within your own filespace, so the contents can be edited. You will be able to refer to it during the test in Week 6.

Enter your answers directly into the highlighted boxes.

For more information about the module delivery, assessment and feedback please refer to the module within the MyBeckett portal.

───

───

What must be done before a function that is not *built-in* to Python can be used in a program?

Answer:

> Define must be done before a function that is not built-in to Python can be used in a program.

Given the following `import` statement, how would a call to the `sin()` function be made?

```
import math
```

Answer:

> math.sin()

Given the following `import` statement, how would a call to the `sqrt()` function be made?

```
from math import sqrt
```

Answer:

> From math import sqrt

What is the name of the common library that is available with all Python distributions?

Answer:

> Standard Library

What keyword is used in Python to define a new function?

Answer:

> def

Write some Python code that defines a function called `print_header(msg)`. This should output the value provided by the '`msg`' parameter to the screen (prefixed by five asterisk '`*****`') characters.

Answer:

```
def print_header(msg):
```

In the answer box below give an example of what the **docstring** may look like for the `print_header(msg)` function.

Answer:

```
Prints the provided message with five asterisks (*****)
prefixed to it.

Parameters:
msg (str): The message to display.

Example:
>>> print_header("Hello")
***** Hello
```

Where within a function definition should a **docstring** appear?

Answer:

A docstring should appear **immediately after the function definition**, on the first line, enclosed in triple quotes (`"""` or `"""`).

What statement should appear within a function's code block to cause a specific value to be passed back to the caller of the function?

Answer:

Return

Write some Python code that defines a function called `find_min(a,b)` that returns the smallest of the two given parameter values.

Answer:

```
def find_min(a, b):
    return min(a, b)

# Example usage:
result = find_min(3, 7)
```

```
print(result)
```

Given the following function definition, which of the *formal parameters* could be described as being a **default argument**?

```
def shouldContinue(prompt, answer=False):
    # function body...
```

Answer:

The answer=False parameter could be described as default argument.

Provide two example calls to the above function, one which provides a value for the *default argument*, and one that does not.

Answer:

shouldContinue("Do you want to continue?", answer=True)
shouldContinue("Do you want to continue?")

State why following function definition would **not** be allowed.

```
def do_something(prefix="Message", prompt, answer=False):
    # function body...
```

Answer:

The function is not allowed because default arguments must come after non-default arguments.

What single character is placed directly before the name of a *formal parameter*, to indicate that a variable number of actual parameters can be passed when the function is called?

Answer:

The character is *.

What commonly used built-in function, which displays output on the screen, can take a **variable number** of arguments?

Answer:

> The commonly used built-in function is print().

Is it valid for a function's parameter name to be prefixed by two asterisk characters '**' as shown below?

```
def send_output(**details):
    # function body...
```

Answer:

> Yes, it is valid for a function's parameter name to be prefixed by two asterisk characters **.

If present, what does this prefix indicate?

Answer:

> The prefix ** in a function parameter indicates that the parameter is intended to collect keyword arguments into a dictionary. This is commonly referred to as `kwargs` (short for "keyword arguments")

What is the name given to a small 'anonymous' function that must be defined using a single expression?

Answer:

> Lambda

Give an example of such a function that calculates the *cube* of a given number (i.e. the value of the number raised to the power of three) -

Answer:

> result = calculate_cube(5)
> print(result) # Output: 125

Exercises are complete

Save this logbook with your answers. Then ask your tutor to check your responses to each question.