1) Create a form for taking admission to a college using HTML.

```html
<html>
  <head>
    <title> COLLEGE ADMISSION FORM    </title>
    <body>
      <table cellpadding="3" width="30%" bgcolor="99FFFH" align="center"

      cellspacing="3">

        <tr>

          <td colspan=2>

            <center><font size=4><b>STUDENT REGISTRATION FORM</b></font></center>

          </td>

        </tr>

        <tr>

          <td>Name</td>
```

```html
<td><input type=text name=textnames id="textname" size="30"></td>

    </tr>

<tr>

  <td>Father Name</td>

  <td><input type="text" name="fathername" id="fathername"

size="30"></td>

  </tr>

  <tr>

  <td> Address</td>

  <td><input type="text" name="address" id="address" size="30"></td>

    </tr>

<tr>
```

```html
<td>Personal Address</td>

<td><input type="text" name="personaladdress"

id="personaladdress" size="30"></td>

</tr>


<tr>

<td>Sex</td>

<td><input type="radio" name="sex" value="male" size="10">Male

<input type="radio" name="sex" value="Female" size="10">Female
 <input type="radio" name="sex" valu="others" size="10">Others</td>


</tr>


<tr>
```

```html
<td>City</td>

<td><select name="City">

<option value="-1" selected>select..</option>

<option value="New Delhi">NEW DELHI</option>

<option value="Mumbai">MUMBAI</option>

<option value="Goa">GOA</option>

<option value="TVM">TVM</option>

</select></td>

</tr>
<tr>
  <td>Mark</td>
    <td><input type="text" name="mark previous course"

id="mark previous course" size="30"></td>
</tr>
```

```html
<tr>

<td>Course</td>

<td><select name="Course">

<option value="-1" selected>select. . </option>

<option value="B.Tech">MSC</option>

<option value="MCA">MCA</option>

<option value="MBA">MBA</option>

<option value="BCA">BCA</option>

<option value="M.TECH">M.TECH</option>

</select></td>

</tr>
```

```html
<tr>

<td>District</td>

<td><select name="District">

<option value="-1" selected>select..</option>

<option value="IDUKKI">IDUKKI</option>

<option value="KOTTAYAM">KOTTAYAM</option>

<option value="KOZHIKODE">KOZHIKODE</option>

<option value="KOLLAM">KOLLAM</option>

<option value="PATTANAMTHITTA">PATTANAMTHITTA</option>

<option value="TRIRUVANAMTHAPURAM">THIRUVANATHAPURAM</option>

<option value="WAYANAD">WAYANAD</option>

<option value="ERANAKULAM">ERANAKULAM</option>

<option value="MALAPURAM">MALAPURAM</option>
```

```html
</select></td>


</tr>


<tr>


<td>State</td>


<td><select Name="State">


<option value="-1" selected>select..</option>


<option value="New Delhi">NEW DELHI</option>


<option value="Mumbai">MUMBAI</option>


<option value="Goa">GOA</option>


<option value="Bihar">BIHAR</option>

<option value="Kerala">Kerala</option>


</select></td>
```

```html
</tr>

<tr>

<td>PinCode</td>

<td><input type="text" name="pincode" id="pincode" size="30"></td>

</tr>

<tr>

<td>EmailId</td>

<td><input type="text" name="emailid" id="emailid" size="30"></td>

</tr>

<tr>

<td>DOB</td>
```

```html
<td><input type="text" name="dob" id="dob" size="30"></td>

    </tr>


   <tr>

    <td>MobileNo:</td>


    <td><input type="text" name="mobileno" id="mobileno" size="30"></td>


    </tr>
   <tr>
   <td><input type="reset"></td>


    <td colspan="2"><input type="submit" value="Submit Form" /></td>


    </tr>


    </table>


    </form>
   </body>
  </head>
 </html>
```

2) Create a html page with four frames and the first frame have an hyperlink, second frame should have image, 3rd frame should have a table, 4th frame should have a employee registration form;

Page1::

```
<html>
   <head>
      <title>frame </title>
   </head>
   <body>
      <img src="F:\programcode\flower. jpg"  width="60%" height="80%">
      <a href="file:///F:/programcode/jpage5. html">backto homepage</a>
   </body>
</html>
```

Page 2::

```
<html>
   <head>
      <title>frame </title>
   </head>
   <body>
      <a href="file:///F:/programcode/jpage3. html">table</a><br>
      <br>
```

```
<a href="file:///F:/programcode/jpage4.html">employee</a><br><br>


<a href="file:///F:/programcode/jpage1.html">image</a><br><br>

</body>
</html>


Page3::



<html>

  <head>

    <title>table     </title>

    <body>

      <table cellpadding="2" width="40%" bgcolor="blue" align="center"

      cellspacing="2">

    <tr>


      <td colspan=2>

        <center><font size=4><b> TABLE</b></font></center>

    </td>

     </tr>

     <form>
```

```html
<tr>
<td>Name</td>
<td><input type=text name=textnames id="textname" size="30"></td>

</tr>
<tr>

<td>Father Name</td>

<td><input type="text" name="fathername" id="fathername"

size="30"></td>

</tr>

<tr>

<td>Postal Address</td>

<td><input type="text" name="paddress" id="paddress" size="30"></td>
```

```html
        </tr>

<tr>

    <td>Personal Address</td>

    <td><input type="text" name="personaladdress"

id="personaladdress" size="30"></td>

    </tr>

<tr>

    <td>Sex</td>

<td><input type="radio" name="sex" value="male" size="10">Male

<td><input type="radio" name="sex" value="Female" size="10">Female</td>

    </tr>
<tr>
```

```html
<td>PinCode</td>

<td><input type="text" name="pincode" id="pincode" size="30"></td>

</tr>

<tr>

<td>EmailId</td>

<td><input type="text" name="emailid" id="emailid" size="30"></td>

</tr>

<tr>

<td>DOB</td>

<td><input type="text" name="dob" id="dob" size="30"></td>
```

```html
</tr>

<tr>

<td>MobileNo</td>

<td><input type="text" name="mobileno" id="mobileno" size="30"></td>

</tr>



<tr>

<td><input type="reset"></td>

<td colspan="2"><input type="submit" value="Submit Form" /></td>

</tr>
```

```
          </table>


          </form>

          <a href="file:///F:/programcode/jpage5.html">backto homepage</a>

     </body>

   </head>

</html>
```

Page 4::

```
<html>

   <head>

     <title>employee registration     </title>

     <body>

        <table cellpadding="2" width="50%" bgcolor="green" align="center"
cellspacing="2">


        <tr>


        <td colspan=2>


        <center><font size=4><b>EMPLOYEE registration
```

Form</center>

</td>

</tr>

<form>

<tr>

<td>Name</td>

<td><input type=text name="textnames" id="textname" size="30"></td>

</tr>

<tr>

<td>Personal Address</td>

<td><input type="text" name="personaladdress"

id="personaladdress" size="30"></td>

```html
</tr>

<tr>

<td>Sex</td>

<td><input type="radio" name="sex" value="male" size="10">Male</td>

<td> <input type="radio" name="sex" value="Female" size="10">Female</td>

</tr>
<tr>

<td>Department</td>

<td><input type="text" name="department" id="department" size="30"></td>

</tr>
```

```html
<tr>

<td>EmailId</td>

<td><input type="text" name="emailid" id="emailid" size="30"></td>

</tr>


<tr>

<td>DOB</td>

<td><input type="text" name="dob" id="dob" size="30"></td>

</tr>


<tr>

<td>MobileNo</td>
```

```html
<td><input type="text" name="mobileno" id="mobileno" size="30"></td>

</tr>




<tr>


<td><input type="reset"></td>


<td colspan="2"><input type="submit" value="Submit Form" /></td>

</tr>

</table>

</form>

<a href="file:///F:/programcode/iframe.html">backto homepage</a>

</body>

</head>

</html>
```

page5::


```html
<html>
```

```html
<head>

<title>this is frame</title>

</head>

<body>

    <iframe src="jpage2. html" width="300" height="400"></iframe>

    <iframe src="jpage1. html" width="300" height="400"></iframe>

    <iframe src="jpage3. html" width="300" height="400"></iframe>

    <iframe src="jpage4. html" width="300" height="400"></iframe>

</body></html>
```

Output