

Capstone Project

EDA ON AIRBNB

Airbnb, as in "Air Bed and Breakfast," is a service that lets property owners rent out their spaces to travelers looking for a place to stay. Travelers can rent a space for multiple people to share, a shared space with private rooms, or the entire property for themselves



☐ About Given Data Set:



- We are given a data set from Airbnb which holds values related to the tourists looking for renting a space in New York City.
- Not only hotels but Entire home/apt, Private Rooms or even Shared rooms.
- We here will try to get the most out of this data so that it can prove useful for security, business decisions, understanding of customers' and providers' (hosts) behavior and performance on the platform, guiding marketing initiatives, implementation of innovative additional services and much more.

□ Data Summary:



➤ This dataset has around 49,000 observations in it with 16 columns and it is a mix between categorical and numeric values.

Understanding Data:

id: indicates the unique id of an entry in data set

name: indicates names of listings area in New York City

host_id :indicates unique id for a host in New York City

host name: shows the name of the host

neighbourhood_group: indicates names of the cities where these listings

are present

neighbourhood: displays the names of different neighbouring cities for each

neighbourhood_group

latitude: displays latitude values of a listing.

longitude: displays longitude values of a listing.

room_type: indicates the type of room available.

price: indicates the price.

minimum_nights: indicates minimum number of nights spent.

number_of_reviews: indicates total number of reviews for a particular listing.

☐ Data Summary (cont)



reviews_per_month :indicates reviews per month for a particular listing.
calculated_host_listings_count : shows the count of each host for a certain listing
availability_365 : indicates the number of days a particular listing is available in a year.



These were all the columns given in the Airbnb data set...

Lets now analyze them and try to gather some useful intel !!

Work Flow:



➤ So we will divide our work flow into following 3 steps:

Data Collection and Understanding

Data Cleaning and Manipulation

Exploratory
Data
Analysis(EDA)

EDA will be divided into following 3 analysis.

- 1) Univariate analysis: Univariate analysis is the simplest of the three analyses where the data you are analyzing is only one variable.
- **2)** Bivariate analysis: Bivariate analysis is where you are comparing two variables to study their relationships.
- **3)** Multivariate analysis: Multivariate analysis is similar to Bivariate analysis but you are comparing more than two variables.


Data Cleaning and Manipulation:



> We already have collected and understood our data so lets now directly jump into Data Cleaning and Manipulation:

Upon basic analysis we found a total of 4 columns with Null or missing values:

- name
- host_name
- last review
- reviews_per_month



```
df.info()
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 48895 entries, 0 to 48894
Data columns (total 16 columns):
     Column
                                    Non-Null Count Dtype
     id
                                    48895 non-null int64
                                    48879 non-null object
     host id
                                    48895 non-null int64
                                    48874 non-null object
     host name
     neighbourhood group
                                    48895 non-null
                                                   object
     neighbourhood
                                    48895 non-null
     latitude
                                    48895 non-null float64
     longitude
                                    48895 non-null float64
                                                   object
     room type
                                    48895 non-null
     price
                                    48895 non-null
 10 minimum nights
                                    48895 non-null int64
 11 number of reviews
                                    48895 non-null int64
 12 last review
                                    38843 non-null object
 13 reviews per month
                                    38843 non-null float64
 14 calculated host listings count 48895 non-null int64
 15 availability 365
                                    48895 non-null int64
```

From this part we can conclude that there are a lot of NULL values in last_reviews and reviews_per_month column there are few in name and host_name column , id is should be unique for every element.

Total Missing or Null values in each column

dtypes: float64(3), int64(7), object(6)

memory usage: 6.0+ MB

☐ Dat

Data Cleaning and Manipulation:



Checking for duplicates:

Lets check for any duplicate data just in case!

```
[ ] identical_data = df.duplicated()
    print(identical_data.sum())
```

None Found

For 'name' and 'host_name' columns we replacing Null values with "Unknown" and "Host_Unknown"

```
# Replacing:

df['name'].fillna('Unknown',inplace=True)
df['host_name'].fillna('Host_Unknown',inplace=True)
```


Replacing 'reviews_per_month' column's missing values with 0:

```
[ ] # Replacing with 0:
    df['reviews_per_month'] = df['reviews_per_month'].fillna(0)
```

A new column minimum_price has been added which will be the product of minimum_nights and price column

```
df3['minimum_price']=df3['minimum_nights']*df3['price']
```

Now, about outliers:



Presence of a lot of outliers was detected in 'price' column via box-plot, even the mean was not visible....



Data Cleaning and Manipulation:



So we tried removing outliers using Quantile Box-Plot now: approach:

```
[ ] # Defining 0.1 and 98 percentile values from 'price' column:
    min_threshold , max_threshold = df.price.quantile([0.001 , 0.980])
    min_threshold , max_threshold
    (18.0, 550.0)
```


In this cell of code, we have assigned the lowest and highest limits/threshold and later just selected the values between these thresholds:

i.e values between 0.1 and 98 percentile were selected from the price column and a new Data Frame was created with these custom 'price' column values

```
[ ] #Creating a new data frame:

    df2 = df[(df.price>min_threshold)&(df.price<max_threshold)]
    df2.shape

(47859, 15)</pre>
```




Clearly a lot of outliers can still be seen here but now the mean, min, max and other quartile values were visible and that was quite enough for us to inspect the data further and perform EDA on it.

☐ Exploratory Data Analysis: :


Al

Data Correlation with each other:

- ➤ From the heatmap we can see the correlation between different columns that can affect a Airbnb listing.
- ➤ Also....
 There's correlation among host_id to reveiws_per_month & availability_365.
 And there's noticiable correlation between min_nights to no_of_listings_count & availability_365.
- ➤ Price also shows some correlation with availability_365 & host_listings_count. no_of_reviews and reviews_per_month gives almost the same information.







Conclusions:


- ▶ People like staying in Queens the most as they have the highest total reviews ≈630
- Manhattan is the 2nd most reviewed city with a total review score of ≈608
- > Brooklyn is at 3rd with ≈489 Total reviews.
- > Then Staten island with ≈334 Total reviews.
- > And Bronx is the least reviewed city in the entire New York.

Conclusions:


- Cost of living in Manhattan is the highest i.e ≈165
- Then in Brooklyn which is ≈114
- Queens comes at third place with ≈94 cost of living
- Then Staten island with ≈92
- And it is the cheapest in Bronx which is ≈82







TOP 10 Hosts on the basis of Listings



TOP 10 Hosts on the basis of Reviews

Conclusions:

➤ Michael holds the most number of listings properties ≈408 in entire New York City follower by David, Sonder (NYC) and others.

Conclusions:


➤ However even after holding the most listings Dona is the most liked host of entire NYC with a total reviews of ≈630

Also, we found out that a single host can have multiple listings over every other Neighbourhood Group with different host id's:


Using both the test conditions:
 df2.loc[(df2['neighbourhood_group']=='Manhattan') & (df2['host_name']=='Michael')]







Total percentage of each room type in NYC



Total percentage of each neighborhood group in NYC

Conclusions:

Total Percentage of **each room type** in entire NYC is:

- •Entire home/apt = 51.3%
- •Private room = 46.3%
- •Shared room = 2.4%


Conclusions:

Total Percentage of area under each neighbourhood group in NYC is:

- •Manhattan = 43.7%
- •Brooklyn = 41.5%
- •Queens = 11.8%
- •Bronx = 2.3%
- •Staten island = 0.8%







Average Price VS Neighborhood groups


Conclusions:

It is clear that **Manhattan** has the highest average of price followed by **Brooklyn**, **Queens** and **Staten Island** We can say that **Bronx** is the most affordable or the cheapest one in the entire neighbourhood_group in NYC!





Average Reviews per Month Graph



Conclusion:


Descending order of Average Reviews per month received

- 1. Manhattan
- 2. Bronx
- 3. Queens
- 4. Brookly
- 5. Staten Island






Customer Frequency (Monthwise and Yearwise)



Conclusion:

June was the Busiest month followed by July. February was the least Busy.




Conclusion:

20109 was the Busiest year followed by 2018. 2011 was the least Busy.





Mean Price and Availability Graph




Conclusion:

Best suited places for customers according to ranking will be

- 1. Bronx
- 2. Queens
- 3. Staten Island
- 4. Brookly
- 5. Manhattan





Total listings of each room type in each neighbourhood group in NYC

Conclusions:

Total number of **room_type** listings in **each neighbourhood_group**:

Entire home/apt:

- ►Manhattan ≈13000
- ►Brooklyn ≈9500
- ≻Queens ≈2100
- ▶Bronx ≈400
- ►Staten island ≈100


Private room:

- ►Brooklyn ≈10000
- ►Manhattan ≈8000
- ≻Queens ≈3500
- ▶Bronx ≈800
- ►Staten island ≈200

- ►Manhattan ≈500
- ▶Brooklyn ≈300
- ≻Queens ≈200
- ►Bronx and Staten island with almost negligible shared room type listings







Average minimum nights spent in each room_type in each neighbourhood_group

Conclusions:

Average Minimum Nights spent in room_type in each neighbourhood_group:

Entire home/apt:

- ► Manhattan ≈11
- ►Brooklyn ≈7
- ➤ Staten island ≈7
- ►Bronx ≈7
- **>**Queens≈6


Private room:

- ▶Brooklyn ≈6
- ►Manhattan ≈6
- ≻Queens ≈6
- ▶Bronx ≈4
- ►Staten island ≈4

- ➤ Brooklyn ≈8
- ➤ Manhattan ≈7
- ≻Queens ≈5
- ▶Bronx ≈4
- ►Staten island ≈3







Average price of each room_type in each neighbourhood_group

Conclusions:

Average price of each room_type in each neighbourhood_group:

Entire home/apt:

- ➤ Manhattan ≈206
- ➤ Brooklyn ≈161
- ➤ Queens≈140
- ➤ Staten island ≈125
- ➤ Bronx≈123


Private room:

- ➤ Manhattan ≈104
- ➤ Brooklyn ≈72
- ➤ Queens ≈68
- ➤ Staten island ≈63
- ➤ Bronx ≈62

- ➤ Manhattan ≈85
- ➤ Staten island ≈64
- ➤ Queens ≈51
- ➤ Brooklyn ≈50
- ➤ Bronx ≈48







Average availability of each room_type in each neighbourhood_group

Conclusions:

Average availability of each room_type in each neighbourhood_group:

Entire home/apt:

- ➤ Staten island ≈176 days
- ➤ Bronx ≈159 days
- ➤ Queens≈131 days
- ➤ Manhattan≈114 days
- ➤ Brooklyn≈96 days

Private room:

- ➤ Staten island ≈227 days
- ➤ Bronx ≈172 days
- ➤ Queens≈150 days
- ➤ Manhattan≈101 days
- ➤ Brooklyn≈100 days

- ➤ Queens ≈194 days
- ➤ Brooklyn ≈179 days
- ➤ Bronx ≈153 days
- ➤ Manhattan ≈140 days
- ➤ Staten island ≈72 days




Exploratory Data Analysis:



List of TOP 10 name of listings in entire NYC as per total reviews:

	name	number_of_reviews
32040	Private Bedroom in Manhattan	666
35742	Room near JFK Queen Bed	629
5513	Beautiful Bedroom in Manhattan	617
20433	Great Bedroom in Manhattan	607
35388	Room Near JFK Twin Beds	576
39694	Steps away from Laguardia airport	543
27090	Manhattan Lux Loft.Like.Love.Lots.Look!	540
14896	Cozy Room Family Home LGA Airport NO CLEANING FEE	510
33322	Private brownstone studio Brooklyn	488
25266	Loft Suite @ The Box House Hotel	481



List of TOP 10 name of listings in entire NYC as per reviews per month:

	name	reviews_per_month
18151	Enjoy great views of the City in our Deluxe Room!	58.5
20560	Great Room in the heart of Times Square!	28.0
21943	Home away from home	21.1
25365	Lou's Palace-So much for so little	20.9
22975	JFK Comfort.5 Mins from JFK Private Bedroom &	19.8
22967	JFK 2 Comfort 5 Mins from JFK Private Bedroom	17.8
22969	JFK 3 Comfort 5 Mins from JFK Private Bedroom	16.8
32421	Private Room	16.8
14896	Cozy Room Family Home LGA Airport NO CLEANING FEE	16.2
21304	Harlem Gem	16.1

On the basis of monthly reviews **Enjoy great views of the City in our Deluxe Room!** is at the top with a total of ≈59 reviews per month.

Exploratory Data Analysis:



TOP 10 Neighbourhood on the basis of Total number of reviews

₽		neighbourhood	number_of_reviews
	13	Bedford-Stuyvesant	109481
	213	Williamsburg	85031
	93	Harlem	75709
	28	Bushwick	52329
	94	Hell's Kitchen	49948
	64	East Village	44067
	61	East Harlem	36356
	51	Crown Heights	36325
	201	Upper West Side	35587
	200	Upper East Side	31316

Top neighbourhood is **Bedford-Stuyvesant** with total reviews of ≈109482

Williamsburg is at 2nd with a total of ≈85032 reviews followed by **Harlem** and others

Exploratory Data Analysis:



Latitude & Longitude values of each listing in each neighbourhood group in entire NYC

Latitude & Longitude values of each listing property of each neighbourhood group is shown here via scatterplot



longitude

☐ Challenges Faced:



- ▶ The first challenge was to make the data set ready for EDA by fixing NULL & NaN values, which we did by replacing values in few columns and dropping/deleting the others.
- ▶ Next challenge was to remove the outliers without doing so, the data could never be analyzed.
- We removed the outliers by Quantile approach which makes the data set just ready for exploration...
- ▶ Using Interquartile Range(IQR) Formula (Interquartile range = Upper Quartile Lower Quartile) for removing outliers was a better approach but Quantile method was just fine for our basic operations.

☐ Overall Conclusion:



We were given a csv file containing a data set from Airbnb, we started our Analysis by:

- ▶ First having a brief overlook at given Data Set ,then we fixed Null & NaN values.
- ▶ After that we tried dealing with the Outliers using Quantile approach.

 Which means to assign a minimum and a maximum threshold and then only catching the values in between them.
- ▶ Created and overviewed Box Plot to get a basic idea of mean, max, min and quartiles values.
- ▶ Created a heat map and tried to get the correlations between the columns.
- ▶ Concluded the relationship between the Hosts and Neighbourhood Areas in NYC!
- ▶Performed some Bi-Variate Analysis among Neighbourhood Groups , Prices and Reviews and plotted some Bar Graphs for the same.
- (Bi-Variate Analysis: comparing two different variables to study their relationship)
- ♦ Figured out Top Airbnb Hosts on the basis of Listings and Reviews both and showed them using Bar Graphs.

☐ Overall Conclusion: (cont)



- **♦**Saw the Total Percentage listings of each Room type and each Neighbourhood Groups in NYC using pie plot.
- **▶** Observed Descending order of Average Reviews per month received
- **▶** Concluded the busiest Month and Year
- **▶** Concluded best suited Places for visitors on the basis of Price & Availability
- ▶ We then went on performing some Multi-Variate Analysis and using CountPlot we figured out : (Multi-Variate Analysis: is quite similar to Bi Variate Analysis but here we compare more than 2 variables at once)
- **⊃** Average Nights spent in each Room Type for all Neighbourhood Cities from Longest to Shortest.
- **3** Average Price of each Room Type for all Neighbourhood Cities in NYC from Highest to Lowest.
- **3** Average Availability of each Room Type for all Neighbourhood Cities in NYC in a year.
- ▶ Sorted out TOP 10 listings Names according to the Reviews of people.
- ▶ Sorted out TOP 10 Neighbourhood Cities according to the Reviews of people.
- ▶ And finally played around with Latitude & Longitude a bit and represented them using Scatterplot.



