

Patient Name: **BANKS, JIMMY** **DOB:** **01/23/1986**

Ordering Physician: **Alvarez, Angela** **Date of Service:** **03/18/2024**

Medical Record #: **SCATL0113907**

EXAMINATION: MRI Lumbar Spine WO Contrast

HISTORY: low back pain

COMPARISON: MR dated 6/19/2020

FINDINGS: Multiplanar multisequence noncontrasted MR images were acquired through the lumbar spine.

Curvature/alignment: No spondylolisthesis.

Osseous/bone marrow: No acute fractures. Vertebral body heights are normally maintained. No masses. Bone marrow is normal in all sequences.

Conus: Distal spinal cord normal in signal and caliber.

Paraspinal soft tissues and other: No concerning paraspinal soft tissue abnormalities.

T12-L1: Negative for disc herniation. No central canal or neural foraminal stenosis.

L1-2: Negative for disc herniation. No central canal or neural foraminal stenosis.

L2-3: Negative for disc herniation. No central canal or neural foraminal stenosis.

L3-4: Negative for disc herniation. No central canal or neural foraminal stenosis.

L4-5: Shallow broad-based disc herniation at L4-L5 with high T2 signal annular fissure. This in combination with mild bilateral facet joint hypertrophy is causing mild bilateral foraminal stenosis. No thecal canal stenosis. New since the prior study.

L5-S1: Shallow broad-based disc herniation at L5-S1 with high T2 signal annular fissure causing mild thecal canal and moderate bilateral foraminal stenosis. Slightly worse compared with the prior study.

IMPRESSION:

No mass, fracture, or distal cord abnormality detected.

Shallow broad-based disc herniation at L4-L5 with high T2 signal annular fissure causing mild bilateral foraminal stenosis. New since the prior study dated 6/19/2020.

Shallow broad-based disc herniation at L5-S1 with high T2 signal annular fissure causing mild thecal canal and moderate bilateral foraminal stenosis. Slightly worse compared with the prior study.

Thank You Very Much.

Laurence Dunn, M.D.
Global Imaging Solutions
Electronic Signature
Signed on: Mar 19 2024 10:42AM

DD: 03/18/2024/DT: 03/19/2024
CC:



Patient Name: **BANKS, JIMMY** **DOB:** **01/23/1986**

Ordering Physician: **Alvarez, Angela** **Date of Service:** **03/18/2024**

Medical Record #: **SCATL0113907**

EXAMINATION: MRI Cervical Spine WO Contrast

HISTORY: cervical neck pain

COMPARISON: None

FINDINGS: Multiplanar multisequence noncontrasted MR images were acquired through the cervical spine.

Curvature/alignment: No spondylolisthesis.

Osseous/bone marrow: Vertebral body heights are within normal limits. No masses. Bone marrow is normal in all sequences.

Spinal cord: Cord signal intensity and caliber appear intrinsically normal. No stenosis at the craniocervical junction. Enlarged cisterna magna which is a normal variant.

Paraspinal soft tissues: No acute findings.

C2-3: Negative for disc herniation. No central canal or neural foraminal stenosis.

C3-4: Negative for disc herniation. No central canal or neural foraminal stenosis.

C4-5: Negative for disc herniation. No central canal or neural foraminal stenosis.

C5-6: Shallow broad-based disc herniation at C5-C6 with high T2 signal annular fissure effacing the ventral thecal canal. No spinal cord or foraminal stenosis.

C6-C7: Shallow broad-based disc herniation at C6-C7 with high T2 signal annular fissure effacing the ventral thecal canal. No spinal cord or foraminal stenosis.

C7-T1: Negative for disc herniation. No central canal or neural foraminal stenosis.

IMPRESSION:

No mass or cord abnormality evident.

Shallow broad-based disc herniation at C5-C6 and C6-C7 with high T2 signal annular fissure causing thecal canal stenosis.

Thank You Very Much.

Laurence Dunn, M.D.
Global Imaging Solutions
Electronic Signature
Signed on: Mar 19 2024 10:14AM

DD: 03/18/2024/DT: 03/19/2024
CC:



Patient Name: **BANKS, JIMMY** **DOB:** **01/23/1986**

Ordering Physician: **Alvarez, Angela** **Date of Service:** **03/18/2024**

Medical Record #: **SCATL0113907**

EXAMINATION: MRI Cervical Spine WO Contrast

HISTORY: cervical neck pain

COMPARISON: None

FINDINGS: Multiplanar multisequence noncontrasted MR images were acquired through the cervical spine.

Curvature/alignment: No spondylolisthesis.

Osseous/bone marrow: Vertebral body heights are within normal limits. No masses. Bone marrow is normal in all sequences.

Spinal cord: Cord signal intensity and caliber appear intrinsically normal. No stenosis at the craniocervical junction. Enlarged cisterna magna which is a normal variant.

Paraspinal soft tissues: No acute findings.

C2-3: Negative for disc herniation. No central canal or neural foraminal stenosis.

C3-4: Negative for disc herniation. No central canal or neural foraminal stenosis.

C4-5: Negative for disc herniation. No central canal or neural foraminal stenosis.

C5-6: Shallow broad-based disc herniation at C5-C6 with high T2 signal annular fissure effacing the ventral thecal canal. No spinal cord or foraminal stenosis.

C6-C7: Shallow broad-based disc herniation at C6-C7 with high T2 signal annular fissure effacing the ventral thecal canal. No spinal cord or foraminal stenosis.

C7-T1: Negative for disc herniation. No central canal or neural foraminal stenosis.

IMPRESSION:

No mass or cord abnormality evident.

Shallow broad-based disc herniation at C5-C6 and C6-C7 with high T2 signal annular fissure causing thecal canal stenosis.

Thank You Very Much.

Laurence Dunn, M.D.
Global Imaging Solutions
Electronic Signature
Signed on: Mar 19 2024 10:14AM

DD: 03/18/2024/DT: 03/19/2024
CC:

=---------
ADDENDUM
Study was compared with the prior study dated 6/19/2020. Please add to the findings and impression moderate size left foraminal disc herniation at C4-C5 with high T2 signal annular fissure causing moderate left foraminal stenosis. Unchanged since the prior study dated 6/19/2020.

Shallow broad-based disc herniation at C6-C7 with high T2 signal annular fissure causing thecal canal stenosis is unchanged since the prior study.

Shallow broad-based disc herniation at C5-C6 with high T2 signal annular fissure causing thecal canal stenosis is new since the prior study dated 6/19/2020.

Thank you very much.

Laurence Dunn, M.D.
Global Imaging Solutions
Electronic Signature
Signed on: Mar 19 2024 10:46AM

DD: 03/18/2024/DT: 03/19/2024

Spine Center & Affiliates
Performing Provider: Olga Fingerman NP

Jimmy Banks, 38 yrs Male, **DOB**: 01/23/1986
Visit Date: 03/21/2024 02:15PM
Visit Location: IS CLINIC, 3161 HOWELL MILL RD NW STE 310, ATLANTA, GA 30327-2132
Address: 714 Thicket Way, Decatur, Georgia 30035-3733

Phone (Primary): 678-933-5039
Phone (Secondary): n/a
Email: jimmyrbanks@gmail.com

NOV: New patient exam

SSN: n/a
Insurance: Attorney

Chief Complaint

neck, thoracic and low back pain

Intake

Allergies

No known active allergies

Medications

diclofenac sodium 75 mg tablet,delayed release: 1 tablet bid prn pain for 30 days, Prescribed Date: 03/21/2024
tiZANidine 4 mg tablet: 0.5 to 1 tablet bid prn spasm/muscle pain for 30 days, Prescribed Date: 03/21/2024
omeprazole 20 mg capsule,delayed release: 1 capsule daily while taking an antiinflammatory for 30 days, Prescribed Date: 03/21/2024

Problems

No known active problems

Vital Signs

Date	Pulse	SpO2	FiO2	BP	Resp	Temp	Height	Weight	Pain	BMI	Head Cir.
03/21/2024, 03:03 PM	96 beats/minute			128/78 mmHg			6 ft 2 in	195 lbs		25.0	

History of Present Illness

38-year old male presents today for a new patient consultation with chief complaint of neck, thoracic and low back back pain. Patient reports a motor vehicle accident on March 6, 2024. He was a restrained driver of a Honda cord. He was in a drive-through and was hit in the front end of the vehicle. Airbags did not deploy. He did not lose consciousness. He did not go to the emergency room.

Patient reports 2 previous motor vehicle accidents in 2018 and 2000. The one in 2020 resulted in neck and back pain. He underwent a single cervical and lumbar epidural, cervical trigger point injections and therapy with dry needling, which resolved his symptoms completely. Patient reports return of neck and back pain since his most recent motor vehicle accident. Denies any prior spinal surgeries or other injuries.

Today, he complains of bilateral posterior neck pain and stiffness, pain radiating to bilateral trapezius and upper shoulders. Also complains of left midthoracic and left lower back pain that radiates to the hips. He complains of tingling and spasms in

the right hand.

He denies any loss of bowel or bladder control, weakness, falls or headaches. He had 2 chiropractic visits so far with benefit. He takes over-the-counter Advil with some benefit.

Family History

Father: father deceased;

Mother: mother alive;

Social History

Behavioral History: smoking;

Review of Systems

Systemic Symptoms: no fever;

Head Symptoms: no headache;

Cardiovascular Symptoms: no chest pain;

Pulmonary Symptoms: no shortness of breath;

Musculoskeletal Symptoms: *neck, thoracic and low back pain*

Physical Exam

General Appearance: oriented to time, place, and person; well developed; well nourished; in no acute distress;

Eye Exam: conjunctiva normal;

Lung Exam: unlabored respiration;

Psychiatric Exam: attitude normal; affect normal;

Skin Exam: no skin lesions;

Extremities: no pitting edema;

Cervical Spine *5/5 bilateral grip, biceps, triceps and deltoids. Sensation intact to light touch over bilateral upper extremities in all dermatomes. Mild increase in posterior neck pain with extension, increase in tingling in the neck with forward flexion. Mild discomfort with bilateral cervical rotation. Mild tenderness palpation of the bilateral cervical paraspinous musculature and bilateral trapezius.*

Thoracic Spine *Moderate tenderness palpation over left thoracic paraspinous musculature.*

Lumbar Spine *5/5 bilateral hip flexors, knee flexion and extension, dorsi and plantar flexion. Sensation intact to light touch over bilateral lower extremities in all dermatomes. Increase in lumbar pain with forward flexion. Positive bilateral lumbar facet loading. Negative straight leg raise in a sitting position bilaterally. Moderate tenderness left more than right lumbar paraspinous musculature and left more than right buttock and hips.*

Imaging / Tests

1. **(Performed & Reviewed)**

Impression MRI of cervical spine on March 18, 2024 shows shallow broad-based disc herniation at C5-6 and C6-7 with high T2 signal annular fissure causing the facial canal stenosis. No mass or cord abnormality is evident.

MRI of lumbar spine without contrast on March 18, 2024 shows no acute changes. Shallow broad-based disc herniation at L4-5 with high T2 signal annular fissure causing mild bilateral foraminal stenosis. New since the prior study dated 6/19/2020. Shallow broad-based disc herniation at L5-S1 with high T2 signal annular fissure causing mild thecal canal and moderate bilateral foraminal stenosis. Slightly worse compared with prior study. Please see complete report for details.

Assessment and Plan

1. **Neck pain M54.2 (723.1):**
   03/21/2024, Neck pain

   - **Referral To PT,MT x 6 weeks**
     Notes to provider: low back pain M54.50

2. **Low back pain M54.50 (724.2):**
   03/21/2024, Low back pain

3. **Cervical radiculitis M54.12 (723.4):**
   03/21/2024, Cervical radiculitis

   - **CESI C7-T1**

4. **Lumbar radiculitis M54.16 (724.4):**
   03/21/2024, Lumbar radiculitis

   - **LESI L5-S1**

5. **Myofascial pain M79.18 (729.1):**
   03/21/2024, Myofascial pain

   - **omeprazole 20 mg capsule,delayed release:**
     03/21/2024, 1 capsule daily while taking an antiinflammatory for 30 days, Quantity: 30.0 Capsule, (30 - capsule), Substitutions allowed
   - **tiZANidine 4 mg tablet:**
     03/21/2024, 0.5 to 1 tablet bid prn spasm/muscle pain for 30 days, Quantity: 60.0 Tablet, (60 - tablet), Substitutions allowed
   - **diclofenac sodium 75 mg tablet,delayed release:**
     03/21/2024, 1 tablet bid prn pain for 30 days, Quantity: 60.0 Tablet, (60 - tablet), Substitutions allowed

6. **Thoracic back pain M54.6 (724.1):**
   03/21/2024, Thoracic back pain

Plan

38-year old male presents today for a new patient consultation with chief complaint of neck, thoracic and low back back pain. Patient reports a motor vehicle accident on March 6, 2024. He was a restrained driver of a Honda cord. He was in a drive-through and was hit in the front end of the vehicle. Airbags did not deploy. He did not lose consciousness. He did not go to the emergency room.

Patient reports 2 previous motor vehicle accidents in 2018 and 2000. The one in 2020 resulted in neck and back pain. He underwent a single cervical and lumbar epidural, cervical trigger point injections and therapy with dry needling, which resolved his symptoms completely. Patient reports return of neck and back pain since his most recent motor vehicle accident. Denies any prior spinal surgeries or other injuries.

Today, he complains of bilateral posterior neck pain and stiffness, pain radiating to bilateral trapezius and upper shoulders. Also complains of left midthoracic and left lower back pain that radiates to the hips. He complains of tingling and spasms in the right hand.

He denies any loss of bowel or bladder control, weakness, falls or headaches. He had 2 chiropractic visits so far with benefit. He takes over-the-counter Advil with some benefit.

I reviewed cervical and lumbar MRI findings in detail with patient. His cervical and lumbar MRI findings and pain pattern suggests cervical and lumbar radiculitis. Discussed options for treatment including conservative therapy and intervention procedures. He is interested in pursuing both.

Will refer patient for a C7-T1 steroid epidural as well as an L5-S1 steroid epidural, cervical, thoracic and lumbar physical therapy and massage. Initiate tizanidine for muscle spasms, diclofenac and omeprazole for GI protection. Patient will follow up in clinic after procedure. Patient verbalized understanding and is agreeable with the plan.

Electronically Signed By Olga Fingerman NP on 03/21/24 at 03:14 PM EDT

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

Initial Exam

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 3/11/2024

SUBJECTIVE

HISTORY OF PRESENT ILLNESS

He has never experienced this condition before. He states: "2023 MVA.."

PRIMARY COMPLAINT

Left neck

- Sharp, Throbbing pain: 8/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: 9/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Radiating: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

SECOND COMPLAINT

Mid back

- Throbbing, Aching pain: 8/10
  Radiates to (posterior) left ribs and right ribs. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 9/10

Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.

- Restriction: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Radiating: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: 6/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 7/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

FOURTH COMPLAINT
Low back

- Sharp pain: 8/10
  Radiates to (posterior) right hip. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

PAST, FAMILY, SOCIAL HISTORY

Surgeries/Hospitalizations: 2012- Bone & Spine Biopsy results were negative, per pt.
Allergies: seasonal sinus.
Medications: Advil.
Prior conditions: none reported.

Father: Cancer. Lung Cancer
None

REVIEW OF SYSTEMS

ALLERGIC-IMMUNOLOGIC: Allergies
MUSCULOSKELETAL: Stiffness, Muscle pain, Neck pain and Back pain
NEUROLOGICAL: Numbness and Tingling

Patient denies loss of consciousness, vomiting, and nausea.

Collision occurred on 3/6/2024.
He reverse out of the parking space and hit my car.
Symptoms reported: Shoulders, neck, and lower back to hips.
I was in the Wendy's parking lot in the drive thru line and person back out of parking spot and hit me.

Mr. Banks was the driver of the vehicle, a 2014 Honda Accord exl, at the time of the collision. There was front damage to the vehicle. The damage condition of the other vehicle, a Cadillac CTS. Mr. Banks was seated in the vehicle as a driver and was wearing a seat belt with the shoulder harness. The vehicle is equipped with air bags and they did not deploy. Mr. Banks didn't see the impact coming. Upon impact, his head was looking ahead and he was thrown forward. His body hit center console. Mr. Banks remembers the collision happening.

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

OBJECTIVE

VITALS

Height: 74 in Weight: 168 lbs BMI: 21.6
Pulse rate: 90 BPM (relaxed)
Blood Pressure (seated): right -N/A left-116/87 mmHg
Demeanor: coherent and relaxed.

PALPATORY FINDINGS

Spinal asymmetry/fixation: C2; C3; C4; C5; C6; C7; T1; T6; T11; L1; L2; L3; L4.

Tenderness

Left Side

- Cervical Spine (moderate-severe)
- Thoracic Spine (moderate-severe)
- Lower Back (moderate-severe)

Right Side

- Cervical Spine (moderate-severe)
- Thoracic Spine (moderate-severe)
- Lower Back (moderate-severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (moderate-severe)
- Thoracic Spine (moderate-severe)
- Lower Back (moderate-severe)

Right Side

- Cervical Spine (moderate-severe)
- Thoracic Spine (moderate-severe)
- Lower Back (moderate-severe)

GAIT

Ambulation: Normal.

Gait: Visual Limp.

ORTHOPEDIC AND NEUROLOGICAL TESTS

Test	Left	Right	Comment
Shoulder depression test[1]	WNL	Positive	
Spinal percussion test-cervical[2]	Positive	Positive	
Spinal percussion test-thoracic[3]	WNL	Positive	
Straight leg raise[4]	WNL	Positive	
Spinal percussion test-lumbar[5]	Positive	Positive	

[1]Pain in the arm could indicate adhesions of the nerve roots. Local pain could indicate sprain or strain or adhesions of the shoulder joint capsule.

[2]Localized pain suggests possible vertebral fracture. Radicular pain indicates possible disc lesion.

[3]Localized pain suggests possible vertebral fracture. Radicular pain indicates possible disc lesion.

[4]Perhipheral pain is suggestive of nerve root irritation, such as that due to a herniated disc.

[5]Localized pain suggests possible vertebral fracture. Radicular pain indicates possible disc lesion.

REFLEXES

Biceps, Tricep, Brachioradialis, Patellar and Achilles are within normal limits bilaterally.

POSTURE

- Left head rotation

RANGE OF MOTION

Cervical ROM - estimated

Test	Measurement	Limited By	Comment
Flexion	35° (70% of normal)	Pain, Spasm	
Extension	40° (66% of normal)	Pain, Spasm	
Left lateral flexion	30° (66% of normal)	Pain, Spasm	
Right lateral flexion	35° (77% of normal)	Pain, Spasm	
Left rotation	70° (87% of normal)	Pain, Spasm	
Right rotation	65° (81% of normal)	Pain, Spasm	

Lumbar ROM - estimated

Test	Measurement	Limited By	Comment
Flexion	45° (75% of normal)	Pain	
Extension	10° (40% of normal)	Pain	

Left lateral flexion	10° (40% of normal)	Pain	
Right ateral flexion	15° (60% of normal)	Pain	
Left rotation	20° (66% of normal)	Pain	
Right rotation	20° (66% of normal)	Pain	

DERMATOMES

Posterior

Location	Test	Result
Right-Lumbar	2-point-discrimination	Hypoesthesia

Left-Lumbar within normal limits.

Anterior

Location	Test	Result
Left-Cervical	2-point-discrimination	Hypoesthesia
Right-Cervical	2-point-discrimination	Hypoesthesia

ASSESSMENT

Stage of Care: Acute

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

LONG-TERM GOALS

- Decrease pain to pre-injury status.
- Restore tolerance to normal activities of daily living.

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting was provided specifically to C2; C3; C4; C5; C6; C7; T1; T6; T11; L1; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Diagnostic Tests: X-ray cervical 4-5 views (72050) was provided due to significant traumatic mechanism of injury, visualize baseline spine curvature and disc spacing.
- Diagnostic Tests: X-ray lumbosacral 2-3 views (72100) was provided due to significant traumatic mechanism of injury, visualize baseline spine curvature and disc spacing.
- New Patient evaluation and management service, 99203, was provided today.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 03/12/2024 07:11 AM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 3/13/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 8/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: 9/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Radiating: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: **From 8 to 7/10 (10% decrease)**
  Radiates to (posterior) left ribs and right ribs. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: **From 9 to 8/10 (10% decrease)**
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and

changing positions; decreased by ice, heat, rest and OTC's.

- Restriction: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Radiating: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions.

<u>THIRD COMPLAINT</u>
Right hip

- Throbbing, Sharp pain: 6/10
  Described as **intermittent (up to 50% of day)** of **moderate intensity (requires significant or complete modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 7/10
  Described as **intermittent (up to 50% of day)** of **moderate intensity (requires significant or complete modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as **intermittent (up to 50% of day)** of **moderate intensity (requires significant or complete modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as **intermittent (up to 50% of day)** of **moderate intensity (requires significant or complete modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

<u>FOURTH COMPLAINT</u>
Low back

- Sharp pain: 8/10
  Radiates to (posterior) right hip. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C3; C4; C5; C6; C7; T1; T6; L1; L2; L3; L4**. No findings: C2; T11**.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

ASSESSMENT

Stage of Care: Acute

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)

18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

Review x-rays with the patient. The patient had an opportunity to ask questions and understand the findings. Due to positive findings on those X-rays, the patient will be referred for an MRI of the Cervical and Lumbar spine for further assessment.

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting was provided specifically to C3; C4; C5; C6; C7; T1; T6; L1; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- **Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.**
- **Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.**
- **Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.**
- **Report of Findings (99212) was provided specifically to Neck, Back, to enable patient to manage injury without re-aggravation.**

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 03/13/2024 06:04 PM

Iceberg Health Lawrenceville
1670 McKendree Church Road Suite 400B
Lawrenceville, GA 30043-4100
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Kamlesh Patel, DC
Date of Service: 3/15/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 8/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: 9/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Radiating: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 7/10
  Radiates to (posterior) left ribs and right ribs. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.

- Restriction: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Radiating: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions.

THIRD COMPLAINT

Right hip

- Throbbing, Sharp pain: 6/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 7/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

FOURTH COMPLAINT

Low back

- Sharp pain: 8/10
  Radiates to (posterior) right hip. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C3; C4; C5; C6; C7; T1; T6; L1; L2; L3; L4.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

ASSESSMENT

Stage of Care: Acute

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting was provided specifically to C3; C4; C5; C6; C7; T1; T6; L1; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.

Attended by Dr. Minor.

Patient received care without incident.

(Electronic Signature)
Provider Name: Kamlesh Patel, DC
Date: 03/20/2024 03:23 PM

Iceberg Health Decatur
4319 Covington Hwy
Suite 201
Decatur, GA 30035-0000
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Vinita Gulati, DC
Date of Service: 3/19/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 8/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: 9/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Radiating: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 7/10
  Radiates to (posterior) left ribs and right ribs. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and

changing positions; decreased by ice, heat, rest and OTC's.

- Restriction: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Radiating: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: 6/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 7/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

FOURTH COMPLAINT
Low back

- Sharp pain: 8/10
  Radiates to (posterior) right hip. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators,

water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. **He notes feeling tingling into both of his legs shooting from his low back**.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C4; C5; C6; C7; T6; L1; L2; L3; L4; **T5; T7; T8. No findings: C3; T1**.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

ASSESSMENT

Stage of Care: Acute

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)

17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

MRI Results were reviewed today with the patient. The patient had the opportunity to ask questions and understand the findings. Due to positive findings, the patient will be referred to a specialist for further assessment.

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting was provided specifically to C4; C5; C6; C7; **T5**; T6; **T7**; **T8**; L1; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- **Therapeutic Exercise (Ea. 15 Min) (97110) consisting of lumbar active therapeutic movements was provided specifically to Back for 10 minutes (1 unit), to reduce pain reported at initial encounter by 25%.**

Patient has an ortho appointment on 3/21/24.

Patient received care without incident.

(Electronic Signature)
Provider Name: Vinita Gulati, DC
Date: 03/19/2024 05:00 PM

Iceberg Health Decatur
4319 Covington Hwy
Suite 201
Decatur, GA 30035-0000
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Vinita Gulati, DC
Date of Service: 3/21/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 8/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: 9/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Radiating: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 7/10
  Radiates to (posterior) left ribs and right ribs. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and

changing positions; decreased by ice, heat, rest and OTC's.

- Restriction: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Radiating: 4/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: 6/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 7/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

FOURTH COMPLAINT
Low back

- Sharp pain: 8/10
  Radiates to (posterior) right hip. Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: 8/10
  Described as constant (up to 100% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators,

water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C4; C5; C6; C7; T5; T6; T7; T8; L1; L2; L3; L4**.**

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

ASSESSMENT

Stage of Care: Acute

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)

17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting was provided specifically to C4; C5; C6; C7; T5; T6; T7; T8; L1; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of lumbar active therapeutic movements was provided specifically to Back for 10 minutes (1 unit), to reduce pain reported at initial encounter by 25%.

Patient received care without incident.

(Electronic Signature)
Provider Name: Vinita Gulati, DC
Date: 03/21/2024 04:45 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 3/25/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: **From 8 to 5/10 (30% decrease)**
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: **From 9 to 5/10 (40% decrease)**
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: **From 5 to 4/10 (10% decrease)**
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Radiating: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: **From 7 to 6/10 (10% decrease)**
  Radiates to (posterior) left ribs and right ribs. Described as **frequent to constant (up to between 75% and 100% of day)** of **moderate intensity (requires significant or complete modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: **From 8 to 7/10 (10% decrease)**
  Described as **frequent to constant (up to between 75% and 100% of day)** of **moderate intensity (requires significant or complete modification to ADL)**; increased by standing

and changing positions; decreased by ice, heat, rest and OTC's.

- Restriction: 4/10
  Described as **frequent to constant (up to between 75% and 100% of day)** of **moderate intensity (requires significant or complete modification to ADL)**; increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Radiating: 4/10
  Described as **frequent to constant (up to between 75% and 100% of day)** of **moderate intensity (requires significant or complete modification to ADL)**; increased by standing and changing positions.

<u>THIRD COMPLAINT</u>
Right hip

- Throbbing, Sharp pain: **From 6 to 5/10 (10% decrease)**
  Described as intermittent (up to 50% of day) of **slight to moderate intensity**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: **From 7 to 5/10 (20% decrease)**
  Described as intermittent (up to 50% of day) of **slight to moderate intensity**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of **slight to moderate intensity**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of **slight to moderate intensity**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

<u>FOURTH COMPLAINT</u>
Low back

- Sharp pain: **From 8 to 6/10 (20% decrease)**
  Radiates to (posterior) right hip. Described as **intermittent (up to 50% of day)** of **slight to moderate intensity**; increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: **From 8 to 6/10 (20% decrease)**
  Described as **intermittent (up to 50% of day)** of **slight to moderate intensity**; increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: **From 8 to 6/10 (20% decrease)**
  Described as **intermittent (up to 50% of day)** of **slight to moderate intensity**.

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C5; C6; C7; T5; T6; T7; L1; L2; L3; L4**. No findings: C4; T8**.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , **and than it becomes a 2 man lift when he has to climb the stairs**, **patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs**.

ASSESSMENT

Stage of Care: Acute

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)

18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting, **diversified technique** was provided specifically to C5; C6; C7; T5; T6; T7; L1; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of **cervical active therapeutic movements**, lumbar active therapeutic movements was provided specifically to **Neck**, Back for **8** minutes (1 unit), to reduce pain reported at initial encounter by 25%.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 03/25/2024 06:45 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 3/27/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 5/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Radiating: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 6/10
  Radiates to (posterior) left ribs and right ribs. Described as frequent to constant (up to between 75% and 100% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 7/10
  Described as frequent to constant (up to between 75% and 100% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing

and changing positions; decreased by ice, heat, rest and OTC's.

- Restriction: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Radiating: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing and changing positions.

<u>THIRD COMPLAINT</u>
Right hip

- Throbbing, Sharp pain: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

<u>FOURTH COMPLAINT</u>
Low back

- Sharp pain: 6/10
  Radiates to (posterior) right hip. Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: 6/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: 6/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C5; C6; C7; T5; T6; T7; L1; L2; L3; L4.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

ASSESSMENT

Stage of Care: Acute

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)

18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

3/27/24- Patient completed chiropractic modalities today.

PLAN

Based on subjective and objective data, today's treatment consists of:

- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Ice/Heat (97010) consisting of **hot pack** was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 03/28/2024 08:02 AM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Meka Kennedy, DC
Date of Service: 3/29/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 5/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Radiating: 5/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of moderate to severe intensity (symptom is not alleviated by any amount of modification to ADL).

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 6/10
  Radiates to (posterior) left ribs and right ribs. Described as frequent to constant (up to between 75% and 100% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 7/10
  Described as frequent to constant (up to between 75% and 100% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing

and changing positions; decreased by ice, heat, rest and OTC's.

- Restriction: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Radiating: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of moderate intensity (requires significant or complete modification to ADL); increased by standing and changing positions.

<u>THIRD COMPLAINT</u>
Right hip

- Throbbing, Sharp pain: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

<u>FOURTH COMPLAINT</u>
Low back

- Sharp pain: 6/10
  Radiates to (posterior) right hip. Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: 6/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: 6/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C5; C6; C7; T5; T6; T7; L1; L2; L3; L4.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

ASSESSMENT

Stage of Care: Acute

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)

18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

PLAN

Based on subjective and objective data, today's treatment consists of:

- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Ice/Heat (97010) consisting of **ice pack** was provided specifically to Neck, **Right Scapula**, **Left Scapula**, **Left Rib Cage**, **Right Rib Cage**, Back, to reduce pain reported at initial encounter by 25%.

Patient received care without incident.

(Electronic Signature)
Provider Name: Meka Kennedy, DC
Date: 03/29/2024 05:22 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 4/1/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 5/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as frequent (up to 75% of day) of **moderate intensity (requires significant or complete modification to ADL)**; increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Pain with motion: 5/10
  Described as frequent (up to 75% of day) of **moderate intensity (requires significant or complete modification to ADL)**; increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest and OTC's.
- Stiffness: 4/10
  Described as frequent (up to 75% of day) of **moderate intensity (requires significant or complete modification to ADL)**.
- Radiating: 5/10
  Described as frequent (up to 75% of day) of **moderate intensity (requires significant or complete modification to ADL)**.
- Sharp/Stabbing: 4/10
  Described as frequent (up to 75% of day) of **moderate intensity (requires significant or complete modification to ADL)**.

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 6/10
  Radiates to (posterior) left ribs and right ribs. Described as **frequent (up to 75% of day)** of **slight to moderate intensity**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: **From 7 to 6/10 (10% decrease)**
  Described as **frequent (up to 75% of day)** of **slight to moderate intensity**; increased by standing and changing positions; decreased by ice, heat, rest and OTC's.
- Restriction: 4/10
  Described as **frequent (up to 75% of day)** of **slight to moderate intensity**; increased by

standing and changing positions; decreased by ice, heat, rest and OTC's.

- Radiating: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of **slight to moderate intensity**; increased by standing and changing positions.

THIRD COMPLAINT

Right hip

- Throbbing, Sharp pain: 5/10
  Described as intermittent (up to 50% of day) of **slight intensity (requires some modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of **slight intensity (requires some modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of **slight intensity (requires some modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of **slight intensity (requires some modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest and OTC's.

FOURTH COMPLAINT

Low back

- Sharp pain: 6/10
  Radiates to (posterior) right hip. Described as **occasional to intermittent (up to between 25% and 50% of day)** of **slight intensity (requires some modification to ADL)**; increased by walking and working; decreased by ice, heat, rest and OTC's.
- Pain with motion: 6/10
  Described as **occasional to intermittent (up to between 25% and 50% of day)** of **slight intensity (requires some modification to ADL)**; increased by walking and working; decreased by ice, heat, rest and OTC's.
- Stiffness: 6/10
  Described as **occasional to intermittent (up to between 25% and 50% of day)** of **slight intensity (requires some modification to ADL)**.

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C6; C7; T5; T6; T7; L2; L3; L4**. No findings: C5; L1**.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

4/1/24- Pt reports when he is walking it aggravates his low back after 10-15 minutes.

ASSESSMENT

Stage of Care: Rehabilitative

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm,

initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

PLAN

Based on subjective and objective data, today's treatment consists of:

- **CMT 3-4 Regions (98941) consisting of diversified technique was provided specifically to C6; C7; T5; T6; T7; L2; L3; L4, to reduce pain reported at initial encounter by 25%.**
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- **Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.**
- **Therapeutic Exercise (Ea. 15 Min) (97110) consisting of cervical active therapeutic movements, lumbar active therapeutic movements was provided specifically to Neck for 8 minutes (1 unit), to reduce pain reported at initial encounter by 25%, increase pain free range of motion by 25% from initial exam.**
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 04/02/2024 03:13 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 4/3/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 5/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as **intermittent (up to 50% of day)** of **slight to moderate intensity**; increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest, **Prescribed Pain Medication** and OTC's.
- Pain with motion: 5/10
  Described as **intermittent (up to 50% of day)** of **slight to moderate intensity**; increased by sleeping, lifting, walking, working, changing positions and ADL's.
- Stiffness: 4/10
  Described as **intermittent (up to 50% of day)** of **slight to moderate intensity**.
- Radiating: 5/10
  Described as **intermittent (up to 50% of day)** of **slight to moderate intensity**.
- Sharp/Stabbing: 4/10
  Described as **intermittent (up to 50% of day)** of **slight to moderate intensity**.

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 6/10
  Radiates to (posterior) left ribs and right ribs. Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, **Prescribed Pain Medication** and OTC's.
- Pain with motion: 6/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Restriction: 4/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Radiating: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of slight to moderate intensity; increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: 5/10
  Described as intermittent (up to 50% of day) of **minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, **Prescribed Pain Medication** and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of **minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL)**; increased by standing, sitting, walking, working and driving.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of **minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL)**; increased by standing, sitting, walking, working and driving.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of **minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL)**; increased by standing, sitting, walking, working and driving.

FOURTH COMPLAINT
Low back

- Sharp pain: 6/10
  Radiates to (posterior) right hip. Described as **occasional (up to 25% of day)** of **minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL)**; increased by walking and working; decreased by ice, heat, rest, **Prescribed Pain Medication** and OTC's.
- Pain with motion: 6/10
  Described as **occasional (up to 25% of day)** of **minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL)**; increased by walking and working.
- Stiffness: 6/10
  Described as **occasional (up to 25% of day)** of **minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL)**.

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS
Spinal asymmetry/fixation: C6; C7; T6; T7; L2; L3; L4**. No findings: T5**.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

4/1/24- Pt reports when he is walking it aggravates his low back after 10-15 **minutes.**

4/3/24- Pt reports he went to the specialist yesterday and was evaluated by the medical provider and was prescribed muscle relaxers for his pain/discomfort.

ASSESSMENT

Stage of Care: Rehabilitative

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm,

initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of diversified technique was provided specifically to C6; C7; T6; T7; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of cervical active therapeutic movements, lumbar active therapeutic movements was provided specifically to Neck for 8 minutes (1 unit), to reduce pain reported at initial encounter by 25%, increase pain free range of motion by 25% from initial exam.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 04/03/2024 06:32 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Meka Kennedy, DC
Date of Service: 4/5/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: **From 5 to 2/10 (30% decrease)**
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by sleeping, lifting, walking, working, changing positions and ADL's.
- Stiffness: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.
- Radiating: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: **From 6 to 1/10 (50% decrease)**
  Radiates to (posterior) left ribs and right ribs. Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 6/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Restriction: 4/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Radiating: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of slight to moderate intensity; increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: **From 5 to 2/10 (30% decrease)**
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.

FOURTH COMPLAINT
Low back

- Sharp pain: **From 6 to 2/10 (40% decrease)**
  Radiates to (posterior) right hip. Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 6/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working.
- Stiffness: 6/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS
Spinal asymmetry/fixation: C6; C7; T6; T7; L2; L3; L4**.**

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

4/1/24- Pt reports when he is walking it aggravates his low back after 10-15 minutes.

4/3/24- Pt reports he went to the specialist yesterday and was evaluated by the medical provider and was prescribed muscle relaxers for his pain/discomfort.

ASSESSMENT

Stage of Care: Rehabilitative

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm,

initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of diversified technique was provided specifically to C6; C7; T6; T7; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of lumbar active therapeutic movements was provided specifically to Neck for **10** minutes (1 unit), to reduce pain reported at initial encounter by 25%, increase pain free range of motion by 25% from initial exam.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- **Massage (Ea 15 Min) (97124) was provided specifically to Neck, Left Scapula, Right Scapula, Right Rib Cage, Left Rib Cage, Back for 10 minutes (0 units), to reduce pain reported at initial encounter by 25%.**

Patient received care without incident.

(Electronic Signature)
Provider Name: Meka Kennedy, DC
Date: 04/05/2024 04:57 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 4/8/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 2/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by sleeping, lifting, walking, working, changing positions and ADL's.
- Stiffness: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.
- Radiating: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 1/10
  Radiates to (posterior) left ribs and right ribs. Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 6/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Restriction: 4/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Radiating: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of slight to moderate intensity; increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: 2/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.

FOURTH COMPLAINT
Low back

- Sharp pain: 2/10
  Radiates to (posterior) right hip. Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 6/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working.
- Stiffness: 6/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS
Spinal asymmetry/fixation: C6; C7; T6; T7; L2; L3; L4.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

4/1/24- Pt reports when he is walking it aggravates his low back after 10-15 minutes.

4/3/24- Pt reports he went to the specialist yesterday and was evaluated by the medical provider and was prescribed muscle relaxers for his pain/discomfort.

4/8/24- Pt reports he felt throbbing pain/and discomfort in his shoulder blades when he was working today.

ASSESSMENT

Stage of Care: Rehabilitative

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial

encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of diversified technique was provided specifically to C6; C7; T6; T7; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of **cervical active therapeutic movements**, lumbar active therapeutic movements was provided specifically to Neck for **8** minutes (1 unit), to reduce pain reported at initial encounter by 25%, increase pain free range of motion by 25% from initial exam.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 04/08/2024 06:37 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 4/10/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 2/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by sleeping, lifting, walking, working, changing positions and ADL's.
- Stiffness: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.
- Radiating: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 1/10
  Radiates to (posterior) left ribs and right ribs. Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 6/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Restriction: 4/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Radiating: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of slight to moderate intensity; increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: 2/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.

FOURTH COMPLAINT
Low back

- Sharp pain: 2/10
  Radiates to (posterior) right hip. Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 6/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working.
- Stiffness: 6/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS
Spinal asymmetry/fixation: C6; C7; T7; L2; L3; L4; **T3; T4; T5. No findings: T6**.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

4/1/24- Pt reports when he is walking it aggravates his low back after 10-15 minutes.

4/3/24- Pt reports he went to the specialist yesterday and was evaluated by the medical provider and was prescribed muscle relaxers for his pain/discomfort.

4/8/24- Pt reports he felt throbbing pain/and discomfort in his shoulder blades when he was working today.

ASSESSMENT

Stage of Care: Rehabilitative

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial

encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

4/10/24- Pt reports he went to physical therapy yesterday, it was his 4th visit approximately, and feels it is helping him.

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of **Instrument adjusting** was provided specifically to C6; C7; **T3**; **T4**; **T5**; T7; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of cervical active therapeutic movements, lumbar active therapeutic movements was provided specifically to Neck for 8 minutes (1 unit), to reduce pain reported at initial encounter by 25%, increase pain free range of motion by 25% from initial exam.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 04/10/2024 06:10 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Meka Kennedy, DC
Date of Service: 4/12/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 2/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity; increased by sleeping, lifting, walking, working, changing positions and ADL's.
- Stiffness: 4/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.
- Radiating: 5/10
  Described as intermittent (up to 50% of day) of slight to moderate intensity.
- Sharp/Stabbing
  Described as of .

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 1/10
  Radiates to (posterior) left ribs and right ribs. Described as **occasional to intermittent (up to between 25% and 50% of day)** of slight to moderate intensity; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 6/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Restriction: 4/10
  Described as frequent (up to 75% of day) of slight to moderate intensity; increased by standing and changing positions.
- Radiating: 4/10
  Described as frequent to constant (up to between 75% and 100% of day) of slight to

moderate intensity; increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: 2/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 5/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Sharp/Stabbing: 4/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.

FOURTH COMPLAINT
Low back

- Sharp pain: 2/10
  Radiates to (posterior) right hip. Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: **From 6 to 3/10 (30% decrease)**
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working.
- Stiffness: **From 6 to 3/10 (30% decrease)**
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS
Spinal asymmetry/fixation: C6; C7; T3; T4; T5; T7; L2; L3; L4**.**

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

4/1/24- Pt reports when he is walking it aggravates his low back after 10-15 minutes.

4/3/24- Pt reports he went to the specialist yesterday and was evaluated by the medical provider and was prescribed muscle relaxers for his pain/discomfort.

4/8/24- Pt reports he felt throbbing pain/and discomfort in his shoulder blades when he was working today.

ASSESSMENT

Stage of Care: Rehabilitative

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial

encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

4/10/24- Pt reports he went to physical therapy yesterday, it was his 4th visit approximately, and feels it is helping him.

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting was provided specifically to C6; C7; T3; T4; T5; T7; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of cervical active therapeutic movements, lumbar active therapeutic movements was provided specifically to Neck for **10** minutes (1 unit), to reduce pain reported at initial encounter by 25%, increase pain free range of motion by 25% from initial exam.
- **Massage (Ea 15 Min) (97124) was provided specifically to Neck, Right Scapula, Left Scapula, Left Rib Cage, Right Rib Cage, Back for 10 minutes (0 units), to reduce pain reported at initial encounter by 25%.**
- **Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Right Scapula, Left Scapula, Left Rib Cage, Right Rib Cage, Back, to reduce pain reported at initial encounter by 25%.**
- **Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.**

Patient received care without incident.

(Electronic Signature)
Provider Name: Meka Kennedy, DC
Date: 04/12/2024 05:03 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Daily Note

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 4/16/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: **From 2 to 3/10 (10% increase)**
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as **occasional (up to 25% of day)** of **slight intensity (requires some modification to ADL)**; increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: **From 5 to 3/10 (20% decrease)**
  Described as **occasional (up to 25% of day)** of **slight intensity (requires some modification to ADL)**; increased by sleeping, lifting, walking, working, changing positions and ADL's.
- Stiffness: **From 4 to 3/10 (10% decrease)**
  Described as **occasional (up to 25% of day)** of **slight intensity (requires some modification to ADL)**.
- Radiating: **From 5 to 3/10 (20% decrease)**
  Described as **occasional (up to 25% of day)** of **slight intensity (requires some modification to ADL)**.
- Sharp/Stabbing: **3/10**

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 1/10
  Radiates to (posterior) left ribs and right ribs. Described as **occasional (up to 25% of day)** of **slight intensity (requires some modification to ADL)**; increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: **From 6 to 3/10 (30% decrease)**
  Described as **occasional (up to 25% of day)** of **slight intensity (requires some modification to ADL)**; increased by standing and changing positions.
- Restriction: **From 4 to 3/10 (10% decrease)**
  Described as **occasional (up to 25% of day)** of **slight intensity (requires some**

modification to ADL); increased by standing and changing positions.

- Radiating: 4/10
  Described as **occasional (up to 25% of day)** of **slight intensity (requires some modification to ADL)**; increased by standing and changing positions.

THIRD COMPLAINT

Right hip

- Throbbing, Sharp pain: 2/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: **From 5 to 3/10 (20% decrease)**
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Sharp/Stabbing: **From 4 to 3/10 (10% decrease)**
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.

FOURTH COMPLAINT

Low back

- Sharp pain: 2/10
  Radiates to (posterior) right hip. Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest, Prescribed Pain Medication and OTC's.
- Pain with motion: 3/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working.
- Stiffness: 3/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

PALPATORY FINDINGS

Spinal asymmetry/fixation: C6; C7; T4; T5; T7; L2; L3; L4**. No findings: T3**.

Tenderness

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Spasm/Hypertonicity

Left Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

Right Side

- Cervical Spine (Moderate-Severe)
- Thoracic Spine (Moderate-Severe)
- Lower Back (Moderate-Severe)

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

4/1/24- Pt reports when he is walking it aggravates his low back after 10-15 minutes.

4/3/24- Pt reports he went to the specialist yesterday and was evaluated by the medical provider and was prescribed muscle relaxers for his pain/discomfort.

4/8/24- Pt reports he felt throbbing pain/and discomfort in his shoulder blades when he was working today.

ASSESSMENT

Stage of Care: Rehabilitative

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)

12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

4/10/24- Pt reports he went to physical therapy yesterday, it was his 4th visit approximately, and feels it is helping him.

4/16/24- Pt reports he got a medical massage yesterday and he feels a little better today.

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting was provided specifically to C6; C7; T4; T5; T7; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of cervical active therapeutic movements, lumbar active therapeutic movements was provided specifically to Neck for **8** minutes (1 unit), to reduce pain reported at initial encounter by 25%, increase pain free range of motion by 25% from initial exam.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 04/16/2024 04:51 PM

Iceberg Health Morrow
1544 Southlake Pkwy
Unit 9F
Morrow, GA 30260-0287
(678) 505-0000

*Changes since previous Note have been **formatted differently.***

Exam

Patient Name: Jimmy Banks, Jr
Date of Birth: 1/23/1986

Provider: Angela Alvarez, DC
Date of Service: 4/22/2024

SUBJECTIVE

PRIMARY COMPLAINT
Left neck

- Sharp, Throbbing pain: 3/10
  Radiates to (posterior) upper back, left shoulder, right shoulder, left arm, right arm, left lower arm, right lower arm, left hand, right hand, left finger, right finger, left scapula and right scapula. Described as occasional (up to 25% of day) of slight intensity (requires some modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's; decreased by ice, heat, rest, Prescribed Pain Medication, OTC's and **Chiropractic care**.
- Pain with motion: 3/10
  Described as occasional (up to 25% of day) of slight intensity (requires some modification to ADL); increased by sleeping, lifting, walking, working, changing positions and ADL's.
- Stiffness: 3/10
  Described as occasional (up to 25% of day) of slight intensity (requires some modification to ADL).
- Radiating: 3/10
  Described as occasional (up to 25% of day) of slight intensity (requires some modification to ADL).
- Sharp/Stabbing: 3/10

SECOND COMPLAINT
Mid back

- Throbbing, Aching pain: 1/10
  Radiates to (posterior) left ribs and right ribs. Described as occasional (up to 25% of day) of slight intensity (requires some modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication, OTC's and **Chiropractic care**.
- Pain with motion: **From 3 to 2/10 (10% decrease)**
  Described as occasional (up to 25% of day) of slight intensity (requires some modification to ADL); increased by standing and changing positions.
- Restriction: **From 3 to 2/10 (10% decrease)**
  Described as occasional (up to 25% of day) of slight intensity (requires some modification to ADL); increased by standing and changing positions.
- Radiating: **From 4 to 2/10 (20% decrease)**
  Described as occasional (up to 25% of day) of slight intensity (requires some modification to ADL); increased by standing and changing positions.

THIRD COMPLAINT
Right hip

- Throbbing, Sharp pain: 2/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving; decreased by ice, heat, rest, Prescribed Pain Medication, OTC's and **Chiropractic care**.
- Pain with motion: 3/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Stiffness: 3/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.
- Sharp/Stabbing: 3/10
  Described as intermittent (up to 50% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by standing, sitting, walking, working and driving.

FOURTH COMPLAINT
Low back

- Sharp pain: 2/10
  Radiates to (posterior) right hip. Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working; decreased by ice, heat, rest, Prescribed Pain Medication, OTC's and **Chiropractic care**.
- Pain with motion: 3/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL); increased by walking and working.
- Stiffness: 3/10
  Described as occasional (up to 25% of day) of minimal to slight intensity (symptom is not alleviated by any amount of modification to ADL).

Patient reports he is currently working and works in maintenance. Pt reports some of his job duties include having to do a lot of walking, lifting, bending, and pulling including refrigerators, water heaters, and bags of trash. Pt reports he is working 50-55 + hours a week 8-9 hours a day.

3/19/24 - Patient notes feeing uncomfortable when trying to get sleep. He notes feeling tingling into both of his legs shooting from his low back.

OBJECTIVE

VITALS
Height: 74 in Weight: 168 lbs BMI: 21.6
Pulse rate: 92 BPM (relaxed)
Blood Pressure (seated): right -N/A left-141/96 mmHg
Demeanor: coherent and relaxed.
General Observations: The patients blood pressure was high today. I did let the patient know to follow up with his medical provider regarding his high blood pressure. Patient states understanding and agreement and that he will.

PALPATORY FINDINGS
Spinal asymmetry/fixation: C6; C7; T4; T7; L2; L3; L4**. No findings: T5**.

Tenderness

Left Side	Right Side

- Cervical Spine **(decreased 35-50% to minimal)**
- Thoracic Spine **(decreased 35-50% to minimal)**
- Lower Back **(decreased 35-50% to minimal)**

- Cervical Spine **(decreased 35-50% to minimal)**
- Thoracic Spine **(decreased 35-50% to minimal)**
- Lower Back **(decreased 35-50% to minimal)**

Spasm/Hypertonicity

Left Side

- Cervical Spine **(decreased 35-50% to minimal)**
- Thoracic Spine **(decreased 35-50% to minimal)**
- Lower Back **(decreased 35-50% to minimal)**

Right Side

- Cervical Spine **(decreased 35-50% to minimal)**
- Thoracic Spine **(decreased 35-50% to minimal)**
- Lower Back **(decreased 35-50% to minimal)**

GAIT

Ambulation: Normal.
Gait: Visual_Limp.

ORTHOPEDIC AND NEUROLOGICAL TESTS

Shoulder depression test, Spinal percussion test-cervical, Spinal percussion test-thoracic, Straight leg raise and Spinal percussion test-lumbar are within normal limits.

REFLEXES

Biceps, Tricep, Brachioradialis, Patellar and Achilles are within normal limits bilaterally.

POSTURE

- Left head rotation **(resolved)**.

RANGE OF MOTION

Cervical ROM - estimated

Test	Measurement	Limited By	Comment
Flexion	**45° (90% of normal, increased by 28%)**	Pain	
Extension	**55° (91% of normal, increased by 37%)**	Pain	

Left lateral flexion, **Right lateral flexion**, **Left rotation** and **Right rotation** are within normal limits.

Lumbar ROM - estimated

Flexion, **Extension**, **Left lateral flexion**, **Right ateral flexion**, **Left rotation** and **Right rotation** are within normal limits.

DERMATOMES

Posterior

Location	Test	Result
Right-Lumbar	2-point-discrimination	Hypoesthesia

Left-Lumbar within normal limits.

Anterior

Location	Test	Result
Left-Cervical	2-point-discrimination	Hypoesthesia
Right-Cervical	2-point-discrimination	Hypoesthesia

3/13/24- Pt reports when his shoulders start to hurt, the pain just travels down. Pt reports when he is working when lifting 180 lb refrigerator uses a dolly for assistance, feels sharp throbbing pain in his neck and back immediately.

3/25/24- Pt reports when he is lifting up to 100 pounds by himself at work and using the dolly , and than it becomes a 2 man lift when he has to climb the stairs, patient reports he feels sharp pain/discomfort in his neck and low back when he has to climb the stairs.

4/1/24- Pt reports when he is walking it aggravates his low back after 10-15 minutes.

4/3/24- Pt reports he went to the specialist yesterday and was evaluated by the medical provider and was prescribed muscle relaxers for his pain/discomfort.

4/8/24- Pt reports he felt throbbing pain/and discomfort in his shoulder blades when he was working today.

ASSESSMENT

Stage of Care: Rehabilitative

DIAGNOSES

1. Sprain of ligaments of cervical spine, initial encounter (S13.4XXA)
2. Strain of muscle, fascia and tendon at neck level, initial encounter (S16.1XXA)
3. Cervicalgia (M54.2)
4. Segmental and somatic dysfunction of cervical region (M99.01)
5. Radiculopathy, cervical region (M54.12)
6. Muscle spasm of back (M62.830)
7. Segmental and somatic dysfunction of thoracic region (M99.02)
8. Sprain of ligaments of lumbar spine, initial encounter (S33.5XXA)
9. Strain of muscle, fascia and tendon of lower back, initial encounter (S39.012A)
10. Other muscle spasm (M62.838)
11. Segmental and somatic dysfunction of lumbar region (M99.03)
12. Radiculopathy, lumbar region (M54.16)
13. Pain in left shoulder (M25.512)
14. Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter (S46.812A)
15. Pain in right shoulder (M25.511)
16. Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter (S46.811A)
17. Pain in right hip (M25.551)
18. Strain of muscle, fascia and tendon of right hip, initial encounter (S76.011A)
19. Tension-type headache, unspecified, not intractable (G44.209)
20. Disorder of ligament, vertebrae (M24.28)
21. Person injured in unspecified motor-vehicle accident, traffic, initial encounter (V89.2XXA)

Patient is **showing maximum medical improvement** since the prior visit, He is **progressing as anticipated**. Intensity is **decreased** since the prior visit.

4/10/24- Pt reports he went to physical therapy yesterday, it was his 4th visit approximately, and feels it is helping him.

4/16/24- Pt reports he got a medical massage yesterday and he feels a little better today.

PLAN

Based on subjective and objective data, today's treatment consists of:

- CMT 3-4 Regions (98941) consisting of Instrument adjusting was provided specifically to C6; C7; T4; T7; L2; L3; L4, to reduce pain reported at initial encounter by 25%.
- Electrical Stimulation (97014) consisting of interferential was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- Mechanical Traction (97012) consisting of intersegmental traction was provided specifically to Back, to reduce pain reported at initial encounter by 25%.
- Therapeutic Exercise (Ea. 15 Min) (97110) consisting of cervical active therapeutic movements, lumbar active therapeutic movements was provided specifically to Neck for 8 minutes (1 unit), to reduce pain reported at initial encounter by 25%, increase pain free range of motion by 25% from initial exam.
- Ice/Heat (97010) consisting of ice pack was provided specifically to Neck, Back, to reduce pain reported at initial encounter by 25%.
- **Established Patient evaluation and management service, 99213, was provided today.**

The patient is being discharged today after a course of care with residual deficits in function from the injuries sustained from their Motor Vehicle Accident.

Patient received care without incident.

(Electronic Signature)
Provider Name: Angela Alvarez, DC
Date: 04/22/2024 04:59 PM