


```
In [1]: import numpy as np
import seaborn as sns
sns.set(style='white')
rs=np.random.RandomState(10)
d=rs.normal(size=50)
sns.displot(d, kde=True,color='g')
```

Out[1]: <seaborn.axisgrid.FacetGrid at 0x1adf3bcd40>



```
In [2]: import pandas as pd
data={'Name': ['VIJAY', 'AJITH', 'JAI', 'SURIYA'], 'Age': [48, 52, 30, 44]}
df=pd.DataFrame(data)
df
```

Out[2]:

	Name	Age
0	VIJAY	48
1	AJITH	52
2	JAI	30
3	SURIYA	44

```
In [11]: import csv
file=open("sample_csv.csv")
type(file)
csvreader=csv.reader(file)
for row in csvreader:
    print(row)
```


```
['Name', 'Age']
['Vijay', '50']
['Ajith', '52']
['Surya', '44']
```

```
In [13]:
```

guments without an explicit keyword will result in an error or misinterpretation.

```
warnings.warn(
```


```
Out[13]: <AxesSubplot:xlabel='Name', ylabel='Age'>
```



```
In [17]: import seaborn
import pandas
data=pandas.read_csv("sample_csv.csv")
seaborn.scatterplot(data['Name'],data['Age'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variables as keyword args: x, y. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
warnings.warn(

Out[17]: <AxesSubplot:xlabel='Name', ylabel='Age'>




```
In [19]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.boxplot(data['Age'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

```
warnings.warn(
```


Out[19]: <AxesSubplot:xlabel='Age'>



```
In [20]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.boxplot(data['Age'], data["Name"])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variables as keyword args: x, y. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
warnings.warn(

Out[20]: <AxesSubplot:xlabel='Age', ylabel='Name'>




```
In [21]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.violinplot(data['Age'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

```
warnings.warn(
```


Out[21]: <AxesSubplot:xlabel='Age'>



```
In [22]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.violinplot(data['Age'], data['Name'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variables as keyword args: x, y. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
warnings.warn(


Out[22]: <AxesSubplot:xlabel='Age', ylabel='Name'>



```
In [24]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.scatterplot(data['Age'], data['Name'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variables as keyword args: x, y. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
warnings.warn(


Out[24]: <AxesSubplot:xlabel='Age', ylabel='Name'>




```
In [25]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.swarmplot(data['Age'], data['Name'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variables as keyword args: x, y. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
warnings.warn(


Out[25]: <AxesSubplot:xlabel='Age', ylabel='Name'>



```
In [26]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.barplot(data['Age'], data['Name'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variables as keyword args: x, y. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
warnings.warn(


Out[26]: <AxesSubplot:xlabel='Age', ylabel='Name'>



```
In [28]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.barplot(data['Age'], data['Name'],data=data)
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variables as keyword args: x, y. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
warnings.warn(


Out[28]: <AxesSubplot:xlabel='Age', ylabel='Name'>



```
In [29]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.pointplot(data['Age'], data['Name'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variables as keyword args: x, y. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
warnings.warn(

Out[29]: <AxesSubplot:xlabel='Age', ylabel='Name'>




```
In [30]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.pointplot(data['Age'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

```
warnings.warn(
```

Out[30]: <AxesSubplot:xlabel='Age'>




```
In [32]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.countplot(data['Age'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn_decorators.py:36: Future Warning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.


```
warnings.warn(
```

Out[32]: <AxesSubplot:xlabel='Age', ylabel='count'>



```
In [33]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.kdeplot(data['Age'])
```

Out[33]: <AxesSubplot:xlabel='Age', ylabel='Density'>




```
In [39]: import seaborn as sns
import pandas
data=pandas.read_csv("sample_csv.csv")
sns.distplot(data['Age'])
```

C:\Users\Naveen S\anaconda3\lib\site-packages\seaborn\distributions.py:2619: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[39]: <AxesSubplot:xlabel='Age', ylabel='Density'>



In []:

