Quotation No : Q24000505

Date : 30-Sep-2024

Diagnochem International
551/5 Handi Gaun, Kathmandu
BUTWAL
NEPAL

Kind Attention : Mr./Ms. Bigyan Aryal

Dear Sir,

We understand that in industry, reliability is not just a requirement,it is the foundation of success.
That is why Absstem Industrial PSA Generator is more than just a product; it is a commitment to excellence, efficiency, and uninterrupted performance.

Every component is designed with precision and innovation, ensuring that each molecule of oxygen and nitrogen is delivered with the utmost purity.

With fully automated operation, our system seamlessly integrates into your processes, reducing manual intervention and maximizing productivity.

Moreover, our industry-leading air ratio ensures that you achieve the highest efficiency, optimizing energy consumption while maintaining peak performance.
And because we believe in standing by our craftsmanship, we offer an unmatched-10 year warranty on sieves, giving you the peace of mind that your investment is protected for the long run.

We have attached the detailed quotation for your review.

Should you have any questions or require further customization to meet your specific needs, please do not hesitate to reach out.

We are here to provide not just a product but a solution that breathes life into your operations.

We look forward to the opportunity to serve you and build a lasting partnership.

Thanks and Regards,

For Absstem Industrial Solutions Pvt. Ltd.


Pramod Kumar
Director
8447642325
www.absstem.com

medo
POWERED BY ABSSTEM HEALTHCARE

Medical Grade Oxygen Generator



PSA Technology



PSA Process explaining oxygen production

Medical Oxygen Generator mainly consists of two adsorbers filled with zeolite molecular sieves. Pressurized air is passed through one of these adsorbers, zeolite having a property to attract nitrogen, adsorbs Nitrogen from air and oxygen is allowed to pass through and move into the storage tank as the final product. As the adsorber approaches saturation, the air is allowed to pass through the other adsorber while this adsorber is being regenerated to ensure a continuous supply of Oxygen. This changeover takes place through a specially designed microcontroller to ensure a hassle-free operation. The quality of oxygen produced is monitored by an Oxygen analyser.

Key Features

- Shipped ready for installation
- 5 minutes to run and never have to stop it!
- Easy installation
- Low operating expenses compared to gas cylinders/liquid oxygen
- Maintenance costs are very less
- Embedded Safety Interlocks
- Space-saving design
- Eliminates all hazards which are there with gas cylinder or liquid oxygen
- Longevity: at least 10 years

Absstem Technologies
Corporate Address: *Plot No. F-591, Sector 8, Phase IV*
IMT Manesar, Gurugram, Haryana-122051
Contact-1800 3010 3394, Email- medo@absstem.com
CIN -AAI-2877

Description

a. Product Name	Oxygen Gas Generator
b. Model Range	**MEDO**
Technology	PSA (Pressure Swing Adsorption)

Specifications

a.	Oxygen Flow Rate	As per Performance Sheet
b.	Oxygen Purity	As per Performance Sheet
c.	Oxygen Delivery Pressure	5.5 Barg (Higher Pressure Options Available)
d.	Ambient conditions	
	Temperature	0 to 50 Deg. Celsius
	Relative Humidity	up to 80 % (Max.)
	Altitude	up to 1000 m above Sea level

Scheme Offered- (PSA Package)

This scheme will comprise of –

- Air package with inlet air filtration system
  (Air compressor, Air dryer, Water Separator, Oil filters)
- Medical Oxygen generator
- Storage Tank
- Oxygen Analyzer
- Alarm panel

Unique Features of absstem

a. All the fabricated items are cleaned and degreased following our strict quality policy.
b. All the Instruments are specially manufactured to make them suitable for oxygen gas.
c. Guaranteed 10+ years of healthy life.
d. We provide the purest **Oxygen** in Industry.
e. Data logging and Graphical Reports for all parameters available.
f. Test certificates of all instruments are available on demand.


Onsite Gas Generation vs Liquid Tank/Cylinder Alternative

Non-stop availability: 24 hours a day, 7 days a week
Easy integration within existing installations
*Your own independent supply of medical gas/ reduce your oxygen cost up to **70 to 80%***
Significant economies for scale and lower operational costs: no rental charges, logistical expenses and bulk user evaporation losses
No safety hazards when handling high-pressure cylinders
Easy integration within existing installations

Absstem Technologies
Corporate Address: *Plot No. F-591, Sector 8, Phase IV*
IMT Manesar, Gurugram, Haryana-122051
Contact-1800 3010 3394, Email- medo@absstem.com
CIN -AAI-2877

Equipment Description

The Medical Oxygen Generator consists of



Air Compressor	An Air compressor is used to compress the atmospheric air to a pressure required for the separation of **oxygen** from the air.
Refrigeration dryer	Compressed air then passes through a refrigerated dryer to remove moisture (which is harmful to sieves) from the air.
Air Tank	Dry air is collected in an air tank to remove the pulsations which serve the dynamic (changing) requirement of air by the PSA system.
Multistage Filtration system	Before air enters the PSA system, it is passed through multistage filtration removing moisture, particulates and oil content to the specified levels.
PSA system	Pressurized air is passed through PSA Towers filled with Molecular sieves to separate **Oxygen** from Air.
Storage Tank	Medical Grade **Oxygen** produced from MEDO is stored in this tank to supply a continuous flow of **Oxygen**.
Oxygen Analyzer	Oxygen produced is monitored by an Oxygen analyser. In case, O2 purity goes below the specified level, it gives an alarm and switches it to vent mode.

HD Touch Screen Display

(User-friendly touch screen interface for easy operation and maintenance)



Absstem medical oxygen generator complies with all medical standards and regulation

- Alarm management system
- Plug and play
- Fully automatic
- Process data display
- Consumables running hours display
- Data logging via USB drive
- Graphical representation

Absstem Technologies
Corporate Address: *Plot No. F-591, Sector 8, Phase IV*
IMT Manesar, Gurugram, Haryana-122051
Contact-1800 3010 3394, Email- medo@absstem.com
CIN -AAI-2877

Additional upgrades

- Digital flow meter with totaliser
- High-pressure oxygen tank
- Cylinder manifold and alarm management system
- Remote monitoring

Plant Operation

- Unit operates 24-hrs a day, 7-days a week reliably, automatically & safely

Automation

- The Plant is fully automatic and needs only electrical power for running the Air compressor
- The machine automatically enters into standby mode when the level in the Storage Tank reaches its set limit. This helps to increase the life of the Air compressor.

International Quality standards

A strict quality procedure, following the leading international pharmacopoeia and medical directives, is followed in the selection of all mechanical and electrical instruments, vessel fabrication and designing of medical oxygen generators.

Itemised Supply description

No.	Item description	Make	Qty
a	Air Compressor with Filters	KAESER (Germany/IR USA)	1 no.
b	Refrigeration Dryer	KAESER (Germany/IR USA)	1 no.
c	Air Tank	ABSSTEM	1 no.
d	Set of Filters	ABSSTEM	1 no.
e	PSA unit (MEDO)	ABSSTEM	1 no.
f	Electrical Power Panel with PLC and cabling	ABSSTEM & MITSUBISHI	1 no.
f	Digital Oxygen Analyzer	ABSSTEM	1 no.
g	Storage Tank	ABSSTEM	1 no.
h	Outlet product gas Filter	ABSSTEM	1 no.

Absstem Technologies
Corporate Address: *Plot No. F-591, Sector 8, Phase IV*
IMT Manesar, Gurugram, Haryana-122051
Contact-1800 3010 3394, Email- medo@absstem.com
CIN -AAI-2877

Project Site-Completion

We provide Drawing and Layout with complete specifications of Civil (Plant Room), Electrical (Power Supply) and CODPS (Pipeline) requirements, post Site-Inspection. It's Hospital responsibility to complete the installation site before dispatch at his own expenses & to confirm the Site-Completion on time, whereas our engineering team will be available round the clock for assistance at every step of the Site-Completion.

1. Selection of the Installation-Site: The Hospital has to finalize the installation site ether indoors or outdoors before the site engineer inspection as per the space requirement. We can design the Plant as per space availability as well.

2. Base-Flooring for Plant: The Hospital has to complete the flooring job as per the dimensions mentioned in drawing and layout of at least 5 to 10 inches high from the ground level to avoid impact of water logging and minimize vibration effect.

3. Plant Room: The Hospital has to construct a ventilated Plant room as per the Drawing and Layout, to protect the unit from Rain/Birds and to maintain the room temperature during peak summer. An existing similar setup would work as well.

4. Electrical Requirements: The hospital has to complete all the electrical requirements like Electrical Cables, MCCB's, UPS, 3-Phase supply with consistent voltage (415V)/SERVO in case of voltage fluctuations, Dual Exhaust System (18"), Earthing/Grounding, and Power Back-Up (DG) Etc.

5. Training of Personal: The Hospital has to submit a list of personnel for operational training at the time of installation and commissioning.

6. Unloading, Lifting & Positioning: The Hospital has to arrange a Crane for unloading and lifting as well as heavy labors for positioning of the plant with own expenses.

7. Transportation/Freight Charges: The Hospital has to bear the Crane/Carrier charges to the service provider on completion on the job.

INSTALLATION & COMMISSIONING:

The hospital has to confirm the readiness of site to dispatch the unit. The "Medical Oxygen Plant" would be supplied on a skid mounted system, ready for the installation. Our Installation and Commissioning engineer will visit before arrival of the Plant for the site inspection, assistance in plant unloading, positioning, and installation-commissioning, performance check- up and training of the operators for operation and maintenance. We will provide you detailed operational manual for the unit post Installation & Commissioning.

Enclosure Panel

- Ergonomically designed metal enclosure with powder-coated finish for longer life.
- High-strength IP-rated panel fittings from Germany for a robust enclosure.
- Fan filters from Rittal are IP-55 rated makes electrical enclosure internal environment dust-free.
- Easy connectivity to any place of installation with req. port connections.
- High-strength base frame designed for higher load and easy transportation.
- Vessels are designed per ASME section VIII DIV I. Vessels are epoxy paint coated which is considered good for longevity and corrosion resistance.
- All electrical items are CE certified with operating voltage at 24 VDC.

Comprehensive Maintenance Contract (CMC)

Our in-house support Absstem shield is 24*7 open and we assure a timely service maintenance schedule. Per the schedule mentioned in the operational manual, we suggest the operator change the filters by following a simple protocol.

It is very easy to change or replace as our commissioning engineer plus our commissioning engineer and tech support office will always guide you about the activity.

Recommendation to the User:

Please keep 10-days emergency back-up cylinders. We've calculated your oxygen requirements strictly as sudden extra oxygen requirements can be backed-up by this emergency back-up. We advise our customers to go for 20-30% higher capacity from the average requirement to avoid neck to neck situation in the peak hours.

Best ROI Guaranteed

ROI within 6 to 18 months when compared to conventional methods

Generator performance depends on the component selection. Our processes make this job easier as all equipment is selected based on more than 3 decades of research. MEDO is a fully automatic (operator-free operation) that ensures peace of mind.

We deliver what we commit!!

Thank You

Absstem Technologies
Corporate Address: *Plot No. F-591, Sector 8, Phase IV*
IMT Manesar, Gurugram, Haryana-122051
Contact-1800 3010 3394, Email- medo@absstem.com
CIN -AAI-2877

Commercial Offer

S No	Item Code	Item Name	Description	HSN	Qty	Unit Price	GST(%)	Amount
1	MedO 03-1	MedO 03	MedO PSA Package	TBD	1	20,40,000.00	0.00	20,40,000.00
2	MedO 06-1	MedO 06	MedO PSA Package	TBD	1	29,64,000.00	0.00	29,64,000.00
3	MedO 25-1	MedO 25	MedO PSA Package	TBD	1	75,42,000.00	0.00	75,42,000.00
							Sub Total	1,25,46,000.00
							Grand Total ()	1,25,46,000.00

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

Terms And Conditions

1.	EXCLUSIONS & CLIENTS SCOPE	All erection / civil work, All Power Cables & Cabling out of battery limit of PSA Plant, Cable Trenches etc. Unloading / Shifting of Gas Plant at Clients site will be in Client Scope. Additional gas piping, cooling water (if required).
2.	SUPERVISION OF ERECTION & COMMISSIONING	There shall be no commissioning charges, however you shall arrange freeTo & Fro Air Ticket, lodging / boarding, and local conveyance for our Engineers during supervision of Installation of Gas Plant at site on free of cost basis. Our Engineers will be there for Supervision only. Any manpower / fitter required for installation work shall be provided by you.
3.	P&F	3% Extra.
4.	Freight	Extra at Actuals.
5.	Insurance	In your Scope.
6.	Payment Terms	50% Advance with your Prestegious Purchase Order and Balance against PI.
7.	Delivery	6-8 Weeks from the PO and Advance. Rest can be confirmed for Availability.
8.	Warranty	We hereby confirm that, our equipment shall have Suppliers warranty for a period of 12 months from the date of Commissioning or 18 months from date of Dispatch whichever is earlier.
9.	GST	As per the Commercial Table.
10.	Remarks	.

Hope you will find our offer in line with your requirement.

Should you require any further clarification/information, please feel free to contact us.

Thanking you, and assuring you of our best attention at all times.

Very Yours truly,

For Absstem Industrial Solutions Pvt. Ltd.

Pramod Kumar

Director

8447642325

www.absstem.com

medo
POWERED BY ABSSTEM HEALTHCARE



On-site Medical Oxygen Generator

ABSOLUTE RELIABILITY FOR LIFE.

Take advantage of next-gen PSA technology

Non-stop availability for 24 hours a day, 7 days a week

Easy integration with existing installations

Independent supply of medical oxygen

Reduced operational cost, no rental charges, logistical expenses and bulk user evaporation losses

World Health Organization compliant PSA Oxygen Plants

ISO 9001:2015 compliant Quality Management Systems (QMS)

ISO 13485:2016 compliant comprehensive QMS for the design and manufacture of medical devices

ISO 14001:2015 compliant effective environmental management system (EMS)

ISO 45001:2018 compliant occupational health and safety management systems




Oxygen purity Specifications

Oxygen concentration	93±3%
CO	< 3 PPM
CO_2	< 168 PPM
SO_2	0 PPM
NO_x	0 PPM
Oil	< 0.08mg/m^3
Dew point	(-) 50^0 Celsius

A mark ahead in certified purity

Medical Oxygen Standard	European Pharmacopoeia (Oxygen 93 percent)	US Pharmacopoeia (USP XXII 93 percent monograph)	Indian Pharmacopoeia	ISO 10083	medo
Oxygen (O_2) concentration	90-96%	90-96%	More than 90%	<90%	93% (±)3%

With the **MedO** Pressure Swing Adsorption (PSA) oxygen generator, you ensure that your hospital, facility, or clinic is using the latest clean technology, where the raw material is ambient air. The cost efficiency of a PSA oxygen generator coupled with the clean-tech, easy-to-install-and-implement solution, make it **the preferred choice** over high pressure cylinders and liquid oxygen tanks.



PSA Process explaining oxygen production

The only raw material MedO uses is atmospheric air

The medical oxygen generator consists of two adsorbers filled with zeolite molecular sieves.

Pressurized air is passed through one of these adsorbers, zeolite having a structure to attract nitrogen, adsorbs nitrogen from air and oxygen is allowed to pass through to the storage tank and is produced as the final product.

As the adsorber approaches saturation, the air is allowed to pass through the other adsorber while this adsorber is being regenerated to ensure a continuous supply of medical oxygen.

This changeover takes place through a specially designed microcontroller to ensure a hassle-free operation. The quality of oxygen produced is continuously monitored by an oxygen analyzer.

Avoid the 5 challenges that hospitals face when trying to maintain a consistent supply of Medical Oxygen

Demand & Supply Gap

The Indian oxygen supply chain is complex and mission-critical. The highly dynamic nature of the market leads to a large gap in supply when demand rises.

Negligence and no Supply

Running out of oxygen is a catastrophe. The whole supply can hinge on vendor performance, response, and stock. Human negligence can lead to frustrating situations.

Remote Location Access

The more remote the hospital location, the greater the transportation and logistical costs.


Unprecedented Price Hikes

Bottled and liquified gases are subject to fluctuating prices.

Storage & Handling Safety Concerns

Pressurized Oxygen cylinders are delicate and need to be handled by a well-trained team to avoid safety concerns.

MedO helps you overcome these challenges that hospitals are currently facing. It is the most viable, sure, and safe choice trusted by many hospitals in India.



MedO's advanced features are an absolute advantage.

Get the desired purity

MedO oxygen concentrations ranging from 90% to 96%

Reliable high flow capacity

The wide product range and gas flows exceeding 3,000 Nm^3/h make these generators ideal for a variety of demanding applications.

Exceptional performance in tough weather conditions

- 24x7 Continuous production
- Show longevity in dust or moisture-laden environment
- Ergonomic design, robust structure and advanced HMI
- Production Breakdown risks and downtimes are nullified

Proven use-cases, it's always Plug and Play

- Fully automated and monitored including the Oxygen sensor
- The only inputs required are air and electricity

Achieve best-in-Class ROI

- Very Low operating expenses
- No additional costs such as order processing, refills and delivery charges



Advanced MedO-Eye with HD Touch Screen Display

- Fully automatic, user-friendly
- Remote monitoring equipped
- Advanced GUI with data monitoring
- Oxygen purity readings in real-time
- Triggered alerts and alarms on any abnormal functionality
- Data storage with external storage capability for audit purposes
  - Can be remotely activated
  - RS232, RS422, USB and Ethernet ports supported

Industry-leading technical features

Highest Quality Zeolite Molecular Sieve (ZMS)

- Very High Density due to packed-bed Technology
- Protected by the process interlocks
- 10 years warranty on ZMS*

Self-protective Monitoring of the Feed Air Quality Parameters

- Pressure
- Temperature
- Pressure dewpoint
- Automatic feed air blow-off in case of contamination

Multistage filtration system

- Filters remove oil and dust particles
- Additional filters drain moisture using an ADV (Automatic Drain Valve)

Automatic start-up

- Eliminates the risk of overflow and ZMS damage

The ultimate energy saver

- Self-regulation and stable purity
- Stand-by mode in case no Oxygen is consumed
- Automatically regulates the requested oxygen pressure and purity

** When the plant is under CMC*

We ensure effecient, reliable, and consistent medical oxygen generation.

Air Compressor
Pulls air in the system

Pre Filter

Refrigeration Dryer
Removes moisture from compressed air

Air Vessel
Minimizes pulsation

Multistage Filtration
Removes dust, oil etc. for non-contamination

PSA System
Nitrogen is removed and Oxygen is processed

Storage tank
Stores and supplies oxygen for use

Outlet Pipe
For Hospital Use

HEPA Filter
High Performance Filter



MedO is perfectly suited for:

- Public & Private Hospitals
- Specialist Clinics
- Veterinary Clinics
- Army Field Hospitals

MedO features

- Best-in-class ROI
- Lowered Operational Cost
- Quiet and silent operation
- Lowered footprint
- Flexibility to upgrade to high purity onsite

Technical Specifications

Relative humidity	Max 95%
Oxygen Flow	2.5 to 3000 - NM^3/hr
Working temperature	- 10°C to 55°C
Power Supply	230 VAC, 50/60 Hz
Inlet air pressure	Min 7.0 barg
O_2 Delivery Pressure	Up to 5.5 barg
Oxygen Dew Point	-50°C (Higher dew point available on demand)
ISO 9001:2015	Certified Quality Management System

- Inlet air as per **ISO 8573.1:2010 - Class 1.4.1**
- **Purity testing done** by NABL APPROVED lab
- Pressure up to **350 kg/cm²g** is available on-demand through oxygen compressors
- **Sound Level of 65 dB** from a distance of 1 meter
- **USB Storage** is there to store parameters values
- **CE-certified electronics** with 24 VDC Operating Voltage
- All tanks are fabricated per **ASME standards**
- **Corrosion-resistant** internal environment for all tanks

Choose the model that best fits your requirements.

MODELS	OXYGEN FLOW CAPACITY		NUMBER OF CYLINDERS / DAY(s)	LIQUID OXYGEN (L)/ DAY
	LPM	NM³/HR		
MedO Prime				
MEDO 1	26	1.6	5	44
MEDO 2	33	2	7	56
MEDO 3	50	3	10	84
MEDO 4	67	4	14	112
MEDO 5	92	5.5	20	154
MEDO 6	108	6.5	23	181
MEDO 7	125	7.5	27	209
MEDO 9	150	9	32	251
MedO Grand				
MEDO 12.5	208	12.5	45	349
MEDO 15	250	15	54	418
MEDO 18	300	18	65	502
MEDO 22	367	22	79	613
MEDO 25	417	25	90	697
MEDO 30	500	30	107	836
MEDO 40	667	40	143	1115
MEDO 50	750	50	161	1255
MedO Plus				
MEDO 65	1084	65	233	1812
MEDO 75	1250	75	269	2091
MEDO 90	1500	90	332	2509
MEDO 110	1834	110	394	3067
MEDO 130	2167	130	466	3624
MEDO 150	2501	150	537	4182
MEDO 200	3334	200	716	5576
MedO Customs				
As per requirement	As per requirement		As per requirement	As per requirement

MedO offers diverse Packaged Solutions




PSA Oxygen Generator

This is a plug-and-play system that is connected to your air compressor and storage tanks.



MedO Skid System

This system comes with an air compressor, multistage filtration system and de-greased storage vessel. This is a complete package with all instruments required for oxygen generation.



High-pressure Oxygen Cylinder Filling System

MedO with an Oxygen Booster Compressor to fill cylinders
Pressure - Up to 150 barg
Filling speed - 8-1000/day

Containerized Mobile PSA Oxygen Generator

Skid-mounted mobile systems with complete piping and interlocking support. They can be transported to any location and designed according to climate conditions and environmental factors.
Note:- Cylinder filling options are available with noise control.





A world-standard plan, with pan-India service.

ABSSTEM Shield gives you the greatest service support.

For every service requirement, our specialized Shield Service Engineer gets in touch as soon as 10 minutes. Fast Response, Trustworthiness, Professional Support, and World-class service options define the Absstem Shield experience.

For specific upgrades, add-on, and customised requirements, please speak to us.

absstem SHIELD

Absstem Shield: Premium Service across India

Absstem is a truly national organization with support available in more than 25 states. As a result, our field service engineers are never far away. We pride ourselves on the swift assistance that keeps your MedO oxygen system performing reliably and efficiently.

- We have CMC solutions that look after your machines for as long as 10 years
- Absstem Shield is available 24/7. We keep spare parts in stock so your machine is up and running as quickly as possible
- Quickest TAT (Turn Around Time) in the industry – Our shield engineer is assigned to you within 10 minutes

What our esteemed customers say...

"This is the very first oxygen generator in Ladakh. We are thoroughly excited and happy to see Indian products like MedO deliver with such perfection."
Government Hospital, Kargil, Ladakh

"It has been wonderful working with Absstem Technologies. They've installed a great product which has been consistently providing perfect medical-grade oxygen purity"
Deen Dayal Upadhayay Zonal Hospital
Shimla, Himachal Pradesh

"We are very happy with the consistent delivery of pure oxygen and the capacity offered by MedO"
Government Medical College
Chandigarh

"The device is great and the after-sales service is remarkable."
Sai Hospital
Haldwani, Uttarakhand

"The engineering service and support team are very professional and efficient. We highly recommend Absstem as a reliable expert in their field. This is the very first oxygen generator on these islands"
Indira Gandhi Hospital
Kavaratti, Lakshadweep

"We are absolutely satisfied with MedO and the team that has been guiding us throughout the process of installation and service"
Geetanjali Hospital
Hisar, Haryana

"Absstem has delivered what was offered. We've managed to reduce our operational expenses drastically after the installation of MedO"
Kainos Super Speciality Hospital
Rohtak, Haryana

"We had recently installed the MedO device at our hospital for in-house oxygen generation. The device has not failed even once until now and their support team is always in contact with us."
Mahatma Gandhi Post Graduate Institute of Dental Sciences
Indira Nagar, Puducherry

"MedO has been performing satisfactorily from the date of its commissioning. We confidently recommend Absstem Technologies"
Mishra Poly Clinic and Research Centre
Darbhanga, Bihar

"We are receiving good engineering services and support in a very professional and efficient manner to our satisfaction"
Civil Hospital
Shillong, Meghalaya

"We are very happy with the installation of MedO. The device has met all our expectations in terms of Purity of Oxygen, Cost Saving and the Capacity offered"
Dr. Imkongliba Memorial District Hospital
Mokokchung, Nagaland

"Our interaction with Absstem technologies has been fantastic. Since the beginning, they have been with us throughout the journey of installation, commissioning and services."
Vanshika Children Hospital
Varanasi, Uttar Pradesh

Robust countrywide presence

- 200+ robust footprint nationwide
- Present in over 31 states & Union Territories
- Our wide service network covers expand to all states

medO
POWERED BY **ABSSTEM HEALTHCARE**

www.absstem.com

Innovation is as essential to our team as oxygen is to life. So how do we constantly innovate? By disrupting the existing category codes. We invest not only in gas separation of the purest grade but also maintain high standards in our after sales service. Pioneering the PSA technology in India, we deal with complete range of gas equipment plants. Keeping the pioneer spirit alive and well, we have become the market leaders in gas separation.

Best known for our presence in the on-site medical oxygen generation in Indian healthcare sector we are also recognised by Dept. of Industrial Policy & Promotion for innovation in the healthcare sector.

absstem
REINVENTING PERFORMANCE

Address: Plot # 591, Sector 8
Phase IV, IMT Manesar
Gurugram, Haryana 122051

TOLL FREE NO. : 1800-3010-3394
+91- 92891 32901, 92891 32902

medo@absstem.com

Find us on info@absstem.com | Sales/Support Number - 1800-3010-3394, 92891 32903

The MedO purity assurance, certified by the best

TUV NORD ISO 9001 · TUV NORD ISO 14001 · TUV NORD ISO 13485 · ISO 45001 · World Health Organization

Copyright © Absstem technologies LLP, all rights reserved. All text, images, graphics, and other material declared on this catalogue are subject to copyright and are intellectual property of Absstem technologies LLP. These materials may not be reproduced, distributed, modified or reposited to any place/document/ print-media /web-media/graphics-media or any other mean without written permission of Absstem technologies LLP.