Quotation No : Q25000393

Date : 07-Oct-2025

ILJIN ELECTRONICS INDIA PVT. LTD.
CCI Logistics Industrial Park, Pollivakkam, SH-57
SRIPERUMPUDUR
TAMILNADU
602002

Kind Attention : Mr./Ms. Harinder Singh / Vishnu Ji

Dear Sir,

We understand that in industry, reliability is not just a requirement,it is the foundation of success.
That is why Absstem Industrial PSA Generator is more than just a product; it is a commitment to excellence, efficiency, and uninterrupted performance.

Every component is designed with precision and innovation, ensuring that each molecule of oxygen and nitrogen is delivered with the utmost purity.

With fully automated operation, our system seamlessly integrates into your processes, reducing manual intervention and maximizing productivity.

Moreover, our industry-leading air ratio ensures that you achieve the highest efficiency, optimizing energy consumption while maintaining peak performance.
And because we believe in standing by our craftsmanship, we offer an unmatched-10 year warranty on sieves, giving you the peace of mind that your investment is protected for the long run.

We have attached the detailed quotation for your review.

Should you have any questions or require further customization to meet your specific needs, please do not hesitate to reach out.

We are here to provide not just a product but a solution that breathes life into your operations.

We look forward to the opportunity to serve you and build a lasting partnership.

Thanks and Regards,

For Absstem Industrial Solutions Pvt. Ltd.

Arifa Zaidi
Assistant Manager Business Development
9218108184
www.absstem.com

Absstem Shield:

Premium Service Across India



Absstem Technologies, a leading gas technology provider and industrial and medical gas generator manufacturer has come up with a new initiative called **Absstem Shield**, under which Annual Maintenance Contracts (AMC) and Comprehensive Maintenance Contracts (CMC) will be offered for oxygen generators. Our Service Plans keep your nitrogen and oxygen generators in excellent shape.

Key Features

- Our AMC/CMC solutions work with **ANY** brand **PSA/VPSA Oxygen & Nitrogen** Generators
- We offer **on-site checkups** for your machines to access and understand your machine's requirement
- **CMC solutions** that look after your machines for as long as **10 years and beyond**
- **24 x 7** access to spare parts
- Quickest TAT (Turnaround time) in the industry.
- Constant touch of our team with your operator on **monthly** basis, ensuring highest uptime in the industry.
- Genuine spares with 6-month warranty
- We provide constant **monitoring** along with **monthly status updates**

Absstem Shield

Our in-house technical shield engineers are in constant contact with the operators every month making sure that the purity levels and output efficiencies are consistent with the requirement you've asked for. Our AMC plans work with ANY brand and either PSA or VPSA oxygen generators and PSA nitrogen generators. We make sure that every service during the AMC period is free-of-charge. If there is a need for part replacement, the only cost you would incur would be that of the spares. AMCs are open 24*7 and assure a timely service maintenance schedule. Our plans include AMCs that include constant monitoring, monthly status updates, on-site visits and one of the quickest turn-around times in the country.

Absstem Shield Premium

Our Comprehensive contracts include anything and everything that your gas generators would require to make sure the output and purity levels are consistent. The CMC plans work with ANY brand and include monthly routine check-ups, on-site deployment of our technical shield engineers, and replacement of consumables at no additional cost. As mentioned before, our CMC plans are open 24x7.

Corporate Address
Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122051
Work Address: Plot No. 222 & 223 Industrial Area
Puth Khurd, New Delhi, Delhi - 110039
Contact: 1800 3010 3394

Features	Shield	Shield Premium
Visit	✓	✓
Consumables	✗	✓
Flexible Payment Options	✓	✓
Genuine Parts	✓	✓
OTR (One-time Resolution)	✓	✓
Service History	✓	✓
24x7 Support	✓	✓
Training	✓	✓
Our Warranty on OEM equipment	✗	✓
Priority Status	✗	✓
Breakdown Visits	Limited	Unlimited
10-year warranty on Sieves	✓	✓

Terms And Conditions

- ### Our Responsibility

  - Check installation and ambient conditions.
  - Maintenance by service engineer based on checklist
  - Documentation of the maintenance results
  - Scheduling the maintenance dates.

- ### Client Responsibility

  - Repair and Maintenance carried out under this contract do not release the user from the prescribed operator level preventive control routines described in the service manual.
  - It is the user's responsibility to make the PSA plant available for preventive maintenance to Absstem Service Engineer on his scheduled visit. Otherwise, such a visit will be charged.
  - The suggestions/recommendations given by our service engineers from time to time on the operation of the PSA Gas Plant shall be implemented by the user.
  - It is the user's responsibility to arrange for inspection/maintenance/repair/ spare part of main incoming power, oxygen or nitrogen pipeline leakages or any other equipment beyond PSA Gas Plant maintained by supplier.

Corporate Address
Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122051
Work Address: Plot No. 222 & 223 Industrial Area
Puth Khurd, New Delhi, Delhi - 110039
Contact: 1800 3010 3394

- Conditions:

  - The Service contract does not apply to any damage caused due to mishandling, neglect, accident, improper application and any repair or maintenance done by an unauthorized person.
  - We are not liable for any damages arising from improper use of the equipment, or failure to follow adequate safety precautions.
  - Proper cleaning of the Air Compressor and PSA Gas Generator should be done as per the maintenance schedule provided to Client. If any damage or operation of equipment is affected due to not following the preventive maintenance schedule given to the Client.
  - Proper/continuous (without fluctuation) incoming power should be provided by the Client. Any equipment damaged due to power fluctuation is not covered under this contract.
  - Separate earthing for PSA Gas Plant and pipeline should be provided by the Hospital. If any equipment is damaged due to the non-availability of separate earthing would not be covered under CMC.
  - The Client should arrange for at least 48 hours of Gas backup after reporting the problem.
  - The service contract for PSA Gas Generators should not be broken under any condition. If the service contract is broken by the user, then the next contract would be made after inspection of the PSA Gas Generator (Chargeable). Any spares or maintenance required before the continuation of the maintenance contract should be done at extra costs if required and would be the sole decision of supplier. We are offering you service contract with an increment of 7% every year.
  - If any maintenance/repair of the PSA Gas Generator is done by an unauthorized person, Service Contract would be void with immediate effect. And another Contract needs to be done after inspection of the machine (chargeable) and it would be sole decision of supplier.
  - Any equipment not covered under contract but is a part of PSA Gas Generator, the supplier is not liable for any services however if required on sole discretion of supplier it can be done on chargeable basis.
  - 10 years warranty on sieves is only applicable if the equipment is covered under Absstem premium and Absstem Shield (recommended consumables are changed as per the schedule given by supplier).
  - Any damages incurred in major equipment due to shot circuit and malfunction are not covered such as motors, electricals and electronics etc.

A world-standard plan, with pan-India service.

Thank You

Corporate Address
Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122051
Work Address: Plot No. 222 & 223 Industrial Area
Puth Khurd, New Delhi, Delhi - 110039
Contact: 1800 3010 3394

Commercial Offer

S No	Item Code	Item Name	Description	HSN	Qty	Unit Price	GST(%)	Amount
1	ASH67	COMPOSITE PIPE D AIR 4050	Spares	3917	60	2,000.00	18.00	1,20,000.00
2	ASH68	COMPOSITE PIPE D AIR 2025 1 INCH	Spares	3917	200	800.00	18.00	1,60,000.00
3	ASH237	BALL VALVE 40MM	Spares	39172110	8	4,000.00	18.00	32,000.00
4	ASH71	BRASS BALL VALVE 3WAY 15MM	Spares	84818090	7	1,600.00	18.00	11,200.00
							Sub Total	3,23,200.00
							GST(%) @18.00	58,176.00
							Grand Total (INR)	3,81,376.00

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

Terms And Conditions

1.	EXCLUSIONS & CLIENTS SCOPE	All erection / civil work, All Power Cables & Cabling out of battery limit of PSA Plant, Cable Trenches etc. Unloading / Shifting of Gas Plant at Clients site will be in Client Scope. Additional gas piping, cooling water (if required).
2.	SUPERVISION OF ERECTION & COMMISSIONING	There shall be no commissioning charges, however you shall arrange freeTo & Fro Air Ticket, lodging / boarding, and local conveyance for our Engineers during supervision of Installation of Gas Plant at site on free of cost basis. Our Engineers will be there for Supervision only. Any manpower / fitter required for installation work shall be provided by you.
3.	P&F	3% Extra.
4.	Freight	Extra at Actuals.
5.	Insurance	In your Scope.
6.	Payment Terms	50% Advance with your Prestegious Purchase Order and Balance against PI.
7.	Delivery	2 Weeks from the PO and Advance. Rest can be confirmed for Availability.
8.	Warranty	We hereby confirm that, our equipment shall have Suppliers warranty for a period of 12 months from the date of Commissioning or 18 months from date of Dispatch whichever is earlier.
9.	GST	As per the Commercial Table.
10.	Remarks	.

Hope you will find our offer in line with your requirement.

Should you require any further clarification/information, please feel free to contact us.

Thanking you, and assuring you of our best attention at all times.

Very Yours truly,

For Absstem Industrial Solutions Pvt. Ltd.

Arifa Zaidi

Assistant Manager Business Development


9218108184

www.absstem.com



JINCOR AIR
BY JINDAL






For Compressed Air, Vacuum and Inert Gas Distribution Systems



Jindal

Jincor Air: Advanced Pipe systems for Industrial Fluids

Compressed Air | Vacuum | Inert Gas



Content

Introduction	**02**
Ease of Installation	02
Advantages	02
Resistant to	02
Jincor Air Technology	**03**
Pipes	04
Fittings	05
Technical Specification	**06**
Dimensions & Thickness	07
Weight & Measurements	07
Salient Features	**08**
Raw Materials	**10**
Piping System - Design	**11**
Overview of Design	11
Information required	11
Determining Pressure Loss	12
Feature Comparison	**13**
Installation Procedure	**14**
Compression fittings	14
Crimp fittings	15
Do's & Don'ts	16
Item List	**18**
Pipe	18
Fittings	18
Tools & Accessories	20
Notes	**21**

Introduction

Jindal group is the largest manufacturer of ERW Pipes, well diversified in various piping systems such as PE-AL-PE Pipes (also known as Multi Layered Composite Pipes or Jindal MLC Pipes), PVC Pipes, UPVC Pipes, HDPE Pipes and CPVC Pipes. These pipes are used for various applications such as Hot & Cold Water supply, Drainage, Irrigation water supply, Borewell water supply and Gas Distribution system.

Jincor Air Piping system are composed of Multi layered composite pipes and a range of different types of fittings. The fittings are available in Brass and Plastic materials and are joint using either compression technique or crimp technique. This provides the customer various options to choose from depending on their budget, requirement and application.

Compressed Air is required in manufacturing and industrial activities for a multitude of applications. It is used to control and regulate appliances and is the driving force for pneumatic drills, conveyors, spray guns, machine tools etc. For these appliances to function correctly it is very important to ensure that the quality of air employed is excellent. In Jincor Air pipes the inner surface of the pipe which comes in direct contact with air is made of polyethylene which unlike metal pipes guarantees absence of rust and impurities formed by condensation that could become detached from the pipe walls. Cleaner Air also means that the filters require less maintenance. Also Jincor Air pipes are suitable for use at high operating pressures of upto 232 psi. Jincor Air Pipes are bendable without springing back and come in coils of upto 200 meters which significantly reduces the number of joints in the piping system.

Jincor Air piping system can be easily and quickly installed, modified or expanded without the need for specialized equipment, providing clean, reliable and long-term performance. The strength of Jindal lies in its quality products and prompt service. For over 50 years Jindal has been a trusted name in the piping industry satisfying customers through its extensive distribution network all over India and worldwide.

10 years
Warranty on
Pipes & Fittings*

EASE OF INSTALLATION

- Pipes and fittings are supplied ready for installation
- No in-depth training required
- No need to weld, glue, fuse or thread
- Time Saving
- Easy to install, handle and Transport
- Light Weight
- Pipes do not require painting
- Can be modified or expanded without the need for Specialized Equipment

RESISTANT TO

- Thermal variations
- Corrosion
- Mineral and Synthetic Compressor Oils
- Acidic condensation
- Fire (retardant)

ADVANTAGES

- Long Working Life
- Low Thermal Conductivity
- Low Thermal linear expansion
- Cleaner Air due to corrosion free surface
- Better flow rate
- Compact Piping system
- Bendable without springing back
- Lower labour cost
- Minimum Fittings


* Subject to Terms & Conditions

Jincor Air Technology

Aluminum Layer

- No Memory - stays where it lays
- High mechanical strength
- High temperature withstanding capability
- High pressure withstanding capability
- Permanent permeation barrier
- Low thermal linear expansion
- Mechanical resistance to deformation

Polyethylene Layer



Polyethylene Layer

- Lightweight
- Corrosion/rust resistant
- Flexible
- Improved air/gas quality
- Scaling resistant
- Condensation resistant
- Food-grade material
- Smooth surface for better flow
- Chemically inert

Adhesive Layer

- Perfectly bonds PE and AL layers
- Absorbs eventual shifting movements Between PE and AL Layers
- Makes the pipe function as a single Component pipe

Jincor Air is an innovative piping system for compressed air and inert gas distribution that uniquely combines all the benefits of plastic and metal in one pipe. Pipes and fittings are joined together using either compression technique or Crimp technique which have various benefits such as Fast and easy installation, no need to weld, glue, fuse or thread. Jincor Air not only extends the life of the system, but significantly reduces leakage that leads to saving of time, labour and operating costs.