TECHNO-COMMERCIAL PROPOSAL

nGEN UH Series – Ultra-High-Purity Nitrogen

Purity-led nitrogen for laser cutting, electronics, pharmaceuticals, and metallurgy (99.99–99.9995%)



PREPARED FOR

Absstem Industrial Solutions

MANESAR : MSR, HARYANA : HR

Kind Attn: Amit Sahni

PROPOSAL DETAILS

QUOTATION NO	**Q26000487**
DATE	**29 Sept 2026**
REVISION	**1**
OFFERED MODEL	**nGEN140UH**
VALID TILL	**29 Oct 2026**

✓ ISO 13485:2016 Certified

✓ Industry-best Air-to-Gas Ratio

✓ IIoT Remote Monitoring

✓ Made in India

Absstem Industrial Solutions Private Limited • https://www.absstem.com • amit.s@absstem.com • 9582499594

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

Absstem's Value Proposition

Quotation No : Q26000487

Date : 29 Sept 2026

Absstem Industrial Solutions
PLOT NO.43,SECTOR-3,
IMT MANESAR
MANESAR : MSR HARYANA : HR

Rev 1
INR

Kind Attention : Amit Sahni

Dear Sir,

We understand that in industry, reliability is not just a requirement, it is the foundation of success. That is why Absstem Industrial PSA Generator is more than just a product; it is a commitment to excellence, efficiency, and uninterrupted performance.

Every component is designed with precision and innovation, ensuring that each molecule of oxygen and nitrogen is delivered with the utmost purity.

With fully automated operation, our system seamlessly integrates into your processes, reducing manual intervention and maximizing productivity.

Moreover, our industry-leading air ratio ensures that you achieve the highest efficiency, optimizing energy consumption while maintaining peak performance. And because we believe in standing by our craftsmanship, we offer an unmatched- 10 year warranty on sieves, giving you the peace of mind that your investment is protected for the long run. We have attached the detailed quotation for your review.

Should you have any questions or require further customization to meet your specific needs, please do not hesitate to reach out.

We are here to provide not just a product but a solution that breathes life into your operations.

We look forward to the opportunity to serve you and build a lasting partnership.

Thanks and Regards,

For Absstem Industrial Solutions Private Limited


Amit Sahni
CHIEF EXECUTIVE OFFICER
9582499594
amit.s@absstem.com
https://www.absstem.com

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

Offered Package

This section provides a concise scope overview. Refer annexures for full technical and compliance details.

Scope of Supply at a Glance



Compressor Package	PSA Generator	Nitrogen Storage Tank
✓ Absstem Supply	✓ Absstem Supply	✓ Absstem Supply



PRIMARY EQUIPMENT

nGEN140UH

nGen Nitrogen Generator Ultra Purity

Qty: 1

Included Package Components

✓	Item	Description	Qty
✓	C132F0890	Compressed Air System	1
✓	AI-6000L	Gas Storage Vessel	1

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

Nitrogen Technical Schedule

nGEN140UH

nGen Nitrogen Generator Ultra Purity

nGEN UH Series – Ultra-High-Purity Nitrogen

Purity-led nitrogen for laser cutting, electronics, pharmaceuticals, and metallurgy (99.99–99.9995%)

The nGEN UH Series is Absstem's ultra-high-purity industrial nitrogen configuration for quality-critical processes such as laser cutting, electronics and semiconductor manufacturing, pharmaceuticals, and metallurgy. UH delivers configurable purity from 99.99% to 99.9995% on the same engineered PSA platform – premium Carbon Molecular Sieve, industry-best air-to-nitrogen ratio, IIoT remote monitoring*, and a 10-year CMS performance warranty. High-pressure booster options support laser cutting and pressure testing applications at 15–40 bar where required.

Technical Specifications

Parameter	Value
Gas Generated	Nitrogen
Gas Pressure	upto 6.5 Barg
FLOW AT 99.99% PURITY	314 Nm3/Hr DRY AIR REQUIRED 887 CFM
FLOW AT 99.995% PURITY	281 Nm3/Hr DRY AIR REQUIRED 993 CFM
FLOW AT 99.999% PURITY	211 Nm3/Hr DRY AIR REQUIRED 993 CFM
COMPRESSED AIR PRESSURE REQUIRED	7.5 Barg
RECOMMENDED NITROGEN STORAGE	6000 Liters
POWER SUPPLY	230 V/ 110 V 50/60 Hz Single Phase
RECOMMENDED AIR RECEIVER	8000 Litres Part of Air System
INPUT AIR DEW POINT MONITOR	INCLUDED
CMS Warranty	10 Years*

Unique Features

- UH purity band 99.99–99.9995% for purity-led industrial applications
- 10-year molecular sieve (CMS) performance warranty – unmatched public commitment among Indian PSA nitrogen competitors
- Industry-best air-to-nitrogen ratio for lower cost per Nm³ at high purity
- Optional high-pressure booster path for laser cutting (15–40 bar)
- IIoT remote monitoring* of purity, pressure, flow, compressor and CMS status
- Designed for continuous manufacturing with automatic idle / auto-restart

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

Features

Item	Details
CMS Type	Premium-grade Carbon Molecular Sieve (kinetic diffusion PSA)
CMS Lifespan	10–12 years standard under normal operating conditions
Inlet Pressure Dew Point	Below 5°C at PSA inlet (maintained by integrated dryer)
CMS Sensitivity	Protected from moisture and oil via Absstem pre-treatment train
Air-to-N_2 Ratio	Industry best – lowest in class at equivalent purity
Operation	Continuous 24×7 | Automatic idle mode | Auto-restart on demand
Certifications	ISO 13485:2016 (TÜV Nord) | ISO 9001:2015 | ISO 14001:2015 | ISO 45001:2018

* IIoT / remote monitoring features are subject to Absstem terms & conditions where marked.

C132F0890
Item code: ACSC132F
Compressed Air System

Compressed Air System – Feed Air Package

Integrated compressor, dryer, and filtration package sized to the PSA plant duty

The Compressed Air System is the feed-air package for the PSA generator. It supplies clean, dry compressed air at the pressure and flow required by the adsorber beds, protecting molecular sieves from oil and moisture while enabling stable purity and continuous plant operation. The package comprises the air compressor with dryer and multi-stage filtration, matched to the dry-air requirement of the offered generator.

Technical Specifications

Parameter	Value
Air Compressor KW	132 KW
Air Compressor Make	Atlas Copco/ Ingersoll Rand/ Gardner Denver/ As per Demand
Air Dryer	Included
Dry Air Storage	7000 Liters Included
Interconnecting Piping	Included
Pre filter	Included
Dry Air Generated	890 CFM
Air Pressure	7.5 Barg
POWER SUPPLY	400 V 3 Phase 50 Hz

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

AI-6000L
Item code: AIS0608ST
Gas Storage Vessel

Gas Storage Vessel – Product Buffer Storage

Pressurised nitrogen / oxygen buffer storage for stable delivery pressure and flow

Gas Storage Vessels provide the product-gas buffer between the PSA generator and the customer process or pipeline. Correct storage volume smooths purity and pressure during adsorption cycle swings, supports peak draw, and improves overall package reliability. Storage capacity is matched to the recommended storage volume for the offered generator and may be supplied as one or more vessels.

Technical Specifications

Parameter	Value
Water Volume	6000 Litres
Gas Stored	Nitrogen/Oxygen
Design Standard	ASME Sec. VIII Div.1 Pressure Vessel Design
Working Pressure	8 Barg
Hydrotest Pressure	13.2 Barg
Accessories Included	Pressure Guage Safety Valve Manual Drain Additional Port for Other Instruments
Material of Construction	IS2062 Gr.B
Gas Stored Volume	39 M3
Corrosion Allowance	1.5 MM

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

Why Absstem

300+
Installations across India

24 States & 6 UTs
Pan-India service network

ISO 13485:2016
Certified by TÜV Nord

Aegis Graham Bell
Award for Innovative Medical Equipment

10-Year*
Molecular sieve performance warranty

Made in India
Designed and manufactured in-house

Complete On-Site PSA Plant
Application study, design, in-house manufacturing, installation, commissioning, operator training and long-term service.

Lowest Operating Cost
Proprietary technology achieving the lowest air-to-gas ratio, which keeps energy cost per Nm³ low.

Certified & Compliant
One of India's only ISO 13485-certified medical oxygen plant manufacturers, meeting Indian and global standards.

Adsorption & PSA Specialists
Continuously optimised PSA cycles and molecular sieve performance for stable purity and long service life.

Reliable 24/7 Supply
Gas generated directly from atmospheric air with consistent purity and pressure and zero cylinder dependency.

R&D-Driven Innovation
Refined operating cycles and next-generation adsorbents for cleaner, more cost-effective gas production.

Trusted by Leading Industries

PEPSICO · Haldiram's · UNO MINDA · KEI Wires & Cables · Phillips · paper boat · LABINDIA · Subros · LAVA MOBILEPHONE · ILJIN · ENKEI · STIRLING

AFTER-SALES CARE – ABSSTEM SHIELD

- AMC and CMC plans for Absstem and other brands
- 4 preventive maintenance visits per year
- Telephonic / remote support within 2–6 hours
- On-site response within 48 hrs (CMC) / 72 hrs (AMC)
- Genuine spares and service report after every visit
- IIoT real-time remote monitoring (add-on)

SIGNIFICANT COST SAVINGS

Up to 80%

savings compared to cylinders or liquid nitrogen

Typical payback within **12–18 months** · Zero transportation and rental charges

Calculate your savings: **absstem.com/calculators**

* The 10-year molecular sieve performance warranty applies to the molecular sieves under Absstem warranty conditions. It is separate from, and does not extend, the equipment warranty stated in the Terms & Conditions of this offer.

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

Nitrogen Commercial Offer

nGEN

Quote No: Q26000487 | **Date:** 29 Sept 2026 | **Revision:** Revision 1 | **Valid Till:** 29 Oct 2026 | **Incoterm:** EXW - Ex Works

Offer Schedule

#	Item	Description	Qty	Unit Rate	HSN	GST	Amount
1	nGEN140UH	nGen Nitrogen Generator Ultra Purity	1	1,46,21,000.00	84051090	18%	1,46,21,000.00
2	C132F0890	Compressed Air System	1	44,40,000.00	84148090	18%	44,40,000.00
3	AI-6000L	Gas Storage Vessel	1	4,00,000.00	73110090	18%	4,00,000.00

SUBTOTAL (EXCL. GST)	**₹ 1,94,61,000.00**
GST @ 18%	**₹ 35,02,980.00**
GRAND TOTAL	**₹ 2,29,63,980.00**

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387

General Terms & Conditions

1. **Payment Terms**

   50% Advance, Balance Against PI.

2. **Freight**

   Extra at Actuals.

3. **P&F**

   3% Extra.

4. **EXCLUSIONS & CLIENT'S SCOPE**

   All erection / civil work, All Power Cables & Cabling out of battery limit of PSA Plant, Cable Trenches etc. Unloading / Shifting of Gas Plant at Client's site will be in Client Scope. Additional gas piping, cooling water (if required).

5. **SUPERVISION OF ERECTION & COMMISSIONING**

   There shall be no commissioning charges, however you shall arrange free To & Fro Air Ticket, lodging / boarding, and local conveyance for our Engineers during supervision of Installation of Gas Plant at site on free of cost basis. Our Engineers will be there for Supervision only. Any manpower / fitter required for installation work shall be provided by you.

6. **Insurance**

   In your Scope.

7. **Delivery**

   8 weeks from order confirmation.

8. **Warranty**

   We hereby confirm that, our equipment shall have Supplier's warranty for a period of 12 months from the date of Commissioning or 18 months from date of Dispatch whichever is earlier.

9. **GST**

   GST as per the commercial table. Final levy shall be reflected as IGST or CGST/SGST at invoice stage based on place of supply.

BANK DETAILS

Account Name	**Absstem Industrial Solutions Private Limited**
Bank	**ICICI BANK LTD**
Branch	**Kamla Nagar**
Account No.	**663305601118**
IFSC	**ICIC0006633**

STATUTORY DETAILS

Company	**Absstem Industrial Solutions Private Limited**
GSTIN	**06AAWCA9492P1ZF**
PAN	**AAWCA9492P**
State Code	**06**

Absstem Industrial Solutions Pvt. Ltd.
Ground Floor, Plot No. 591, Sector 8, Phase IV
IMT Manesar, Gurugram, Haryana - 122052
Contact: 1800 547 0506 | indsales@absstem.com
CIN: U29256HR2022PTC103387