Data integration for campus application

"how do i bring all the data from different websites and apps and integrate them together into a single app for my campus copilot?" *Generated by LeapSpace*

Unified Campus Copilot Integration at a Glance

Key Findings Table

Topic	Practical finding	What it means for your app	Citations
Core architecture	The strongest pattern is a layered or service-oriented architecture with APIs as the main integration layer, separating ingestion, processing, storage, analytics, and presentation.	Build connectors per source, then route data through a shared pipeline instead of point-to-point integrations.	[1] [2] [3] [4]
“Single app” experience	Unified user experience depends on shared identity, SSO, synchronization, notifications, and portal embedding, not just raw data movement.	Treat login, permissions, calendars, alerts, and role-based views as part of integration.	[5] [6] [7] [8]
Data harmonization	Heterogeneous schemas and duplicate identities are major bottlenecks; ETL, canonical schemas, controlled vocabularies, and entity resolution are needed.	Normalize all source data into common campus entities before exposing it to the copilot.	[9] [10] [11] [12]
Scraping vs APIs	API-first is cleaner; scraping is a fallback when no API exists, but it is brittle and raises legal/privacy/data-quality concerns.	Prefer official APIs; scrape only public pages with rate limits, checks, and validation.	[4] [13] [14] [15]
Real-time updates	Event streams and CDC are useful for alerts and changing operational data, but are usually added on top of API/ETL patterns rather than replacing them.	Use streaming only for sources that need freshness, such as events, grades, or notifications.	[2] [16] [17]

Topic	Practical finding	What it means for your app	Citations
Retrieval for copilots	Evidence favors hybrid indexed retrieval and RAG over pure real-time federated search because latency and merge quality limit federated-only approaches.	Build indexes for approved content; combine lexical, dense retrieval, reranking, and citations.	[18] [19] [20] [21] [22] [23]
Governance	FERPA and student privacy expectations constrain architecture; transparency, minimization, scoped access, and oversight are recurring recommendations.	Split public vs private data lanes and enforce least privilege from day one.	[24] [25] [26] [27] [28]

Direct Answer

To bring data from many websites and apps into one campus copilot, use an **API-first integration layer**, not a single giant database dump. Put each source system behind a connector, map its fields into a **canonical campus schema**, link duplicate people and objects across systems, then build a **permissioned search/RAG index** that your copilot queries for answers [1] [4] [9] [22] [23].

A practical build order is:

- **Inventory systems and classify data**: public website content, authenticated student data, operational/event data, and sensitive FERPA-covered records [24] [27].
- **Use APIs first** for LMS, SIS, library, portal, messaging, and SaaS tools where available [3] [4].
- **Use scraping only as fallback** for public pages with no API, with robots/TOS checks, rate limiting, and post-extraction validation [13] [14] [15].
- **Normalize** source fields into shared entities such as Person, Course, Event, Building, Policy, Ticket, and Resource [9] [10].
- **Resolve identity** across systems using blocking, pairwise matching, clustering, and thresholds for duplicates [11] [12].
- **Add event streams/CDC** only where near-real-time updates matter, such as alerts, events, or grade changes [16] [17].
- **Power the copilot with hybrid retrieval**: index documents and metadata, combine lexical and embedding retrieval, rerank results, and return citations [20] [21] [22] [23].
- **Enforce SSO, role-based access, minimization, consent-aware access, and retention controls** from the start [6] [8] [25] [28].

Taken together, the evidence suggests the best design is **selective centralization**: centralize metadata, identity, and search indexes, while leaving operational systems authoritative and decentralized [28] [29] [30].

Confidence level: High - this answer is directly supported by repeated architectural, retrieval, and governance patterns across the provided evidence set [1] [4] [9] [21] [28].

Study Scope

Domain covered: higher-education campus platforms, student-facing apps, data integration, retrieval/RAG, and privacy governance [1] [20] [27].

Methods represented: architectural case studies, reviews, system implementations, integration papers, retrieval experiments, and governance/policy analyses [21] [29] [31] [32].

Time emphasis: mostly modern campus integration and assistant patterns from roughly 2018-2025, plus older foundational integration and retrieval methods where relevant [2] [17] [22].

Primary systems in scope: LMS, SIS, portals, library apps, web content, cloud learning systems, and distributed campus databases [33] [34] [35].

Assumptions & Limitations

The evidence is much stronger on **architecture patterns** than on head-to-head operational benchmarks such as maintenance effort or end-to-end freshness [36] [37] [38].

The sources do **not** provide validated campus-specific duplicate thresholds or match-feature recipes for linking students across SIS, library, directory, and support systems [11] [12] [39].

Federated search evidence discusses ranking and latency constraints, but explicit recall/freshness measurements are limited in the provided set [19] [38] [40].

Suggested Further Research

Benchmark API-first, ETL, federated, and streaming approaches on common campus systems using shared metrics such as latency, freshness, reliability, and maintenance cost [29] [36].

Develop campus-specific canonical schemas spanning LMS, SIS, housing, dining, transit, library, and student support [10] [30].

Evaluate entity-resolution pipelines on real university identity-linking datasets with ground truth [39] [41].

Run end-to-end studies of campus RAG systems measuring retrieval accuracy, hallucination rate, latency, and citation usefulness together [20] [21].

Translate privacy and FERPA requirements into concrete connector patterns for consent, retention, deletion, and scoped retrieval [24] [28] [42].

Designing a Unified Campus Copilot: Full Report

Foundational Context

A campus copilot is not just a chatbot on top of a website. In the evidence here, it is better understood as a **stack** with four distinct layers: **source systems**, **integration pipelines**, **normalized data/metadata**, and **retrieval/assistant interfaces** [1] [2] [43].

The key problem is that campus information typically sits in isolated systems: LMS, academic records, library systems, portal content, departmental websites, messaging tools, and operational apps [44] [45] [46]. Research repeatedly describes fragmented workflows and siloed datasets as a core cause of inefficiency, making unification

References

Semerikov, S.O., Vakaliuk, T.A., Mintii, I.S., (...), Moiseienko, N.V. (2025) Immersive cloud-based mobile learning tools in higher education: a systematic review of integration frameworks and implementation strategies. *CEUR Workshop Proceedings*. https://www.scopus.com/pages/publications/105019301976

Du, Z., Li, J., Xiao, Z., (...), Luo, W. (2020) Construction of a campus Q&A platform based on big data and microservice architecture. *Journal of Physics: Conference Series*. https://doi.org/10.1088/1742-6596/1682/1/012051

Alfarisy, M., Suhardi, Muhamad, W. (2024) Designing a Service-Oriented Platform on Digital Campus Using SCSE Framework. *2024 International Conference on Information Technology Systems and Innovation, ICITSI 2024 - Proceedings*. https://doi.org/10.1109/ICITSI65188.2024.10929391

Kumar, P., Kumar, R. (2026) Scrutinizing Stand-Alone and Web-Based Database Architectures and API Integration. *AI for Environmental Innovation and Stewardship*. https://doi.org/10.1201/9781003544388-5

Rainisch, Bethany K. W., Dahlman, Linn, Vigil, Jorge, Forster, Myriam (2022) Using a multi-module web-app to prevent substance use among students at a Hispanic Serving Institution: development and evaluation design. *BMC Public Health*. https://doi.org/10.1186/s12889-022-13428-x

https://www.sciencedirect.com/science/article/pii/S3004926126004070

de Castro Fernández, J.-P., Álvarez-Álvarez, S. (2023) Integration of Campus Virtual and Mobile Applications for an Enhanced Academic Experience. *Proceedings - JICV 2023: 13th International Conference on Virtual Campus*. https://doi.org/10.1109/JICV59748.2023.10565704

Hu, J., Sun, Q., Chen, H. (2010) Application of Single sign-on (SSO) in digital campus. *Proceedings - 2010 3rd IEEE International Conference on Broadband Network and Multimedia Technology, IC-BNMT2010*. https://doi.org/10.1109/ICBNMT.2010.5705185

Huang, Taoying, Shenoy, Pareen J., Sinha, Rajni, (...), Flowers, Christopher R. (2009) *Cancer Informatics*. https://doi.org/10.4137/CIN.S940

Baker, K.S., Chandler, C.L. (2008) Enabling long-term oceanographic research: Changing data practices, information management strategies and informatics. *Deep-Sea Research Part II: Topical Studies in Oceanography*. https://doi.org/10.1016/j.dsr2.2008.05.009

Kardeş, H., Konidena, D., Agrawal, S., (...), Sun, A. (2013) Graph-based approaches for organization entity resolution in MapReduce. *Proceedings of TextGraphs@EMNLP 2013: The 8th Workshop on Graph-Based Methods for Natural Language Processing*. https://www.scopus.com/pages/publications/85081790312

Vidhya, K.A., Geetha, T.V. (2018) Entity resolution framework using rough set blocking for heterogeneous web of data. *Journal of Intelligent and Fuzzy Systems*. https://doi.org/10.3233/JIFS-17946

Brown, Megan A, Gruen, Andrew, Maldoff, Gabe, (...), Zimmer, Michael (2025) Web scraping for research: Legal, ethical, institutional, and scientific considerations. *Big Data & Society*. https://doi.org/10.1177/20539517251381686

Trezza, Domenico (2023) To scrape or not to scrape, this is dilemma. The post-API scenario and implications on digital research. *Frontiers in Sociology*. https://doi.org/10.3389/fsoc.2023.1145038

Najafi, A., Iannucci, L., Kivelä, M., Varol, O. (2026) Social Media Data Toolkit: Standardization and pseudonymization of social network datasets. *Online Social Networks and Media*. https://doi.org/10.1016/j.osnem.2026.100356

Sanjana, N., Raj, S., Vishalakshi, H., Sandhya, S. (2023) Real-time Event Streaming for Financial Enterprise System with Kafka. *2023 3rd Asian Conference on Innovation in Technology, ASIANCON 2023*. https://doi.org/10.1109/ASIANCON58793.2023.10270532

Hompes, B., Dees, M. (2025) Detecting and Mitigating the Event Log Mutability Problem: At the Dutch Employee Insurance Agency (UWV). *Business Process Management Cases Vol. 3: Implementation in Practice*. https://doi.org/10.1007/978-3-031-80793-0_5

Ghansah, B., Wu, S. (2015) Distributed Information Retrieval: Developments and strategies. *International Journal of Engineering Research in Africa*. https://doi.org/10.4028/www.scientific.net/JERA.16.110

Abercrombie, S.E. (2008) Evaluation of federated searching options for the school library. *School Library Media Research*. https://www.scopus.com/pages/publications/54949130194

Wei, Shuoyang, Hu, Ankang, Wang, Zhiqun, (...), Qiu, Jie (2025) RTPhy-ChatBot: A RAG-Based intelligent assistant for radiotherapy physics using LLaMA3 and AAPM reports. *Journal of Applied Clinical Medical Physics*. https://doi.org/10.1002/acm2.70263

Nitishkumar, R.J., Ranjini, R. (2026) LearnForge: An AI-Powered Intelligent Learning Assistant with RAG-Based Document Intelligence. *2026 2nd International Conference on Intelligent Systems and Computational Networks, ICISCN 2026*. https://doi.org/10.1109/ICISCN67954.2026.11566245

Robertson, S., Zaragoza, H. (2009) The probabilistic relevance framework: BM25 and beyond. *Foundations and Trends in Information Retrieval*. https://doi.org/10.1561/1500000019

Karpukhin, V., Oğuz, B., Min, S., (...), Yih, W.-T. (2020) Dense passage retrieval for open-domain question answering. *EMNLP 2020 - 2020 Conference on Empirical Methods in Natural Language Processing, Proceedings of the Conference*. https://www.scopus.com/pages/publications/85118435873

Hillison, W., Pacini, C., Williams, P.F. (2000) Confidentiality of student records in the electronic frontier: Professors' and administrators' obligations. *Journal of Accounting Education*. https://doi.org/10.1016/S0748-5751(01)00003-3

Mohd Amin, M.R., Ismail, I., Sivakumaran, V.M. (2025) Revolutionizing Education with Artificial Intelligence (AI)? Challenges, and Implications for Open and Distance Learning (ODL). *Social Sciences and Humanities Open*. https://doi.org/10.1016/j.ssaho.2025.101308

Schwerter, J., Sabel, L., Bose, J., (...), Doebler, P. (2026) Cross-course generalizability of SRL-aligned predictive models using digital learning traces. *Computers and Education*. https://doi.org/10.1016/j.compedu.2026.105670

Nissenbaum, H. (2004) Privacy as contextual integrity. *Washington Law Review*. https://www.scopus.com/pages/publications/1842538795

Gürsoy, M.E., Inan, A., Nergiz, M.E., Saygín, Y. (2017) Privacy-Preserving Learning Analytics: Challenges and Techniques. *IEEE Transactions on Learning Technologies*. https://doi.org/10.1109/TLT.2016.2607747

Halevy, A.Y., Ashish, N., Bitton, D., (...), Sikka, V. (2005) Enterprise information integration: Successes, challenges and controversies. *Proceedings of the ACM SIGMOD International Conference on Management of Data*. https://doi.org/10.1145/1066157.1066246

Kudrass, T. (2006) Integrated university information systems. *ICEIS 2006 - 8th International Conference on Enterprise Information Systems, Proceedings*. https://www.scopus.com/pages/publications/77953893597

Bieberstein, N., Bose, S., Walker, L., Lynch, A. (2005) Impact of service-oriented architecture on enterprise systems, organizational structures, and individuals. *IBM Systems Journal*. https://doi.org/10.1147/sj.444.0691

Blackmon, S.J., Major, C.H. (2023) Inclusion or infringement? A systematic research review of students' perspectives on student privacy in technology-enhanced, hybrid and online courses. *British Journal of Educational Technology*. https://doi.org/10.1111/bjet.13362

Torres-Pérez, P., Méndez, E., Orduna-Malea, E. (2016) Mobile Web Adoption in Top Ranked University Libraries: A Preliminary Study. *Journal of Academic Librarianship*. https://doi.org/10.1016/j.acalib.2016.05.011

Sebaaly, M. (2019) Digital Transformation and Quality, Efficiency, and Flexibility in Arab Universities. *Major Challenges Facing Higher Education in the Arab World: Quality Assurance and Relevance*. https://doi.org/10.1007/978-3-030-03774-1_8

Liang, X.X., Wang, S.M., Wei, C.G., Shen, C. (2014) University heterogeneous data source integration middleware design based on XML. *Applied Mechanics and Materials*. https://doi.org/10.4028/www.scientific.net/AMM.543-547.2937

Bouras, A., Naseem, H., Agouni, A., (...), Al-Maadeed, M. (2025) Research Management: Evolving Reporting and Scoring Capabilities in Research Tracking Systems for Higher Education Institutions. *EPiC Series in Computing*. https://doi.org/10.29007/sqvh

Aulia, A.H., Prasetyo, N.A. (2025) Integrating Moodle API for Student Performance Monitoring on Android Using the Rapid Application Development (RAD) Method. *Proceedings - 2025 11th International Conference on Education and Technology: Personalized AI for Digital Well-being: Bridging Technology and Humanity, ICET 2025*. https://doi.org/10.1109/ICET67257.2025.11290869

Avrahami, T.T., Yau, L., Si, L., Callan, J. (2006) The FedLemur project: Federated search in the real world. *Journal of the American Society for Information Science and Technology*. https://doi.org/10.1002/asi.20283

Nanayakkara, C., Christen, P., Christen, V. (2025) Unsupervised Evaluation of Entity Resolution. *Journal of Data and Information Quality*. https://doi.org/10.1145/3721985

Demeester, T., Trieschnigg, D., Nguyen, D., (...), Hiemstra, D. (2014) Overview of the TREC 2014 Federated Web Search Track. *23rd Text REtrieval Conference, TREC 2014 - Proceedings*. https://www.scopus.com/pages/publications/85040309591

Niknam, M., Minaei-Bidgoli, B., Dianat, R. (2022) The role of transitive closure in evaluating blocking methods for dirty entity resolution. *Journal of Intelligent Information Systems*. https://doi.org/10.1007/s10844-021-00676-3

Prinsloo, P., Slade, S. (2015) Student privacy self-management: Implications for learning analytics. *ACM International Conference Proceeding Series*. https://doi.org/10.1145/2723576.2723585

Guu, K., Lee, K., Tung, Z., (...), Chang, M.-W. (2020) REALM: Retrieval-Augmented language model pre-training. *37th International Conference on Machine Learning, ICML 2020*. https://www.scopus.com/pages/publications/85098427544

Moura, R., Bernardino, J. (2011) Integration Moodle and academics systems. *Proceedings of the 6th Iberian Conference on Information Systems and Technologies, CISTI 2011*. https://www.scopus.com/pages/publications/80052438749

Chen, W. (2021) Restructure of Data Mining Based Delicacy Management Platform for College Students. *Advances in Intelligent Systems and Computing*. https://doi.org/10.1007/978-3-030-51431-0_65

Stewart, T.R., Baker, J.D. (2009) A Case Study of an Integrated University Portal. *Database Technologies: Concepts, Methodologies, Tools, and Applications: Volumes 1-4*. https://doi.org/10.4018/978-1-60566-058-5.ch075