RAJALAKSHMI ENGINEERING COLLEGE

Jeeva Prasath V 251001094-2025-IT JP

Started on	Tuesday, 29 September 2026, 8:32 AM
State	Finished
Completed on	Tuesday, 29 September 2026, 8:44 AM
Time taken	11 mins 43 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a	g	**g**	**t**	**a**	**b**
s2	**g**	x	**t**	x	**a**	y	**b**

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab azb	2

Answer: (penalty regime: 0 %)

```
#include <stdio.h>
#include <string.h>
int main() {
    char s1[1000], s2[1000];
    scanf("%s",s1);
    scanf("%s",s2);
    int n = strlen(s1);
    int m = strlen(s2);
    int dp[n + 1][m + 1];
    for(int i=0;i<=n;i++){
        dp[i][0]=0;
    }
    for(int j = 0; j <= m; j++) {
        dp[0][j]=0;
    }
    for (int i = 1; i <= n; i++) {
        for (int j = 1; j <= m; j++) {
            if (s1[i-1]==s2[j-1]){
                dp[i][j]=dp[i-1][j-1]+1;
            }
            else {
                dp[i][j]=(dp[i-1][j]>dp[i][j-1])
                          ? dp[i-1][j]
                          : dp[i][j-1];
            }
        }
    }
    printf("%d\n",dp[n][m]);
    return 0;
}

```

	Input	Expected	Got	
✔	aab azb	2	2	✔
✔	ABCD ABCD	4	4	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course