Keep Alive

- Description
- Headers
- URL Definition
- Response structure
- Status values
- Error values
- Call sample
- Keep Alive success

Description

You can use Keep Alive to extend the session timeout period. The minimum session time is currently **20 minutes (Italian Exchange)**. On the **international (.com) Exchange** the current session time is **4 hours**. Therefore, you should request Keep Alive within this time to prevent session expiry. If you don't call Keep Alive within the specified timeout period, the session will expire. **Please note:** Session times aren't determined or extended based on API activity.

Headers

Name	Description	Sample
Accept (mandatory)	Header that signals that the response should be returned as JSON	application/json
X-Authentication (mandatory)	Header that represents the session token that needs to be keep alive	Session Token
X-Application (optional)	Header the Application Key used by the customer to identify the product.	App Key

The presence of the "Accept: application/json" header will signal that the service should respond with JSON and not an HTML page

URL Definition

International jurisdictions:

https://identitysso.betfair.com/api/keepAlive

Spanish jurisdiction

https://identitysso.betfair.es/api/keepAlive

Romania jurisdiction:

https://identitysso.betfair.ro/api/keepAlive

Parameters - NONE

Response structure

```
{
    "token":"<token_passed_as_header>",
    "product":"product_passed_as_header",
    "status":"<status>",
    "error":"<error>"
}
```

Status values

SUCCESS FAIL

Error values

INPUT_VALIDATION_ERROR
INTERNAL_ERROR
NO_SESSION

Call sample

```
# full request
curl -k -i -H "Accept: application/json" -H "X-Application: AppKey" -H "X-
Authentication: <token>" https://identitysso.betfair.com/api/keepAlive
```

You can use Keep Alive to extend the session timeout period. The minimum session time is currently 20 minutes (Italian Exchange). On the international (.com) Exchange the current session time is 4 hours. Therefore, you should request Keep Alive within this time to prevent session expiry. If you don't call Keep Alive within the specified timeout period, the session will expire. Session times aren't determined or extended based on API activity.

Keep Alive success

```
curl -k -i -H "Accept: application/json" -H "X-Application: AppKey" -H "X-
Authentication: SESSIONTOKEN" https://identitysso.betfair.com/api/keepAli
ve

{
    "token":"SESSIONTOKEN",
    "product":"AppKey",
    "status":"SUCCESS",
    "error":""
}
```