

studentDB> use studentDB
already on db studentDB
studentDB> db.createCollection("students")
{ ok: 1 }
studentDB> show collections
students
studentDB>

```
studentDB> db.students.insertOne({
|       name: "Jeevanantham",
|       age: 20,
|       course: "AI & Data Science",
|       status: "ongoing"
| })
{
  acknowledged: true,
  insertedId: ObjectId('6abbbcedd1944170f0499467')
}
studentDB> db.students.find()
[
  {
    _id: ObjectId('6abbbcedd1944170f0499467'),
    name: 'Jeevanantham',
    age: 20,
    course: 'AI & Data Science',
    status: 'ongoing'
  }
]
studentDB>
```

```
studentDB> db.students.find()
[
  {
    _id: ObjectId('6abbbcedd1944170f0499467'),
    name: 'Jeevanantham',
    age: 20,
    course: 'AI & Data Science',
    status: 'ongoing'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'ongoing'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499469'),
    name: 'Kavin',
    age: 20,
    course: 'Java Full Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'ongoing'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946b'),
    name: 'Rahul',
    age: 19,
    course: 'Python',
    status: 'ongoing'
  }
]
studentDB>
```

```
studentDB> db.students.find({
|       course: "MERN Stack"
|   })
[
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'ongoing'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'ongoing'
  }
]
```

```
studentDB> db.students.updateOne(
|     { name: "Arun" },
|     { $set: { status: "completed" } }
| )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
studentDB> db.students.find({
|     name: "Arun"
| })
[
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  }
```

```
studentDB> db.students.updateMany(
|     { status: "ongoing" },
|     { $set: { status: "active" } }
| )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 3,
  modifiedCount: 3,
  upsertedCount: 0
}
studentDB> db.students.find()
[
  {
    _id: ObjectId('6abbbcedd1944170f0499467'),
    name: 'Jeevanantham',
    age: 20,
    course: 'AI & Data Science',
    status: 'active'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499469'),
    name: 'Kavin',
    age: 20,
    course: 'Java Full Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
```

```
studentDB> db.students.deleteOne({
|     name: "Rahul"
| })
{ acknowledged: true, deletedCount: 1 }
studentDB> db.students.find()
[
  {
    _id: ObjectId('6abbbcedd1944170f0499467'),
    name: 'Jeevanantham',
    age: 20,
    course: 'AI & Data Science',
    status: 'active'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499469'),
    name: 'Kavin',
    age: 20,
    course: 'Java Full Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'active'
  }
]
```

```
studentDB> db.students.find({
|     age: { $gt: 20 }
| })
[
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'active'
  }
]
studentDB> db.students.find({
|     age: { $lt: 21 }
| })
[
  {
    _id: ObjectId('6abbbcedd1944170f0499467'),
    name: 'Jeevanantham',
    age: 20,
    course: 'AI & Data Science',
    status: 'active'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499469'),
    name: 'Kavin',
    age: 20,
    course: 'Java Full Stack',
    status: 'completed'
```

```
studentDB> db.students.find({
|       course: {
|           $in: ["MERN Stack", "Java Full Stack"]
|       }
| })
[
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499469'),
    name: 'Kavin',
    age: 20,
    course: 'Java Full Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'active'
  }
]
```

```
studentDB> db.students.find({
|       $and: [
|             { age: { $gt: 19 } },
|             { course: "MERN Stack" }
|       ]
| })
[
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'active'
  }
]
```

```
studentDB> db.students.find({
|     $or: [
|         { course: "MERN Stack" },
|         { course: "Java Full Stack" }
|     ]
| })
[
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499469'),
    name: 'Kavin',
    age: 20,
    course: 'Java Full Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'active'
  }
```

```
studentDB> db.students.find({
|     status: { $exists: true }
| })
[
  {
    _id: ObjectId('6abbbcedd1944170f0499467'),
    name: 'Jeevanantham',
    age: 20,
    course: 'AI & Data Science',
    status: 'active'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499468'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f0499469'),
    name: 'Kavin',
    age: 20,
    course: 'Java Full Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abbbd62d1944170f049946a'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'active'
  }
```

```
]
studentDB> db.students.deleteMany({})
{ acknowledged: true, deletedCount: 4 }
studentDB> db.students.find()
```

```
ibraryDB> db.books.find()
[
  {
    _id: ObjectId('6abbc19bd1944170f049946c'),
    title: 'The Alchemist',
    author: 'Paulo Coelho',
    category: 'Fiction',
    price: 300,
    available: true
  },
  {
    _id: ObjectId('6abbc19bd1944170f049946d'),
    title: 'Clean Code',
    author: 'Robert C. Martin',
    category: 'Programming',
    price: 500,
    available: true
  },
  {
    _id: ObjectId('6abbc19bd1944170f049946e'),
    title: 'Java Programming',
    author: 'Herbert Schildt',
    category: 'Programming',
    price: 450,
    available: false
  }
]

ibraryDB> db.books.find({
    category: "Programming"
})
[
  {
    _id: ObjectId('6abbc19bd1944170f049946d'),
    title: 'Clean Code',
    author: 'Robert C. Martin',
    category: 'Programming',
    price: 500,
    available: true
  },
  {
    _id: ObjectId('6abbc19bd1944170f049946e'),
```

```
libraryDB> db.books.updateOne(
|     { title: "Clean Code" },
|     { $set: { available: false } }
| )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
libraryDB> db.books.find({
|     title: "Clean Code"
| })
[
  {
    _id: ObjectId('6abbc19bd1944170f049946d'),
    title: 'Clean Code',
    author: 'Robert C. Martin',
    category: 'Programming',
    price: 500,
    available: false
  }
]
libraryDB> db.books.find({
|     available: true
| })
[
  {
    _id: ObjectId('6abbc19bd1944170f049946c'),
    title: 'The Alchemist',
    author: 'Paulo Coelho',
    category: 'Fiction',
    price: 300,
    available: true
  }
]
libraryDB>
```