

write a Scala program which produces all values from an Array after removing duplicates

```
scala> val arr=Array(1,2,1,3,5,6,5,2)
val arr: Array[Int] = Array(1, 2, 1, 3, 5, 6, 5, 2)
```

```
scala> arr.distinct.foreach(println)
1
2
3
5
6
```

create a Map of price for a number of shopping items you want. Now create another map from it with a same key, but prices slashed by 10%

```
scala> val items=Map("Rice"->100,"dal"->50,"Milk"->30)
val items: scala.collection.immutable.Map[String,Int] = Map(Rice -> 100, dal -> 50, Milk -> 30)
```

```
scala> val disitems=items.map{case(item,price)=>(item,price*0.9)}
val disitems: scala.collection.immutable.Map[String,Double] = Map(Rice -> 90.0, dal -> 45.0, Milk -> 27.0)
```

```
scala> println(items)
Map(Rice -> 100, dal -> 50, Milk -> 30)
```

```
scala> println(disitems)
Map(Rice -> 90.0, dal -> 45.0, Milk -> 27.0)
```

write a function minmax(values:Array[Int]) which returns a pair of minimum and maximum values of an array passed to it

```
scala> def minmax(values:Array[Int]):(Int,Int)={ (values.min,values.max)}
def minmax(values: Array[Int]): (Int, Int)
```

```
scala> val arr=Array(1,4,5,10,3,25)
val arr: Array[Int] = Array(1, 4, 5, 10, 3, 25)
```

```
scala> val ans=minmax(arr)
val ans: (Int, Int) = (1,25)
```

```
scala> println("Minimum: "+ans._1)
Minimum: 1
```

```
scala> println("Maximum: "+ans._2)
```

Repeat the above exercise as a procedure which prints the min and max values of an array

```
scala> val arr=Array(1,2,1,3,5,6,5,2)
val arr: Array[Int] = Array(1, 2, 1, 3, 5, 6, 5, 2)
```

```
scala> arr.min
val res4: Int = 1
```

```
scala> arr.max
val res5: Int = 6
```