

- **Frequency:** Do not take it more than once in 24 hours.
- **Alcohol:** Avoid alcohol as it may increase side effects like dizziness and fainting.
- **Driving Caution:** Avoid driving or operating heavy machinery until you know how it affects you, as dizziness or drowsiness may occur.
- **Blood Pressure:** Rise slowly from sitting or lying positions to avoid dizziness from sudden drops in blood pressure.
- **Consultation:** Inform your doctor if you've had a heart attack, stroke, or heart failure in the last 6 months, Report priapism (erection lasting over 4 hours) immediately to avoid long-term damage.
- **Hydration:** Stay hydrated to manage dry mouth and dizziness.

Frequently Asked Questions



Q. How long does Sildenafil + Dapoxetine take to work?

It typically starts working within 30 minutes, and the effects may last for 4-5 hours.

Q. Can I drive after taking Sildenafil + Dapoxetine?

No, avoid driving as the medication may cause dizziness or drowsiness.

Q. Can it cause dryness of the mouth?

Yes, dry mouth is a possible side effect. Stay hydrated and use lip balm if needed.

Q. What precautions should I take while using Sildenafil + Dapoxetine?

Inform your doctor if you have heart conditions, recent heart surgery, or uncontrolled blood pressure, Avoid combining it with nitrates or medications that lower blood pressure.

Q. How should I store Sildenafil + Dapoxetine?

Store in its original container, tightly closed, as per the label instructions. Keep away from pets and children.

Q. Can I use Sildenafil + Dapoxetine daily?

No, it should only be used as needed, and not more than once every 24 hours. Consult your doctor for further guidance.

1 item added

[View Cart >](#)



Home



Offers



Notification



Profile