

# Rajalakshmi Engineering College

Name: Jeevaveni S  
Email: 241501076@rajalakshmi.edu.in  
Roll no: 241501076  
Phone: 9342214985  
Branch: REC  
Department: I AIML AD  
Batch: 2028  
Degree: B.E - AI & ML

Scan to verify results



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

### REC\_DS using C\_Week 7\_COD\_Question 4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Develop a program using hashing to manage a fruit contest where each fruit is assigned a unique name and a corresponding score. The program should allow the organizer to input the number of fruits and their names with scores.

Then, it should enable them to check if a specific fruit, identified by its name, is part of the contest. If the fruit is registered, the program should display its score; otherwise, it should indicate that it is not included in the contest.

##### ***Input Format***

The first line consists of an integer N, representing the number of fruits in the contest.

The following N lines contain a string K and an integer V, separated by a space, representing the name and score of each fruit in the contest.

The last line consists of a string T, representing the name of the fruit to search for.

### **Output Format**

If T exists in the dictionary, print "Key "T" exists in the dictionary.".

If T does not exist in the dictionary, print "Key "T" does not exist in the dictionary.".

Refer to the sample outputs for the formatting specifications.

### **Sample Test Case**

Input: 2  
banana 2  
apple 1  
Banana

Output: Key "Banana" does not exist in the dictionary.

### **Answer**

```
#include<stdio.h>
#include<string.h>
#define MAX_FRUITS 15
#define MAX_NAME_LEN 21
typedef struct{
    char name[MAX_NAME_LEN];
    int score;
}Fruit;
int main(){
    int n,i;
    char searchName[MAX_NAME_LEN];
    Fruit fruits[MAX_FRUITS];
    int found=0;
    scanf("%d",&n);
    for(i=0;i<n;i++){
        scanf("%s %d",fruits[i].name,&fruits[i].score);
```

```
}
scanf("%s",searchName);
for(i=0;i<n;i++){
    if(strcmp(fruits[i].name,searchName)==0){
        found=1;
        break;
    }
}
if(found){
    printf("Key \"%s\" exists in the dictionary.\n",searchName);
}else{
    printf("Key \"%s\" does not exist in the dictionary.\n",searchName);
}
return 0;
}
```

**Status :** Correct

**Marks :** 10/10