

ACR933ZA - Lista Títulos Liquidados

 Tempo aproximado para leitura: superior a 15 minutos

Documento de API

Produto:	Datasul
Ocorrência:	Documentação de API
Nome Físico	prgfin/acr/acr933za

Objetivo

Listar os títulos liquidados do Contas a Receber.

Parâmetros de Entrada

- tt_faixa_selecao:** será utilizado para a busca dos títulos de acordo com as faixas informadas;
- tt_selec_tipo_especie:** será utilizado para buscar os títulos de acordo com o tipo de espécie informados;
- tt_selec_transacao_tit:** será utilizado para as informações referentes seleção;
- tt_parametros_tit:** Conterá as informações referentes aos parâmetros.

Parâmetros de Saída

- tt_tit_acr_liquidac_period:** Retorna os títulos liquidados no período.
- tt_total_liquidac_period:** Retorna os totais de acordo com a classificação escolhida (Por Matriz, Por Cliente, Por Estabelecimento, Por Unidade de Negócio, Por Espécie e Por Representante).
- tt_erro_msg:** Retorna os erros ocorridos durante o processamento da API.

Funcionamento

```
A sintaxe para executar a API/BO em modo persistente é:
DEFINE VARIABLE v_hdl_aux AS HANDLE NO-UNDO.
RUN prgfin\acr\acr933za.py PERSISTEN SET v_hdl_aux.
RUN pi_main_api_tit_acr_liquidac_2 IN v_hdl_aux(INPUT TABLE tt_faixa_selecao,
Input TABLE tt_selec_tipo_especie,
Input table tt_selec_transacao_tit,
Input table tt_parametros_tit,
OUTPUT table tt_tit_acr_liquidac_period,
OUTPUT TABLE tt_total_liquidac_period,
OUTPUT TABLE tt_erro_msg).
DELETE PROCEDURE v_hdl_aux.
```

A variável denominada v_hdl_aux irá receber o “handle” do programa, permitindo o acesso aos “métodos” internos da API.

Tabelas Temporárias

Tabela Temporária	Descrição	Entrada/Saída
tt_faixa_selecao	Conterá as informações da faixa para a busca dos títulos.	Entrada

(*) A partir da 5.07A o estabelecimento passa a ter cinco dígitos.

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
Ttv_cod_estab_ini	character	X(03)/X(05)*	Estabelecimento Inicial		
Ttv_cod_estab_fim	character	X(03)/X(05)*	Estabelecimento Final		
Ttv_cod_unid_negoc_ini	character	X(03)	Unidade de Negocio Inicial		
Ttv_cod_unid_negoc_fim	character	X(03)	Unidade de Negocio Final		
Ttv_cod_espec_docto_ini	Character	X(03)	Espécie Docto Inicial		
Ttv_cod_espec_docto_fim	Character	X(03)	Espécie Docto Final		
Ttv_cdn_cliente_ini	Integer	>>>, >>>, >>9	Cliente Inicial		
Ttv_cdn_cliente_fim	Integer	>>>, >>>, >>9	Cliente Final		
Ttv_cod_grp_clien_ini	character	X(04)	Grupo Cliente Inicial		
Ttv_cod_grp_clien_fim	character	X(04)	Grupo Cliente Final		
Ttv_dat_cr_inic	Date	99/99/9999	Data Credito Inicial		
Ttv_dat_cr_fim	date	99/99/9999	Data Credito Final		
Ttv_dat_transacao_ini	Date	99/99/9999	Data Transação Inicial		
Ttv_dat_transacao_fim	date	99/99/9999	Data Transação Final		
Ttv_dat_emis_docto_ini	Date	99/99/9999	Data Emissão Inicial		
Ttv_dat_emis_docto_fim	date	99/99/9999	Data Emissão Final		
Ttv_cod_refer_ini	Character	X(10)	Referencia Inicial		
Ttv_Cod_refer_fim	Character	X(10)	Referencia Final		
Ttv_cdn_repres_ini	Integer	>>>, >>9	Representante Inicial		
Ttv_cdn_repres_fim	Integer	>>>, >>9	Representante Final		
Ttv_cod_portador_ini	character	X(05)	Portador Inicial		
Ttv_cod_portador_fim	character	X(05)	Portador Final		
Ttv_cod_cart_bcia_ini	Character	X(03)	Carteira Bancaria Inicial		
Ttv_cod_cart_bcia_fim	Character	X(03)	Carteira Bancaria Final		
Ttv_cdn_clien_matriz_ini	Integer	>>>, >>>, >>9	Cliente Matriz Inicial		
Ttv_cdn_clien_matriz_fim	Integer	>>>, >>>, >>9	Cliente Matriz Final		
Ttv_Cod_proces_export_ini	Character	X(12)	Processo Exportação Inicial		
Ttv_cod_proces_export_fim	Character	X(12)	Processo Exportação Final		

```
def temp-table tt_faixa_selecao no-undo
    field ttv_cod_estab_ini          as character format "x(3)" label "Estabelecimento" column-label "Estab Inicial"
```

field ttv_cod_estab_fim as character format "x(3)" label "até" column-label "Estab Final"

field ttv_cod_unid_negoc_ini as character format "x(3)" label "Unid Negócio" column-label "Unid Neg"

field ttv_cod_unid_negoc_fim as character format "x(3)" label "até" column-label "Final"

field ttv_cod_espec_docto_ini as character format "x(3)" label "Espécie" column-label "Código Inicial"

field ttv_cod_espec_docto_fim as character format "x(3)" label "até" column-label "Código Final"

field ttv_cdn_cliente_ini as Integer format ">>>,>>>,>>9" initial 0 label "Cliente" column-label "Cliente Inicial"

field ttv_cdn_cliente_fim as Integer format ">>>,>>>,>>9" initial 0 label "até" column-label "Cliente Final"

field ttv_cod_grp_clien_ini as character format "x(4)" label "Grupo Cliente" column-label "Grupo Cliente"

field ttv_cod_grp_clien_fim as character format "x(4)" label "até" column-label "Grupo Cliente"

field ttv_dat_cr_inic as date format "99/99/9999" label "Data Crédito" column-label "Data Crédito"

field ttv_dat_cr_fim as date format "99/99/9999" label "Data Crédito" column-label "Data Crédito"

field ttv_dat_transacao_ini as date format "99/99/9999" initial today label "Data Transação" column-label "Data Transação"

field ttv_dat_transacao_fim as date format "99/99/9999" initial today label "até" column-label "Final"

field ttv_dat_emis_docto_ini as date format "99/99/9999" initial today label "Data Emissão" column-label "Emissão"

field ttv_dat_emis_docto_fim as date format "99/99/9999" initial today label "até" column-label "até"

field ttv_cod_refer_ini as character format "x(10)" label "Referência" column-label "Referência"

field ttv_cod_refer_fim as character format "x(10)" label "até" column-label "Referência Final"

field ttv_cdn_repres_ini as Integer format ">>>,>>9" initial 0 label "Representante" column-label "Repres Inicial"

field ttv_cdn_repres_fim as Integer format ">>>,>>9" initial 0 label "até" column-label "Repres Final"

field ttv_cod_portador_ini as character format "x(5)" label "Portador" column-label "Portador Inicial"

field ttv_cod_portador_fim as character format "x(5)" label "até" column-label "Portador Final"

field ttv_cod_cart_bcia_ini as character format "x(3)" label "Carteira" column-label "Carteira"

field ttv_cod_cart_bcia_fim as character format "x(3)" label "até" column-label "Carteira"

field ttv_cdn_clien_matriz_ini as Integer format ">>>,>>>,>>9" initial 0 label "Cliente Matriz" column-label "Cliente Matriz"

field ttv_cdn_clien_matriz_fim as Integer format ">>>,>>>,>>9" initial 0 label "até" column-label "até"

field ttv_cod_proces_export_ini as character format "x(12)" label "Processo Exportação" column-label "Proc Exp Inicial"

field ttv_cod_proces_export_fim as character format "x(12)" label "até" column-label "Proc Exp Final".

Tabela Temporária	Descrição	Entrada/Saída
tt_selec_tipo_especie	Conterá as informações da seleção do tipo de espécie	Entrada

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
Ttv_log_mostra_normal	logical	Yes/no	Normal		
Ttv_log_mostra_antecip	logical	Yes/no	Antecipação		
Ttv_log_mostra_prev	logical	Yes/no	Previsão		
Ttv_log_mostra_cheq	logical	Yes/no	Cheque		
Ttv_log_mostra_aviso_db	logical	Yes/no	Aviso Débito		
Ttv_log_mostra_docto_vendedor	logical	Yes/no	Vendedor		
Ttv_log_mostra_docto_vdr_repac	logical	Yes/no	Vendedor Repactuado		

```
def temp-table tt_selec_tipo_especie no-undo
  field ttv_log_mostra_normal as logical format "Sim/Não" initial yes label "Normal"
```

field ttv_log_mostra_antecip as logical format "Sim/Não" initial no label "Antecipação" column-label "Antecipação"

field ttv_log_mostra_prev as logical format "Sim/Não" initial no label "Previsão"

field ttv_log_mostra_cheq as logical format "Sim/Não" initial yes label "Cheque" column-label "Cheque"

field ttv_log_mostra_aviso_db as logical format "Sim/Não" initial yes label "Aviso Débito" column-label "Aviso Débito"

field ttv_log_mostra_docto_vendor as logical format "Sim/Não" initial yes label "Vendor" column-label "Vendor"

field ttv_log_mostra_docto_vdr_repac as logical format "Sim/Não" initial no.

Tabela Temporária	Descrição	Entrada/Saída
tt_selec_transacao_tit	Conterá as informações referentes seleção.	Entrada

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
Ttv_log_mostra_liquidac_normal	logical	Yes/no	Liquidação Normal		
Ttv_log_mostra_liquidac_antecip	logical	Yes/no	Liquidação contra AN		
Ttv_log_mostra_liquidac_renegoc	logical	Yes/no	Liquidação Renegociação		
Ttv_log_mostra_liq_entro_cta	logical	Yes/no	Liquidação Encontro de Contas		
Ttv_log_mostra_perda_dedut	logical	Yes/no	Liquidação Perdas Dedutíveis		
ttv_log_transf_estab_liq	logical	Yes/no	Liquidação Transferência Estab		
Ttv_log_mostra_acerto_val_cr	logical	Yes/no	Liquidação Acerto de Valor		
Ttv_log_mostra_acerto_val_menor	logical	Yes/no	Liquidação Acerto Valor Menor		
Ttv_log_mostra_devol	logical	Yes/no	Devolução		
Ttv_log_mostra_recuper_perda	logical	Yes/no	Recup Perda dedut		

def temp-table tt_selec_transacao_tit no-undo

field ttv_log_mostra_liquidac_normal as logical format "Sim/Não" initial no label "Liquidação Normal"

field ttv_log_mostra_liquidac_antecip as logical format "Sim/Não" initial no label "Liquidação contra AN"

field ttv_log_mostra_liquidac_renegoc as logical format "Sim/Não" initial no label "Liquid Renegociação"

field ttv_log_mostra_liq_entro_cta as logical format "Sim/Não" initial yes label "Liq Encontro Ctas" column-label "Liq Encontro Ctas"

field ttv_log_mostra_perda_dedut as logical format "Sim/Não" initial no label "Liquid Perda Dedut" column-label "Liquid Perda Dedut"

field ttv_log_mostra_transf_estab_liq as logical format "Sim/Não" initial no label "Liq Transf Estab" column-label "Liq Transf Estab"

field ttv_log_mostra_acerto_val_cr as logical format "Sim/Não" initial no label "Acerto Valor a CR"

field ttv_log_mostra_acerto_val_menor as logical format "Sim/Não" initial no label "Acerto Valor a Menor"

field ttv_log_mostra_devol as logical format "Sim/Não" initial no label "Devolução"

field ttv_log_mostra_recuper_perda as logical format "Sim/Não" initial yes label "Recup Perda Dedut".

Tabela Temporária	Descrição	Entrada/Saída
tt_parametros_tit	Conterá as informações referentes aos parâmetros.	Entrada

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
Ttv_loq_liquidac_estordo_ctbz	logical	Yes/no	Que Contabilizam		

Ttv_log_liq_estordo_nao_ctbz	logical	Yes/no	Não Contabilizam		
Ttv_loq_impr_ped	logical	Yes/no	Impr Todos Pedidos		
Ttv_ind_impres_histor_2	character	X(08)	Histórico		
Ttv_cod_finalid_econ	character	X(10)	Finalidade Econômica		
Ttv_cod_finalid_econ_apres	character	X(10)	Finalidade Economica Apresentação		
Ttv_dat_cotac_indic_econ	date	99/99/9999	Data Cotação		
ttv_ind_classif	character	X(35)	Classificação(Por Matriz, Por Cliente, Por Estabelecimento, Por Unidade de Negócio, Por Espécie e Por Representante)		
ttv_log_lista_tit_cobr_espec	logical	Yes/no	Lista Títulos de Cobrança Especial		

```
def temp-table tt_parametros_tit no-undo
  field ttv_log_liquidac_estordo_ctbz  as logical format "Sim/Não" initial no label "Que Contabilizam" column-label "Estornados Contabil"
  field ttv_log_liq_estordo_nao_ctbz  as logical format "Sim/Não" initial no
  field ttv_log_impr_ped                as logical format "Sim/Não" initial yes label "Impr Todos Pedidos" column-label "Impr Todos Pedidos"
  field ttv_ind_impres_histor_2        as character format "X(08)" initial "Do Sistema" label "Histórico"
  field ttv_cod_finalid_econ           as character format "x(10)" label "Finalidade Econômica" column-label "Finalidade Econômica"
  field ttv_cod_finalid_econ_apres     as character format "x(10)" initial "Corrente" label "Finalid Apresentação" column-label "Finalid
Apresentação"
  field ttv_dat_cotac_indic_econ       as date format "99/99/9999" initial today label "Data Cotação" column-label "Data Cotação"
  field ttv_ind_classif                as character format "X(35)" initial "Por Título" label "Classif Detalhe"
  field ttv_log_lista_tit_cobr_espec   as logical format "Sim/Não" initial no label "Lista Títulos de Cob" column-label "Lista Títulos de Cob".
```

Tabela Temporária	Descrição	Entrada/Saída
tt_tit_acr_liquidac_period	Conterá as informações referentes ao Títulos liquidados no período.	Saída

(*) A partir da 5.07A o estabelecimento passa a ter cinco dígitos.

(**) Liberado o número de documento com 16 posições e série com 5, a partir de maio/2011.

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
Tta_cod_estab	character	X(03)/X(05)*	Estabelecimento		
Tta_cod_espec_docto	character	X(03)	Espécie Documento		
Tta_cod_ser_docto	character	X(03)/X(05)**	Serie Documento		
Tta_cod_tit_acr	character	X(10)/X(16)**	Titulo		
Tta_cod_parcela	character	X(02)	Parcela		
Tta_cdn_cliente	Integer	>>>,>>>,>>9	Cliente		
Ttv_nom_pessoa_cli	character	X(40)	Nome		
Tta_cod_portador	character	X(05)	Portador		
Ttv_nom_pessoa_portad	character	X(24)	Nome Portador		
Tta_cdn_repres	Integer	>>>,>>9	Representante		
Ttv_nom_pessoa_rep	character	X(40)	Nome Representante		
Tta_cod_cart_bcia	character	X(03)	Carteira		

Ttv_dat_vencto_tit_acr_aux	date	99/99/9999	Data Vencimento		
Ttv_dat_cr_movto_tit_acr_aux	date	99/99/9999	Data Credito		
Tta_dat_ems_docto	date	99/99/9999	Data Emissão		
Tta_ind_trans_acr_abrev	character	X(04)	Trans Abrev		
Ttv_cod_unid_negoc_acr	character	X(03)	Unidade Negocio		
Tta_num_id_tit_acr	integer	999999999	Token Cta Receber		
Ttv_ind_ndebito_gerad	character	X(03)	AD		
Ttv_log_acumul_atraso	logical	Yes/no			
Ttv_cod_dwb_field_rpt	character	X(32)	Conjunto		
Ttv_row_tit_acr	rowid				
Ttv_nom_abrev	character	X(15)	Nome Abreviado		
Tta_des_espec_docto	character	X(40)	Descrição Especie		
Tta_cod_refer	character	X(10)	Referencia		
Tta_num_id_movto_tit_acr	integer	999999999	Token Movto Tit Acr		
Ttv_val_movto_tit_acr_2	decimal	->>>>>>, >>9.99	Valor Movimento		
Ttv_val_antecip_2	decimal	->>>>, >>9.99	Valor Antecipado		
Ttv_val_bcia_fim_2	decimal	->>>>, >>9.99	Descto/Abatim		
Ttv_val_multa_juros_cm_2	decimal	->>>>, >>9.99	Correção Monetaria		
Ttv_val_liq_movto_tit_acr_2	decimal	->>>>>>, >>9.99	Valor Liquido		
Ttv_val_pend_2	decimal	->>>>, >>9.99	Valor Pendente		
Ttv_val_tot_retid	decimal	>>>, >>>, >>9.99	Retenções		
Ttv_dat_liquidac_tit_acr	date	99/99/9999	Liquidação		
Ttv_val_cheque	decimal	->>>, >>>, >>9.99	Valor Cheque		
Tta_cod_grp_clien	character	X(04)	Grupo Cliente		
Ttv_cb3_ident_visual	character	X(20)	Numero Plaqueta		
Ttv_dat_ult_aprop_despes_financ	date	99/99/9999	Ult Aprop desp Fin		
Ttv_dat_trans_tit_acr_aux	date	99/99/9999			
Tta_cb3_ident_visual	character	X(20)	Numero Plaqueta		
Tta_cdn_clien_matriz	integer	>>>, >>>, >>9	Cliente Matriz		
Ttv_val_original	decimal	->>>>>>, >>>, >>9.99	Valor Original		
Ttv_cod_proces_export	character	X(12)	Processo Exportação		
Ttv_log_soma_val_origin	logical	Yes/no			
Ttv_des_histor_lancto	character	X(40)	Historico (Original, Do Sistema, Não lista		
ttv_val_tot_multa_tit_acr	Decimal	->>, >>>, >>>, >>9.99	Valor Total Multa		
ttv_val_tot_juros	Decimal	->>, >>>, >>>, >>9.99	Valor Total Juros		
ttv_val_tot_cm_tit_acr	Decimal	->>, >>>, >>>, >>9.99	Valor Total CM		
ttv_val_tot_despes_bcia	Decimal	->>, >>>, >>>, >>9.99	Valor Total Despesas Bancarias		

ttv_val_tot_desc_acr	Decimal	-->, >>>, >>>, >>9.99	Valor Total Desconto		
ttv_val_tot_abat_tit_acr	decimal	-->, >>>, >>>, >>9.99	Valor Total Abatimento		

def temp-table tt_tit_acr_liquidac_period no-undo

```

field tta_cod_estab          as character format "x(3)" label "Estabelecimento" column-label "Estab"
field tta_cod_espec_docto    as character format "x(3)" label "Espécie Documento" column-label "Espécie"
field tta_cod_ser_docto      as character format "x(3)" label "Série Documento" column-label "Série"
field tta_cod_tit_acr        as character format "x(10)" label "Título" column-label "Título"
field tta_cod_parcela        as character format "x(02)" label "Parcela" column-label "Parc"
field tta_cdn_cliente        as Integer format ">>>, >>>, >>9" initial 0 label "Cliente" column-label "Cliente"
field ttv_nom_pessoa_cli     as character format "x(40)" label "Nome" column-label "Nome"
field tta_cod_portador       as character format "x(5)" label "Portador" column-label "Portador"
field ttv_nom_pessoa_portad  as character format "x(24)"
field tta_cdn_repres         as Integer format ">>>, >>9" initial 0 label "Representante" column-label "Representante"
field ttv_nom_pessoa_rep     as character format "x(40)" label "Nome" column-label "Nome"
field tta_cod_cart_bcia      as character format "x(3)" label "Carteira" column-label "Carteira"
field ttv_dat_vencto_tit_acr_aux as date format "99/99/9999" label "Data Vencimento" column-label "Vencimento"
field ttv_dat_cr_movto_tit_acr_aux as date format "99/99/9999" label "Data Crédito" column-label "Crédito"
field tta_dat_emis_docto     as date format "99/99/9999" initial today label "Data Emissão" column-label "Dt Emissão"
field tta_ind_trans_acr_abrev as character format "X(04)" label "Trans Abrev" column-label "Trans Abrev"
field ttv_cod_unid_negoc_acr  as character format "x(3)" label "Unid Negócio" column-label "Un Neg"
field tta_num_id_tit_acr     as integer format "9999999999" initial 0 label "Token Cta Receber" column-label "Token Cta Receber"
field ttv_ind_ndebito_gerad   as character format "X(03)" label "AD" column-label "AD"
field ttv_log_acumul_atraso   as logical format "Sim/Não" initial no
field ttv_cod_dwb_field_rpt   as character extent 13 format "x(32)" label "Conjunto" column-label "Conjunto"
field ttv_row_tit_acr        as rowid
field ttv_nom_abrev          as character format "x(15)" label "Nome Abreviado" column-label "Nome Abrev"
field tta_des_espec_docto     as character format "x(40)" label "Descrição Espécie" column-label "Descrição"
field tta_cod_refer          as character format "x(10)" label "Referência" column-label "Referência"
field tta_num_id_movto_tit_acr as integer format "9999999999" initial 0 label "Token Movto Tit ACR" column-label "Token Movto Tit ACR"
field ttv_val_movto_tit_acr_2 as decimal format "->>>>>>, >>9.99" decimals 2 label "Val Movimento" column-label "Val Movimento"
field ttv_val_antecip_2      as decimal format "->>>>, >>9.99" decimals 2 label "Val Antecipado" column-label "Val Antecipado"
field ttv_val_bcia_fim_2     as decimal format "->>>>, >>9.99" decimals 2 label "Descto/Abatim" column-label "Descto/Abatim"
field ttv_val_multa_juros_cm_2 as decimal format "->>>>, >>9.99" decimals 2 label "Corr Monet" column-label "Corr Monet"
field ttv_val_liq_movto_tit_acr_2 as decimal format "->>>>>>, >>9.99" decimals 2 label "Valor Líquido" column-label "Valor Líquido"
field ttv_val_pend_2         as decimal format "->>>>, >>9.99" decimals 2 label "Valor Pendente" column-label "Mult Calc"
field ttv_val_tot_retid      as decimal format ">>>, >>>, >>9.99" decimals 2 label "Retenções" column-label "Retenções"
field ttv_dat_liquidac_tit_acr as date format "99/99/9999" initial ? label "Liquidação" column-label "Liquidação"
field ttv_val_cheque         as decimal format "->>>, >>>, >>9.99" decimals 2 label "VI Cheque" column-label "Valor Cheque"
field tta_cod_grp_clien      as character format "x(4)" label "Grupo Cliente" column-label "Grupo Cliente"
field ttv_cb3_ident_visual   as Character format "x(20)" initial ? label "Número Plaqueta" column-label "Número Plaqueta"
field ttv_dat_ult_aprop_despes_financ as date format "99/99/9999" initial ? label "Últ Aprop Desp Fin" column-label "Últ Aprop Desp Fin"

```

27/09/2025, 07:56

ACR933ZA - Lista Títulos Liquidados - Linha Datasul - TDN

field ttv_dat_trans_tit_acr_aux

as date format "99/99/9999"

field tta_cb3_ident_visual

as Character format "x(20)" initial ? label "Número Plaqueta" column-label "Número Plaqueta"

field tta_cdn_clien_matriz

as Integer format ">>>>>>>9" initial 0 label "Cliente Matriz" column-label "Cliente Matriz"

field ttv_val_original

as decimal format "->>>>>>>>>9.99" decimals 4 initial 0 label "Valor Original" column-label "Valor Original"

field ttv_cod_proces_export

as character format "x(12)" label "Processo Exportação" column-label "Processo Exportação"

field ttv_log_soma_val_origin

as logical format "Sim/Não" initial no

field ttv_des_histor_lancto

as character format "x(40)" label "Histórico" column-label "Histórico"

field ttv_val_tot_multa_tit_acr

as decimal format "->>>>>>>>>9.99" decimals 2 label "Vlr Total Multa"

field ttv_val_tot_juros

as decimal format "->>>>>>>>>9.99" decimals 2 label "Total Juros/Capit" column-label "Total Juros/Capit"

field ttv_val_tot_cm_tit_acr

as decimal format "->>>>>>>>>9.99" decimals 2 label "Vlr Total CM"

field ttv_val_tot_despes_bcia Bancária"

as decimal format "->>>>>>>>>9.99" decimals 2 label "Despesa Bancária" column-label "Despesa Bancária"

field ttv_val_tot_desc_acr

as decimal format "->>>>>>>>>9.99" decimals 2 label "Total Desconto" column-label "Total Desconto"

field ttv_val_tot_abat_tit_acr

as decimal format "->>>>>>>>>9.99" decimals 2 label "Vlr Total Abatimento"

index tt_liquid_period_id

is primary unique

tta_cod_estab

ascending

ttv_cod_unid_negoc_acr

ascending

tta_num_id_tit_acr

ascending

tta_num_id_movto_tit_acr

ascending.

Tabela Temporária	Descrição				Entrada/Saída
tt_total_liquidac_period	Conterá as informações referentes aos valores totais de acordo com a classificação escolhida.				Saída

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
Ttv_ind_classif	character	X(35)	Classificação(Por Matriz, Por Cliente, Por Estabelecimento, Por Unidade Negócio, Por Espécie e Por Representante)		
Ttv_cod_codigo	character	X(08)	Código de acordo com a classificação		
Ttv_val_tot_movto_tit_acr	decimal	->>>>>>>>>9.99	Valor Total Movimento		
Ttv_val_tot_antecip	Decimal	->>>>>>>>>9.99	Valor Total Antecipado		
Ttv_val_tot_bcia_fim	Decimal	->>>>>>>>>9.99	Valor Total Correção monetária		
Ttv_val_tot_multa_juros_cm	decimal	->>>>>>>>>9.99	Valor Total Multa/Juros		
Ttv_val_tot_liq_movto_tit_acr	decimal	->>>>>>>>>9.99	Valor Total Liquido		
Ttv_val_tot_pend	decimal	->>>>>>>>>9.99	Valor Total Pend.		
Ttv_val_tot_retid	decimal	>>>>>>>>>9.99	Valor Total Retenções		
Ttv_val_tot_cheq	decimal	->>>>>>>>>9.99	Valor Total Cheque		
Ttv_val_tot_origin	decimal	->>>>>>>>>9.99	Valor Total Original		

```
def temp-table tt_total_liquidac_period no-undo
  field ttv_ind_classif      as character format "X(35)" initial "Por Título" label "Classif Detalhe"
  field ttv_cod_codigo      as character format "x(8)"
  field ttv_val_tot_movto_tit_acr    as decimal format "->>, >>>, >>>, >>9.99" decimals 2
  field ttv_val_tot_antecip    as decimal format "->>, >>>, >>>, >>9.99" decimals 2 label "Total Antecipação" column-label "Total Antecipação"
  field ttv_val_tot_bcia_fim    as decimal format "->>, >>>, >>>, >>9.99" decimals 2
  field ttv_val_tot_multa_juros_cm  as decimal format "->>, >>>, >>>, >>9.99" decimals 2 label "Multa/Juros/CM" column-label "Multa/Juros/CM"
  field ttv_val_tot_liq_movto_tit_acr as decimal format "->>, >>>, >>>, >>9.99" decimals 2
  field ttv_val_tot_pend      as decimal format "->>, >>>, >>>, >>9.99" decimals 2
  field ttv_val_tot_retid     as decimal format ">>>, >>>, >>9.99" decimals 2 label "Retenções" column-label "Retenções"
  field ttv_val_tot_cheq      as decimal format "->>, >>>, >>>, >>9.99" decimals 2 label "Valor Total Cheque"
  field ttv_val_tot_origin    as decimal format "->>, >>>, >>>, >>9.99" decimals 2.
```

Tabela Temporária	Descrição	Entrada/Saída
tt_erro_msg	Conterá os erros referente as validações no processamento da api.	Saída

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
ttv_num_msg_erro	integer	>>>>>>9	Numero da Mensagem		
Ttv_des_msg_erro	character	X(60)	Erro		
Ttv_des_help_erro	character	X(200)	Help		

```
def temp-table tt_erro_msg no-undo
  field ttv_num_msg_erro      as integer format ">>>>>>9" label "Mensagem" column-label "Mensagem"
  field ttv_des_msg_erro      as character format "x(60)" label "Mensagem Erro" column-label "Inconsistência"
  field ttv_des_help_erro     as character format "x(200)"
  index tt_num_erro
    ttv_num_msg_erro          ascending.
```

 Macro desconhecida: 'rate'