

APB431ZA - API Consulta de Pagamentos Efetuados do Contas a Pagar

 Tempo aproximado para leitura: superior a 15 minutos

Documento de API

Produto:	Datasul
Ocorrência:	Documentação de API
Nome Físico	prgfin/apb/apb431za

Objetivo

Efetuar a consulta de baixa de títulos do módulo Contas a Pagar.

Evolução de api: Retorna os lançamentos contábeis dos movimentos de baixa.

Evolução de api: Adequação da API para contemplar os campos Rowid.

Parâmetros Entrada

tt_param_api_con_pagtos_apb ou tt_param_api_con_pagtos_apb_1

Parâmetros Saída

tt_pagtos_periodo ou tt_pagtos_periodo_new

tt_erro_msg

tt_aprop_ctbl_ap_1

Funcionamento

1. Consulta de movimentos de baixa.

A sintaxe para executar a API/BO em modo persistente é:

```
run prgfin/apb/apb431za.p persistent set v_handle_apb431za
```

Utilizar o procedimento principal para execução da api, pi_main_con_movtos_pagto_period_2.

Para buscar os títulos relacionados a cada baixa executar o procedimento pi_criar_tt_relacto_tit_ap_aux.

2. Consulta de movimentos e lançamentos contábeis.

Utilizar o procedimento principal para execução da api, pi_main_con_movtos_pagto_period_2.

Considerações:

Recomenda-se que utilize a pi_main_con_movtos_pagto_period_2 que já contempla os campos Rowid conforme a definição.

Caso opte pela utilização da pi_main_con_movtos_pagto_period ou pi_main_con_movtos_pagto_period_1 é necessário definir a include:

```
/*-- Filtro RECID x ROWID Aplicado --*/
{include/i_fncrowid.i}
```

Tabela Temporária	Descrição	Entrada/Saída
tt_param_api_con_pagtos_apb	Parâmetros se seleção para a consulta dos pagamentos efetuados	Entrada

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
ttv_log_pagto_cheq	Logical	yes/no	Pagamento Cheque	Sim	
ttv_log_cta_ctbl	Logical	yes/no	Inclui conta contábil	Sim	

ttv_log_con_cta_ctbl	Logical	yes/no	Consulta conta contábil	Sim	
ttv_log_pagto_bord	Logical	yes/no	Pagamento Borderô	Sim	
ttv_log_pagto_espec	Logical	yes/no	Pagamento dinheiro	Sim	
ttv_log_pagto_escrit	Logical	yes/no	Pagamento Escritural	Sim	
ttv_cod_estab_ini	Character	X(5)	Estabelecimento Inicial	Sim	
ttv_cod_estab_fim	Character	x(5)	Estabelecimento final	Sim	
ttv_cod_refer_ini	Character	x(10)	Referencia Inicial	Sim	
ttv_cod_refer_fim	Character	x(10)	Referencia Final	Sim	
ttv_log_mostra_docto_apb	Logical	yes/no	Pagamento Extra Fornecedor CR	Sim	
ttv_log_mostra_pagto_estordo	Logical	yes/no	Pagamento Estornado	Sim	
ttv_log_mostra_docto_apb_pef	Logical	yes/no	Pagamento Extra Fornecedor	Sim	
ttv_log_mostra_docto_apb_entro	Logical	yes/no	Pagamento Encontro de Contas	Sim	
ttv_log_pagto_cartcred	Logical	yes/no	Pagamento Cartão Crédito	Sim	
ttv_dat_pagto_inicial	Date	99/99/9999	Data Pagamento Inicial	Sim	
ttv_dat_pagto_final	Date	99/99/9999	Data Pagamento Final	Sim	
ttv_cod_espec_docto_ini	Character	x(3)	Código Espécie Inicial	Sim	
ttv_cod_espec_docto_fim	Character	x(3)	Código Espécie Final	Sim	
ttv_cdn_fornecedor_ini	Integer	>>>, >>>, >>9	Código Fornecedor Inicial	Sim	
ttv_cdn_fornecedor_fim	Integer	>>>, >>>, >>9	Código Fornecedor Final	Sim	
ttv_cod_portador_ini	Character	x(5)	Código Portador Inicial	Sim	
ttv_cod_portador_fim	Character	x(5)	Código Fornecedor Final	Sim	
ttv_cod_indic_econ_ini	Character	x(8)	Indicador Econômico Inicial	Sim	
ttv_cod_indic_econ_fim	Character	x(8)	Indicador Econômico Final	Sim	
ttv_cod_forma_pagto_ini	Character	x(3)	Forma de Pagamento Inicial	Sim	
ttv_cod_forma_pagto_fim	Character	x(3)	Forma de Pagamento Final	Sim	
ttv_cod_grp_fornec_ini	Character	x(4)	Grupo de Fornecedor Inicial	Sim	
ttv_cod_grp_fornec_fim	Character	x(4)	Grupo de Fornecedor Final	Sim	
ttv_log_pagto_vencto	Logical	yes/no	Pagamento no Vencimento	Sim	
ttv_log_pagto_antecip	Logical	yes/no	Pagamento Antecipado	Sim	
ttv_log_pagto_atraso	Logical	yes/no	Pagamento Atraso	Sim	
ttv_log_mostra_docto_apb_normal	Logical	yes/no	Mostra documentos do Tipo Normal	Sim	
ttv_log_mostra_docto_apb_antecip	Logical	yes/no	Mostra Títulos do tipo antecipação	Sim	
ttv_log_mostra_impto_retid	Logical	yes/no	Mostra títulos de imposto retido	Sim	
ttv_log_mostra_impto_taxado	Logical	yes/no	Mostra títulos de imposto taxado	Sim	
ttv_ind_visualiz_tit_ap_vert	Character	x(20)	Visualização de títulos: • Por Estabelecimento/ Por Unidade Negócio	Sim	
ttv_cod_unid_negoc_ini	Character	x(3)	Código Unidade Negócio Inicial	Sim	

ttv_cod_unid_negoc_fim	Character	x(3)	Código Unidade Negócio Final	Sim	
ttv_ind_classif_pagto_period	Character	x(55)	Classificação de títulos: • Por Estabelecimento/Fornecedor/Data Pagamento	Sim	
ttv_ind_dwb_run_mode	Character	x(7)	Modo de Execução: On-line/Batch	Sim	
ttv_cod_finalid_econ	Character	x(10)	Finalidade Econômica	Sim	

```
def temp-table tt_param_api_con_pagtos_apb no-undo
```

```
field ttv_log_pagto_cheq as logical format "Sim/Não" initial yes label "Cheque" column-label "Cheque"
field ttv_log_cta_ctbl as logical format "Sim/Não" initial no label "Inclui Conta Ctbl" column-label "Inclui Conta Ctbl"
field ttv_log_con_cta_ctbl as logical format "Sim/Não" initial no label "Consulta Cta Ctbl"
field ttv_log_pagto_bord as logical format "Sim/Não" initial yes label "Borderô" column-label "Borderô"
field ttv_log_pagto_espec as logical format "Sim/Não" initial yes label "Dinheiro" column-label "Dinheiro"
field ttv_log_pagto_escrit as logical format "Sim/Não" initial yes label "Escritural" column-label "Escritural"
field ttv_cod_estab_ini as character format "x(5)" label "Estabelecimento" column-label "Estab"
field ttv_cod_estab_fim as character format "x(5)" label "Estabelecimento Final" column-label "Até"
field ttv_cod_refer_ini as character format "x(10)" label "Referência" column-label "Referência"
field ttv_cod_refer_fim as character format "x(10)" label "até" column-label "Referência Final"
field ttv_log_mostra_docto_apb as logical format "Sim/Não" initial yes label "Pagto Extr Fornec CR" column-label "Pagto Extr Fornec CR"
field ttv_log_mostra_pagto_estordo as logical format "Sim/Não" initial no label "Pagtos Estornados" column-label "Pagtos Estornados"
field ttv_log_mostra_docto_apb_peg as logical format "Sim/Não" initial yes label "Pagto Extra Fornec" column-label "Pagto Extra Fornec"
field ttv_log_mostra_docto_apb_encro as logical format "Sim/Não" initial yes label "Encontro Contas" column-label "Encontro Contas"
field ttv_log_pagto_cartcred as logical format "Sim/Não" initial yes label "Cartão de Crédito" column-label "Cartão de Crédito"
field ttv_dat_pagto_inicial as date format "99/99/9999" label "Data Pagto" column-label "Data Pagto"
field ttv_dat_pagto_final as date format "99/99/9999" label "até" column-label "até"
field ttv_cod_espec_docto_ini as character format "x(3)" label "Espécie" column-label "Código Inicial"
field ttv_cod_espec_docto_fim as character format "x(3)" label "até" column-label "Código Final"
field ttv_cdn_fornecedor_ini as Integer format ">>>,>>>,>>9" initial 0 label "Fornecedor" column-label "Fornecedor"
field ttv_cdn_fornecedor_fim as Integer format ">>>,>>>,>>9" initial 0 label "até" column-label "Fornecedor"
field ttv_cod_portador_ini as character format "x(5)" label "Portador" column-label "Portador Inicial"
field ttv_cod_portador_fim as character format "x(5)" label "até" column-label "Portador Final"
field ttv_cod_indic_econ_ini as character format "x(8)" label "Moeda" column-label "Inicial"
field ttv_cod_indic_econ_fim as character format "x(8)" label "até" column-label "Final"
field ttv_cod_forma_pagto_ini as character format "x(3)" label "Inicial" column-label "Inicial"
field ttv_cod_forma_pagto_fim as character format "x(3)" label "Final" column-label "Final"
field ttv_cod_grp_fornec_ini as character format "x(4)" label "Grupo Fornecedor" column-label "Grupo Fornecedor"
field ttv_cod_grp_fornec_fim as character format "x(4)" label "até" column-label "até"
field ttv_log_pagto_vento as logical format "Sim/Não" initial yes label "No Vencimento" column-label "No Vencimento"
field ttv_log_pagto_antecip as logical format "Sim/Não" initial yes label "Pagto Antecipado" column-label "Pagto Antecipado"
field ttv_log_pagto_atraso as logical format "Sim/Não" initial yes label "Pagto Atrasado" column-label "Pagto Atrasado"
field ttv_log_mostra_docto_apb_normal as logical format "Sim/Não" initial yes label "Normal" column-label "Normal"
field ttv_log_mostra_docto_apb_antecip as logical format "Sim/Não" initial yes label "Antecipação" column-label "Antecipação"
field ttv_log_mostra_impto_retid as logical format "Sim/Não" initial yes label "Imposto Retido" column-label "Imposto Retido"
field ttv_log_mostra_impto_taxado as logical format "Sim/Não" initial yes label "Imposto Taxado" column-label "Imposto Taxado"
field ttv_ind_visualiz_tit_ap_vert as character format "X(20)" initial "Por Estabelecimento" label "Visualiza Título" column-label "Visualiza Título"
field ttv_cod_unid_negoc_ini as character format "x(3)" label "Unid Negócio" column-label "Unid Neg"
field ttv_cod_unid_negoc_fim as character format "x(3)" label "até" column-label "Final"
field ttv_ind_classif_pagto_period as character format "X(55)" initial "Por Estabelecimento/Fornecedor/Data Pagamento" label "Classificação"
column-label "Classificação"
field ttv_ind_dwb_run_mode as character format "X(07)" label "Run Mode" column-label "Run Mode"
field ttv_cod_finalid_econ as character format "x(10)":U label "Finalidade Econômica" column-label "Finalidade Econômica"
```

```
def temp-table tt_param_api_con_pagtos_apb_1 no-undo
```

```
field ttv_log_pagto_cheq as logical format "Sim/Não" initial yes label "Cheque" column-label "Cheque"
field ttv_log_cta_ctbl as logical format "Sim/Não" initial no label "Inclui Conta Ctbl" column-label "Inclui Conta Ctbl"
field ttv_log_con_cta_ctbl as logical format "Sim/Não" initial no label "Consulta Cta Ctbl"
field ttv_log_pagto_bord as logical format "Sim/Não" initial yes label "Borderô" column-label "Borderô"
field ttv_log_pagto_espec as logical format "Sim/Não" initial yes label "Dinheiro" column-label "Dinheiro"
field ttv_log_pagto_escrit as logical format "Sim/Não" initial yes label "Escritural" column-label "Escritural"
field ttv_cod_estab_ini as character format "x(5)" label "Estabelecimento" column-label "Estab Inicial"
field ttv_cod_estab_fim as character format "x(5)" label "até" column-label "Estab Final"
field ttv_cod_refer_ini as character format "x(10)" label "Referência" column-label "Referência"
field ttv_cod_refer_fim as character format "x(10)" label "até" column-label "Referência Final"
field ttv_log_mostra_docto_apb as logical format "Sim/Não" initial yes label "Pagto Extr Fornec CR" column-label "Pagto Extr Fornec CR"
field ttv_log_mostra_pagto_estordo as logical format "Sim/Não" initial no label "Pagtos Estornados" column-label "Pagtos Estornados"
field ttv_log_mostra_docto_apb_peg as logical format "Sim/Não" initial yes label "Pagto Extra Fornec" column-label "Pagto Extra Fornec"
field ttv_log_mostra_docto_apb_encro as logical format "Sim/Não" initial yes label "Encontro Contas" column-label "Encontro Contas"
field ttv_log_pagto_cartcred as logical format "Sim/Não" initial yes label "Cartão de Crédito" column-label "Cartão de Crédito"
```

```
field ttv_dat_pagto_inicial as date format "99/99/9999" label "Data Pagto" column-label "Data Pagto"
field ttv_dat_pagto_final as date format "99/99/9999" label "até" column-label "até"
field ttv_cod_espec_docto_ini as character format "x(3)" label "Espécie" column-label "Código Inicial"
field ttv_cod_espec_docto_fim as character format "x(3)" label "até" column-label "Código Final"
field ttv_cdn_fornecedor_ini as Integer format ">>>,>>>,>>9" initial 0 label "Fornecedor" column-label "Fornecedor"
field ttv_cdn_fornecedor_fim as Integer format ">>>,>>>,>>9" initial 0 label "até" column-label "Fornecedor"
field ttv_cod_portador_ini as character format "x(5)" label "Portador" column-label "Portador Inicial"
field ttv_cod_portador_fim as character format "x(5)" label "até" column-label "Portador Final"
field ttv_cod_indic_econ_ini as character format "x(8)" label "Moeda" column-label "Inicial"
field ttv_cod_indic_econ_fim as character format "x(8)" label "até" column-label "Final"
field ttv_cod_forma_pagto_ini as character format "x(3)" label "Inicial" column-label "Inicial"
field ttv_cod_forma_pagto_fim as character format "x(3)" label "Final" column-label "Final"
field ttv_cod_grp_fornece_ini as character format "x(4)" label "Grupo Fornecedor" column-label "Grupo Fornecedor"
field ttv_cod_grp_fornece_fim as character format "x(4)" label "até" column-label "até"
field ttv_log_pagto_vencdo as logical format "Sim/Não" initial yes label "No Vencimento" column-label "No Vencimento"
field ttv_log_pagto_antecip as logical format "Sim/Não" initial yes label "Pagto Antecipado" column-label "Pagto Antecipado"
field ttv_log_pagto_atraso as logical format "Sim/Não" initial yes label "Pagto Atrasado" column-label "Pagto Atrasado"
field ttv_log_mostra_docto_apb_normal as logical format "Sim/Não" initial yes label "Normal" column-label "Normal"
field ttv_log_mostra_docto_apb_antecip as logical format "Sim/Não" initial yes label "Antecipação" column-label "Antecipação"
field ttv_log_mostra_impto_retid as logical format "Sim/Não" initial yes label "Imposto Retido" column-label "Imposto Retido"
field ttv_log_mostra_impto_taxado as logical format "Sim/Não" initial yes label "Imposto Taxado" column-label "Imposto Taxado"
field ttv_ind_visualiz_tit_ap_vert as character format "X(20)" initial "Por Estabelecimento" label "Visualiza Título" column-label "Visualiza Título"
field ttv_cod_unid_negoc_ini as character format "x(3)" label "Unid Negócio" column-label "Unid Neg"
field ttv_cod_unid_negoc_fim as character format "x(3)" label "até" column-label "Final"
field ttv_ind_classif_pagto_period as character format "X(55)" initial "Por Estabelecimento/Fornecedor/Data Pagamento" label "Classificação"
column-label "Classificação"
field ttv_ind_dwb_run_mode as character format "X(07)" label "Run Mode" column-label "Run Mode"
field ttv_cod_finalid_econ as character format "x(10)" label "Finalidade Econômica" column-label "Finalidade Econômica"
field ttv_log_mostra_cta_ctbl as logical format "Sim/Não" initial yes label "Mostra Contas"
field ttv_log_mostra_ctbzdo as logical format "Sim/Não" initial no.

def temp-table tt_aprop_ctbl_ap_1 no-undo
field tta_cod_ccusto as Character format "x(11)" label "Centro Custo" column-label "Centro Custo"
field tta_cod_cta_ctbl as character format "x(20)" label "Conta Contábil" column-label "Conta Contábil"
field tta_cod_empresa as character format "x(3)" label "Empresa" column-label "Empresa"
field tta_cod_estab as character format "x(3)" label "Estabelecimento" column-label "Estab"
field tta_cod_estab_aprop_ctbl as character format "x(3)" label "Estab Aprop" column-label "Estab Aprop"
field tta_cod_indic_econ as character format "x(8)" label "Moeda" column-label "Moeda"
field tta_cod_livre_1 as character format "x(100)" label "Livre 1" column-label "Livre 1"
field tta_cod_plano_ccusto as character format "x(8)" label "Plano Centros Custo" column-label "Plano Centros Custo"
field tta_cod_plano_cta_ctbl as character format "x(8)" label "Plano Contas" column-label "Plano Contas"
field tta_cod_unid_negoc as character format "x(3)" label "Unid Negócio" column-label "Un Neg"
field tta_dat_transacao as date format "99/99/9999" initial today label "Data Transação" column-label "Dat Transac"
field tta_ind_gera_val_aprop_ctbl_ap as character format "x(17)" initial "Todas FE" label "Gera Valores" column-label "Gera Valores"
field tta_ind_natur_lancto_ctbl as character format "X(02)" initial "DB" label "Natureza" column-label "Natureza"
field tta_ind_tip_aprop_ctbl as character format "x(30)" initial "Saldo" label "Tipo Aprop Ctbl" column-label "Tipo Aprop Ctbl"
field tta_log_ctbz_aprop_ctbl as logical format "Sim/Não" initial no label "Contabilização" column-label "Ctbz"
field tta_log_impto_val_agreg as logical format "Sim/Não" initial no label "Impto Val Agreg" column-label "Imp VI Agr"
field tta_num_id_aprop_ctbl_ap as integer format "9999999999" initial 0 label "Id Aprop Ctbl AP" column-label "Id Aprop Ctbl AP"
field tta_num_id_movto_tit_ap as integer format "9999999999" initial 0 label "Token Movto Tít AP" column-label "Id Tít AP"
field tta_num_livro_fisc as integer format ">>>9" initial 0 label "Livro Fiscal" column-label "Livro Fiscal"
field tta_num_pag_livro_fisc as integer format ">>9" initial 0 label "Pag Livro Fisc" column-label "Pag Livro Fisc"
field tta_val_aprop_ctbl as decimal format "->>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Aprop Ctbl" column-label "VI Aprop Ctbl"
field ttv_des_cod_tip_fluxo_financ as character format "x(40)"
field ttv_des_plano_cta_ctbl as character format "x(40)"
field ttv_des_cta_ctbl as character format "x(35)" label "Conta Contábil" column-label "Conta Contábil"
field ttv_des_plano_ccusto as character format "x(40)"
field ttv_des_ccusto as character format "x(40)" label "Des Ccusto" column-label "Des Ccusto"
field ttv_des_unid_negoc as character format "x(40)" label "Unid Negócio" column-label "Unid Negócio"
```

Tabela Temporária	Descrição	Entrada/Saída
tt_pagtos_periodo_new	Pagamentos Efetuados no Período novo	Saída

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
tta_cod_estab	Character	x(5)	Estabelecimento	Sim	

tta_cod_ser_docto	Character	x(5)	Série Documento	Sim	
tta_cod_espec_docto	Character	x(3)	Espécie Documento	Sim	
tta_cod_portador	Character	x(5)	Portador	Sim	
tta_cdn_fornecedor	Integer	>>>, >>>, >>9	Fornecedor	Sim	
tta_nom_abrev	Character	x(15)	Nome Abreviado	Sim	
tta_num_id_movto_tit_ap	Integer	9999999999	Id Tít AP	Sim	
tta_cod_tit_ap	Character	x(16)	Título	Sim	
tta_nom_pessoa	Character	x(40)	Nome	Sim	
tta_cod_parcela	Character	x(02)	Parcela	Sim	
tta_dat_vencito_tit_ap	Date	99/99/9999	Data Vencimento	Sim	
tta_cod_refer	Character	x(10)	Referência	Sim	
tta_dat_pagto	Date	99/99/9999	Data pagamento	Sim	
tta_cod_unid_negoc	Character	x(3)	Unid Negócio	Sim	
tta_cod_indic_econ	Character	x(8)	Moeda	Sim	
ttv_val_pagto_apb	Decimal	->>, >>>, >>>, >>9.99	Valor Pagamento	Sim	
ttv_val_finalid_apres	Decimal	->>, >>>, >>>, >>9.99	Valor Finalid Apres	Sim	
ttv_cod_dwb_field_apb	Character	x(32)	Campo	Sim	
ttv_row_compl_movto_pagto	Rowid		Rowid Compl_movto_pagto	Sim	
tta_cod_contrat_cartcred	Character	x(10)	Contrato Cartão	Sim	
tta_cod_portad_cartcred	Character	x(10)	Portador Cartão	Sim	
ttv_row_movto_tit_ap	Rowid		Rowid movto_tit_ap	Sim	
tta_cod_forma_pagto	Character	x(3)	Forma Pagamento	Sim	
tta_val_despes_bcia	Decimal	->>>, >>>, >>9.99	Valor Despesa Bancária	Sim	
ttv_cod_indic_econ_des	Character	x(8)	Moeda	Sim	
tta_num_cheque	Integer	>>>>, >>>, >>9	Numero Cheque	Sim	
tta_num_talon_cheq	Integer	>>>, >>>, >>9	Talonário Cheques	Sim	
tta_val_multa_tit_ap	Decimal	->>>, >>>, >>9.99	Valor Multa	Sim	
tta_val_juros	Decimal	>>>>, >>>, >>9.99	Valor Juros	Sim	
tta_val_cm_tit_ap	Decimal	->>>, >>>, >>9.99	Valor Correção Monetária	Sim	
tta_val_desc_tit_ap	Decimal	->>>, >>>, >>9.99	Valor Desconto	Sim	
tta_val_abat_tit_ap	Decimal	->>>, >>>, >>9.99	Valor Abatimento	Sim	
ttv_val_multa_apres	Decimal	>>>>, >>>, >>9.99	Valor Multa	Sim	
ttv_val_juros_apres	Decimal	>>>>, >>>, >>9.99	Valor Juros	Sim	
ttv_val_cm_apres	Decimal	>>>>, >>>, >>9.99	Valor Correção Monetária	Sim	
ttv_val_desc_apres	Decimal	>>>>, >>>, >>9.99	Valor Desconto	Sim	
ttv_val_abat_apres	Decimal	>>>>, >>>, >>9.99	Valor Abatimento	Sim	
tta_des_text_histor	Character	x(2000)	Histórico	Sim	

tta_num_bord_ap	Integer	>>>>9	Número Borderô	Sim	
tta_des_forma_pagto	Character	x(40)	Descrição Forma Pagamento	Sim	
ttv_row_tit_ap	Rowid		Rowid tit_ap	Sim	
ttv_cod_banco	Character	x(8)	Banco	Sim	
ttv_cod_agenc_bcia	Character	x(10)	Agência Bancária	Sim	
ttv_cod_digito_agenc	Character	x(2)	Dígito Agência	Sim	
ttv_cod_cta_corren_bco_pagto	Character	x(20)	Conta Corrente	Sim	
ttv_cod_digito_cta_corren_pagto	Character	x(2)	Dígito Conta Corrente	Sim	
tta_ind_trans_ap	Character	x(26)	Transação	Sim	
tta_cod_empresa	Character	x(3)	Empresa	Sim	
ttv_val_original	Decimal	->>>>,>>>,>>9.99	Valor Original	Sim	
tta_cod_safr	Character	9999/9999	Safr	Sim	
tta_cod_contrat_graos	Character	x(20)	Contrato Grãos	Sim	

```

def temp-table tt_pagtos_periodes_new no-undo
field tta_cod_estab as character format "x(5)" label "Estabelecimento" column-label "Estab"
field tta_cod_ser_docto as character format "x(5)" label "Série Documento" column-label "Série"
field tta_cod_espec_docto as character format "x(3)" label "Espécie Documento" column-label "Espécie"
field tta_cod_portador as character format "x(5)" label "Portador" column-label "Portador"
field tta_cdn_fornecedor as Integer format ">>>,>>>,>>9" initial 0 label "Fornecedor" column-label "Fornecedor"
field tta_nom_abrev as character format "x(15)" label "Nome Abreviado" column-label "Nome Abreviado"
field tta_num_id_movto_tit_ap as integer format "9999999999" initial 0 label "Token Movto Tit AP" column-label "Id Tit AP"
field tta_cod_tit_ap as character format "x(16)" label "Título" column-label "Título"
field tta_nom_pessoa as character format "x(40)" label "Nome" column-label "Nome"
field tta_cod_parcela as character format "x(02)" label "Parcela" column-label "Parcela"
field tta_dat_vencito_tit_ap as date format "99/99/9999" initial today label "Data Vencimento" column-label "Dt Vencito"
field tta_cod_refer as character format "x(10)" label "Referência" column-label "Referência"
field tta_dat_pagto as date format "99/99/9999" initial today label "Data Pagamento" column-label "Data Pagto"
field tta_cod_unid_negoc as character format "x(3)" label "Unid Negócio" column-label "Un Neg"
field tta_cod_indic_econ as character format "x(8)" label "Moeda" column-label "Moeda"
field ttv_val_pagto_apb as decimal format "->>,>>>,>>>,>>9.99" decimals 2 label "Valor Pagamento" column-label "Valor Pagamento"
field ttv_val_finalid_apres as decimal format "->>,>>>,>>>,>>9.99" decimals 2 label "Valor Finalid Apres" column-label "Valor Movto"
field ttv_cod_dwb_field_apb as character extent 5 format "x(32)" label "Campo" column-label "Campo"
field ttv_row_compl_movto_pagto as Rowid
field tta_cod_contrat_cartcred as character format "x(10)" label "Contrato Cartão" column-label "Contrato Cartão"
field tta_cod_portad_cartcred as character format "x(10)" label "Portador Cartão" column-label "Portador Cartão"
field ttv_row_movto_tit_ap as Rowid
field tta_cod_forma_pagto as character format "x(3)" label "Forma Pagamento" column-label "F Pagto"
field tta_val_despes_bcia as decimal format "->>>,>>>,>>9.99" decimals 2 initial 0 label "VI Desp Banc" column-label "VI Desp Banc"
field tta_cod_indic_econ_des as character format "x(8)" label "Moeda" column-label "Moeda"
field tta_num_cheque as integer format ">>>>,>>>,>>9" initial ? label "Núm Cheque" column-label "Num Cheque"
field tta_num_talon_chcq as integer format ">>>,>>>,>>9" initial 0 label "Talonário Cheques" column-label "Talonário Cheques"
field tta_val_multa_tit_ap as decimal format "->>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Multa" column-label "Valor Multa"
field tta_val_juros as decimal format ">>>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Juros" column-label "Valor Juros"
field tta_val_cm_tit_ap as decimal format "->>>,>>>,>>9.99" decimals 2 initial 0 label "Val Correção Monet" column-label "Val Corr Monet"
field tta_val_desc_tit_ap as decimal format "->>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Desconto" column-label "VI Desconto"
field tta_val_abat_tit_ap as decimal format "->>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Abatimento" column-label "VI Abatimento"
field ttv_val_multa_apres as decimal format ">>>>,>>>,>>9.99" decimals 2 label "Valor Multa" column-label "Valor Multa"
field ttv_val_juros_apres as decimal format ">>>>,>>>,>>9.99" decimals 2 label "Valor juros" column-label "Valor Juros"
field ttv_val_cm_apres as decimal format ">>>>,>>>,>>9.99" decimals 2 label "Valor Cor Monetaria" column-label "Val Corr Monet"
field ttv_val_desc_apres as decimal format ">>>>,>>>,>>9.99" decimals 2 label "Valor Desconto" column-label "VI Desconto"
field ttv_val_abat_apres as decimal format ">>>>,>>>,>>9.99" decimals 2 label "Valor Abatimento" column-label "VI Abatimento"
field tta_des_text_histor as character format "x(2000)" label "Histórico" column-label "Histórico"
field tta_num_bord_ap as integer format ">>>>>9" initial 0 label "Número Borderô" column-label "Borderô"
field tta_des_forma_pagto as character format "x(40)" label "Descr Forma Pagto" column-label "Descr Forma Pagto"
field ttv_row_tit_ap as Rowid
field ttv_cod_banco as character format "x(8)" label "Banco" column-label "Banco"
field ttv_cod_agenc_bcia as character format "x(10)" label "Agência Bancária" column-label "Agência Bancária"
field ttv_cod_digito_agenc as character format "x(2)" label "Dígito Agência" column-label "Dígito Agência"

```



```

field ttv_cod_cta_corren_bco_pagto as character format "x(20)" label "Conta Corrente" column-label "Conta Corrente"
field ttv_cod_digito_cta_corren_pagto as character format "x(2)" label "Dígito Cta Corrente" column-label "Dígito Cta Corrente"
field tta_ind_trans_ap as character format "X(26)" initial "Implantação" label "Transação" column-label "Transação"
field tta_cod_empresa as character format "x(3)" label "Empresa" column-label "Empresa"
field ttv_val_original as decimal format "->>>>>,>>>,>>9.99" decimals 4 initial 0 label "Valor Original" column-label "Valor Original"
field tta_cod_safrsa as character format "9999/9999" label "Safrsa" column-label "Safrsa"
field tta_cod_contrat_graos as character format "x(20)" label "Contrato Grãos" column-label "Contr Grãos"
index tt_estab_un
tta_cod_estab ascending
tta_cod_unid_negoc ascending
index tt_fornecedor
tta_cdn_fornecedor ascending
index tt_id is primary unique
tta_cod_estab ascending
tta_num_id_movto_tit_ap ascending
tta_cod_unid_negoc ascending.

```

```
def temp-table tt_pagtos_periodes no-undo
```

```

field tta_cod_estab as character format "x(3)" label "Estabelecimento" column-label "Estab"
field tta_cod_ser_docto as character format "x(3)" label "Série Documento" column-label "Série"
field tta_cod_espec_docto as character format "x(3)" label "Espécie Documento" column-label "Espécie"
field tta_cod_portador as character format "x(5)" label "Portador" column-label "Portador"
field tta_cdn_fornecedor as Integer format ">>>,>>>,>>9" initial 0 label "Fornecedor" column-label "Fornecedor"
field tta_nom_abrev as character format "x(15)" label "Nome Abreviado" column-label "Nome Abreviado"
field tta_num_id_movto_tit_ap as integer format "9999999999" initial 0 label "Token Movto Tit AP" column-label "Id Tit AP"
field tta_cod_tit_ap as character format "x(10)" label "Título" column-label "Título"
field tta_nom_pessoa as character format "x(40)" label "Nome" column-label "Nome"
field tta_cod_parcela as character format "x(02)" label "Parcela" column-label "Parcela"
field tta_dat_vencito_tit_ap as date format "99/99/9999" initial today label "Data Vencimento" column-label "Dt Vencito"
field tta_cod_refer as character format "x(10)" label "Referência" column-label "Referência"
field tta_dat_pagto as date format "99/99/9999" initial today label "Data Pagamento" column-label "Data Pagto"
field tta_cod_unid_negoc as character format "x(3)" label "Unid Negócio" column-label "Un Neg"
field tta_cod_indic_econ as character format "x(8)" label "Moeda" column-label "Moeda"
field ttv_val_pagto_apb as decimal format "->>,>>>,>>>,>>9.99" decimals 2 label "Valor Pagamento" column-label "Valor Pagamento"

Pagamento"
field ttv_val_finalid_apres as decimal format "->>,>>>,>>>,>>9.99" decimals 2 label "Valor Finalid Apres" column-label "Valor Movto"
field ttv_cod_dwb_field_apb as character extent 5 format "x(32)" label "Campo" column-label "Campo"
field ttv_rec_compl_movto_pagto as &IF "{&ROWID_READY}" = "YES" &THEN rowid &ELSE recid format ">>>>>>9" &ENDIF
field tta_cod_contrat_cartcred as character format "x(10)" label "Contrato Cartão" column-label "Contrato Cartão"
field tta_cod_portad_cartcred as character format "x(10)" label "Portador Cartão" column-label "Portador Cartão"
field ttv_rec_movto_tit_ap as &IF "{&ROWID_READY}" = "YES" &THEN rowid &ELSE recid format ">>>>>>9" &ENDIF
field tta_cod_forma_pagto as character format "x(3)" label "Forma Pagamento" column-label "F Pagto"
field tta_val_despes_bcia as decimal format "->>,>>>,>>>,>>9.99" decimals 2 initial 0 label "VI Desp Banc" column-label "VI Desp Banc"

Banc"
field ttv_cod_indic_econ_des as character format "x(8)" label "Moeda" column-label "Moeda"
field tta_num_cheque as integer format ">>>>,>>>,>>9" initial ? label "Núm Cheque" column-label "Num Cheque"
field tta_num_talon_cheq as integer format ">>>,>>>,>>9" initial 0 label "Talonário Cheques" column-label "Talonário Cheques"
field tta_val_multa_tit_ap as decimal format "->>>,>>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Multa" column-label "Valor Multa"
field tta_val_juros as decimal format ">>>>,>>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Juros" column-label "Valor Juros"
field tta_val_cm_tit_ap as decimal format "->>,>>>,>>>,>>9.99" decimals 2 initial 0 label "Val Correção Monet" column-label "Val Corr Monet"

Monet"
field tta_val_desc_tit_ap as decimal format "->>>,>>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Desconto" column-label "VI Desconto"
field tta_val_abat_tit_ap as decimal format "->>,>>>,>>>,>>9.99" decimals 2 initial 0 label "Valor Abatimento" column-label "VI Abatimento"

Abatimento"
field ttv_val_multa_apres as decimal format ">>>>,>>>,>>>,>>9.99" decimals 2 label "Valor Multa" column-label "Valor Multa"
field ttv_val_juros_apres as decimal format ">>>>,>>>,>>>,>>9.99" decimals 2 label "Valor juros" column-label "Valor Juros"
field ttv_val_cm_apres as decimal format ">>>>,>>>,>>>,>>9.99" decimals 2 label "Valor Cor Monetaria" column-label "Val Corr Monet"

Monet"
field ttv_val_desc_apres as decimal format ">>>>,>>>,>>>,>>9.99" decimals 2 label "Valor Desconto" column-label "VI Desconto"
field ttv_val_abat_apres as decimal format ">>>>,>>>,>>>,>>9.99" decimals 2 label "Valor Abatimento" column-label "VI Abatimento"
field tta_des_text_histor as character format "x(2000)" label "Histórico" column-label "Histórico"
field tta_num_bord_ap as integer format ">>>>>9" initial 0 label "Número Borderô" column-label "Borderô"
field tta_des_forma_pagto as character format "x(40)" label "Descr Forma Pagto" column-label "Descr Forma Pagto"
field ttv_rec_tit_ap as &IF "{&ROWID_READY}" = "YES" &THEN rowid &ELSE recid format ">>>>>>9" initial ? &ENDIF
field ttv_cod_banco as character format "x(8)" label "Banco" column-label "Banco"
field ttv_cod_agenc_bcia as character format "x(10)" label "Agência Bancária" column-label "Agência Bancária"
field ttv_cod_digito_agenc as character format "x(2)" label "Dígito Agência" column-label "Dígito Agência"
field ttv_cod_cta_corren_bco_pagto as character format "x(20)" label "Conta Corrente" column-label "Conta Corrente"
field ttv_cod_digito_cta_corren_pagto as character format "x(2)" label "Dígito Cta Corrente" column-label "Dígito Cta Corrente"
field tta_ind_trans_ap as character format "X(26)" initial "Implantação" label "Transação" column-label "Transação"
field tta_cod_empresa as character format "x(3)" label "Empresa" column-label "Empresa"

```

27/09/2025, 08:35

APB431ZA - API Consulta de Pagamentos Efetuados do Contas a Pagar - Linha Datasul - TDN

field ttv_val_original

as decimal format "->>>>>>,>>>,>>9.99" decimals 4 initial 0 label "Valor Original" column-label "Valor Original"

field tta_cod_safra

as character format "9999/9999" label "Safra" column-label "Safra"

field tta_cod_contrat_graos

as character format "x(20)" label "Contrato Grãos" column-label "Contr Grãos"

index tt_estab_un

tta_cod_estab

ascending

tta_cod_unid_negoc

ascending

index tt_fornecedor

tta_cdn_fornecedor

ascending

index tt_id

is primary unique

tta_cod_estab

ascending

tta_num_id_movto_tit_ap

ascending

tta_cod_unid_negoc

ascending

.

Tabela Temporária	Descrição	Entrada/Saída
tt_erro_msg	Mensagens de erro	Saída

Atributo	Tipo	Formato	Descrição	Obrig.	Evol.
ttv_num_msg_erro	Integer	>>>>>>9	Mensagem	Sim	
ttv_des_msg_erro	Character	X(60)	Mensagem Erro	Sim	
ttv_des_help_erro	Character	x(200)	Descrição Ajuda Erro	Sim	

```
def temp-table tt_erro_msg no-undo
field ttv_num_msg_erro as integer format ">>>>>>9" label "Mensagem" column-label "Mensagem"
field ttv_des_msg_erro as character format "x(60)" label "Mensagem Erro" column-label "Inconsistência"
field ttv_des_help_erro as character format "x(200)"
index tt_num_erro
ttv_num_msg_erro ascending.
```

Exemplo de utilização da API

```
run prgfin/apb/apb431za.p persistent set v_handle_apb431za.

create tt_param_api_con_pagtos_apb.

assign tt_param_api_con_pagtos_apb.ttv_log_pagto_cheq = yes

tt_param_api_con_pagtos_apb.ttv_log_cta_ctbl = no
tt_param_api_con_pagtos_apb.ttv_log_con_cta_ctbl = no
tt_param_api_con_pagtos_apb.ttv_log_pagto_bord = yes
tt_param_api_con_pagtos_apb.ttv_log_pagto_espec = yes
tt_param_api_con_pagtos_apb.ttv_log_pagto_escrit = yes
tt_param_api_con_pagtos_apb.ttv_cod_estab_ini = "
tt_param_api_con_pagtos_apb.ttv_cod_estab_fim = 'ZZZ'
tt_param_api_con_pagtos_apb.ttv_cod_refer_fim = "ZZZZZZZZZZ"
tt_param_api_con_pagtos_apb.ttv_cod_refer_ini = "
tt_param_api_con_pagtos_apb.ttv_log_mostra_docto_apb = yes
tt_param_api_con_pagtos_apb.ttv_log_mostra_pagto_estordo = no
tt_param_api_con_pagtos_apb.ttv_log_mostra_docto_apb_pef = yes
tt_param_api_con_pagtos_apb.ttv_log_mostra_docto_apb_encro = yes
tt_param_api_con_pagtos_apb.ttv_log_pagto_cartcred = yes
tt_param_api_con_pagtos_apb.ttv_dat_pagto_final = 12/31/2011
tt_param_api_con_pagtos_apb.ttv_dat_pagto_inicial = 01/01/2011
tt_param_api_con_pagtos_apb.ttv_cod_espec_docto_fim = 'ZZ'
tt_param_api_con_pagtos_apb.ttv_cod_espec_docto_ini = ""
tt_param_api_con_pagtos_apb.ttv_cdn_fornecedor_fim = 9999999
tt_param_api_con_pagtos_apb.ttv_cdn_fornecedor_ini = 0
tt_param_api_con_pagtos_apb.ttv_cod_portador_fim = "ZZZZZ"
tt_param_api_con_pagtos_apb.ttv_cod_portador_ini = "
tt_param_api_con_pagtos_apb.ttv_cod_indic_econ_ini = "
tt_param_api_con_pagtos_apb.ttv_cod_indic_econ_fim = "ZZZZZZZZ"
tt_param_api_con_pagtos_apb.ttv_cod_forma_pagto_ini = "
tt_param_api_con_pagtos_apb.ttv_cod_forma_pagto_fim = "ZZZ"
tt_param_api_con_pagtos_apb.ttv_cod_grp_fornec_ini = "
```



```

tt_param_api_con_pagtos_apb.ttv_cod_grp_fornec_fim = "ZZZZ"
tt_param_api_con_pagtos_apb.ttv_log_pagto_vencto = yes
tt_param_api_con_pagtos_apb.ttv_log_pagto_antecip = yes
tt_param_api_con_pagtos_apb.ttv_log_pagto_atraso = yes
tt_param_api_con_pagtos_apb.ttv_log_mostra_docto_apb_normal = yes
tt_param_api_con_pagtos_apb.ttv_log_mostra_docto_apb_antecip = no
tt_param_api_con_pagtos_apb.ttv_log_mostra_impto_retid = no
tt_param_api_con_pagtos_apb.ttv_log_mostra_impto_taxado = no
tt_param_api_con_pagtos_apb.ttv_ind_visualiz_tit_ap_vert = "Por Unidade Negócio"
tt_param_api_con_pagtos_apb.ttv_cod_unid_negoc_ini = "
tt_param_api_con_pagtos_apb.ttv_cod_unid_negoc_fim = "ZZZ"
tt_param_api_con_pagtos_apb.ttv_ind_classif_pagto_period = "Por Estabelecimento/Fornecedor/Data Pagamento"
tt_param_api_con_pagtos_apb.ttv_ind_dwb_run_mode = "On-Line".

```

if valid-handle(v_handle_apb431za) then do:

run pi_main_con_movtos_pagto_period in v_handle_apb431za(input table tt_param_api_con_pagtos_apb,

```

output table tt_pagtos_periodo,
output table tt_erro_msg).

```

create tt_param_relacto_tit_ap.

assign tt_param_relacto_tit_ap.tta_cod_estab = tt_pagtos_periodo.tta_cod_estab

```

tt_param_relacto_tit_ap.tta_cod_ser_docto = tt_pagtos_periodo.tta_cod_ser_docto
tt_param_relacto_tit_ap.tta_cod_espec_docto = tt_pagtos_periodo.tta_cod_espec_docto
tt_param_relacto_tit_ap.tta_cdn_fornecedor = tt_pagtos_periodo.tta_cdn_fornecedor
tt_param_relacto_tit_ap.tta_cod_tit_ap = tt_pagtos_periodo.tta_cod_tit_ap
tt_param_relacto_tit_ap.tta_cod_parcela = tt_pagtos_periodo.tta_cod_parcela
tt_param_relacto_tit_ap.ttv_log_mostra_impto_retid = no
tt_param_relacto_tit_ap.ttv_log_pagto_cartcred = yes
tt_param_relacto_tit_ap.ttv_log_pagto_bxsb = yes
tt_param_relacto_tit_ap.ttv_log_an_relacto = no.

```

run pi_criar_tt_relacto_tit_ap_aux in v_handle_apb431za (input table tt_param_relacto_tit_ap,
output table tt_relacto_tit_ap). /*titulos originais relacionado ao pagamento*/

end.

Exemplo Utilização da API 2

run prgfin/apb/apb431za.p persistent set v_handle_apb431za.

for each tt_pagtos_periodo:

delete tt_pagtos_periodo.

end.

create tt_param_api_con_pagtos_apb_1.

```

assign tt_param_api_con_pagtos_apb_1.ttv_log_pagto_cheq = yes
tt_param_api_con_pagtos_apb_1.ttv_log_cta_ctbl = yes
tt_param_api_con_pagtos_apb_1.ttv_log_con_cta_ctbl = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_bord = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_espec = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_escrit = yes
tt_param_api_con_pagtos_apb_1.ttv_cod_estab_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_estab_fim = 'ZZZ'
tt_param_api_con_pagtos_apb_1.ttv_cod_refer_fim = "ZZZZZZZZZZ"
tt_param_api_con_pagtos_apb_1.ttv_cod_refer_ini = "
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_pagto_estordo = no
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb_pef = no
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb_entro = no
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_cartcred = no
tt_param_api_con_pagtos_apb_1.ttv_dat_pagto_inicial = 06/22/2016
tt_param_api_con_pagtos_apb_1.ttv_dat_pagto_final = 08/25/2016
tt_param_api_con_pagtos_apb_1.ttv_cod_espec_docto_fim = 'ZZ'
tt_param_api_con_pagtos_apb_1.ttv_cod_espec_docto_ini = ""
tt_param_api_con_pagtos_apb_1.ttv_cdn_fornecedor_fim = 9999999
tt_param_api_con_pagtos_apb_1.ttv_cdn_fornecedor_ini = 0
tt_param_api_con_pagtos_apb_1.ttv_cod_portador_fim = "ZZZZZ"
tt_param_api_con_pagtos_apb_1.ttv_cod_portador_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_indic_econ_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_indic_econ_fim = "ZZZZZZZZ"

```

```

tt_param_api_con_pagtos_apb_1.ttv_cod_forma_pagto_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_forma_pagto_fim = "ZZZ"
tt_param_api_con_pagtos_apb_1.ttv_cod_grp_fornec_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_grp_fornec_fim = "ZZZZ"
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_vencdo = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_antecip = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_atraso = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb_normal = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb_antecip = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_impto_retid = no
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_impto_taxado = no
tt_param_api_con_pagtos_apb_1.ttv_ind_visualiz_tit_ap_vert = "Por Unidade Negócio"
tt_param_api_con_pagtos_apb_1.ttv_cod_unid_negoc_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_unid_negoc_fim = "ZZZ"
tt_param_api_con_pagtos_apb_1.ttv_ind_classif_pagto_period = "Por Estabelecimento/Fornecedor/Data Pagamento"
tt_param_api_con_pagtos_apb_1.ttv_ind_dwb_run_mode = "On-Line"
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_cta_ctbl = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_ctbzdo = no.

```

if valid-handle(v_handle_apb431za) then

```

run pi_main_con_movtos_pagto_period_1 in v_handle_apb431za (Input 1,
Input table tt_param_api_con_pagtos_apb_1,
output table tt_pagtos_periodo,
output table tt_aprop_ctbl_ap_1,
output table tt_erro_msg) /*pi_main_con_movtos_pagto_period_1*/.

```

Exemplo Utilização da API 3

run prgfin/apb/apb431za.p persistent set v_handle_apb431za.

```

for each tt_pagtos_periodo:
delete tt_pagtos_periodo.
end.

```

```

for each tt_pagtos_periodo_new:
delete tt_pagtos_periodo_new.
end.

```

```

create tt_param_api_con_pagtos_apb_1.
assign tt_param_api_con_pagtos_apb_1.ttv_log_pagto_cheq = yes
tt_param_api_con_pagtos_apb_1.ttv_log_cta_ctbl = yes
tt_param_api_con_pagtos_apb_1.ttv_log_con_cta_ctbl = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_bord = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_espec = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_escrit = yes
tt_param_api_con_pagtos_apb_1.ttv_cod_estab_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_estab_fim = 'ZZZ'
tt_param_api_con_pagtos_apb_1.ttv_cod_refer_fim = "ZZZZZZZZZZ"
tt_param_api_con_pagtos_apb_1.ttv_cod_refer_ini = "
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_pagto_estordo = no
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb_pef = no
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb_encro = no
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_cartcred = no
tt_param_api_con_pagtos_apb_1.ttv_dat_pagto_inicial = 06/22/2016
tt_param_api_con_pagtos_apb_1.ttv_dat_pagto_final = 08/25/2016
tt_param_api_con_pagtos_apb_1.ttv_cod_espec_docto_fim = 'ZZ'
tt_param_api_con_pagtos_apb_1.ttv_cod_espec_docto_ini = ""
tt_param_api_con_pagtos_apb_1.ttv_cdn_fornecedor_fim = 99999999
tt_param_api_con_pagtos_apb_1.ttv_cdn_fornecedor_ini = 0
tt_param_api_con_pagtos_apb_1.ttv_cod_portador_fim = "ZZZZZ"
tt_param_api_con_pagtos_apb_1.ttv_cod_portador_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_indic_econ_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_indic_econ_fim = "ZZZZZZZZ"
tt_param_api_con_pagtos_apb_1.ttv_cod_forma_pagto_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_forma_pagto_fim = "ZZZ"
tt_param_api_con_pagtos_apb_1.ttv_cod_grp_fornec_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_grp_fornec_fim = "ZZZZ"
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_vencdo = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_antecip = yes
tt_param_api_con_pagtos_apb_1.ttv_log_pagto_atraso = yes

```

```
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb_normal = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_docto_apb_antecip = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_impto_retid = no
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_impto_taxado = no
tt_param_api_con_pagtos_apb_1.ttv_ind_visualiz_tit_ap_vert = "Por Unidade Negócio"
tt_param_api_con_pagtos_apb_1.ttv_cod_unid_negoc_ini = "
tt_param_api_con_pagtos_apb_1.ttv_cod_unid_negoc_fim = "ZZZ"
tt_param_api_con_pagtos_apb_1.ttv_ind_classif_pagto_period = "Por Estabelecimento/Fornecedor/Data Pagamento"
tt_param_api_con_pagtos_apb_1.ttv_ind_dwb_run_mode = "On-Line"
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_cta_ctbl = yes
tt_param_api_con_pagtos_apb_1.ttv_log_mostra_ctbzdo = no.
```

```
if valid-handle(v_handle_apb431za) then
  run pi_main_con_movtos_pagto_period_2 in v_handle_apb431za (Input 2,
    Input table tt_param_api_con_pagtos_apb_1,
    output table tt_pagtos_periodo_new,
    output table tt_aprop_ctbl_ap_1,
    output table tt_erro_msg) /*pi_main_con_movtos_pagto_period_2*/.
```

base_de_conhecimento

apb

contas_a_pagar

apb431za

versao_12

ds_financ_inov



Política de
privacidade

Termos
de uso