COMP2610/COMP6261 - Information Theory

Tutorial 11: Noisy Channel Coding

Tutor: Manish Kumar

Week 11 (17th - 21st Oct), Semester 2, 2022

1. Consider a channel with inputs $X = \{a,b,c\}$, outputs $Y = \{a,b,c,d\}$, and transition matrix

$$Q = \begin{bmatrix} 0.5 & 0 & 0 \\ 0.5 & 0.5 & 0 \\ 0 & 0.5 & 0.5 \\ 0 & 0 & 0.5 \end{bmatrix}.$$

- (a) Assuming $p_X = (0.25, 0.25, 0.5)$, what is the mutual information I(X;Y) between the input and output of the channel?
- (b) Assuming $p_X = (0.25, 0.25, 0.5)$, what is the average probability of error of the channel?
- (c) Calvin claims that he has constructed a block code for Q with rate 0.01 bits per transmission and maximal block error probability 1%. Is his claim possible? Justify your answer.
- (d) Hobbes claims that he has constructed a block code for Q with rate 100 bits per transmission and maximal block error probability 1%. Is his claim possible? Justify your answer.
- 2. Noisy Coding (Exercise 10.12 in MacKay)
 - (a) A binary erasure channel with input $x \in \{0,1\}$ and output $y \in \{0,2,1\}$ has transition matrix

$$Q_E = egin{bmatrix} 1-q & 0 \ q & q \ 0 & 1-q \end{bmatrix}$$

Find the mutual information I(X;Y) between the input and output for a general distribution $\mathbf{p}_X = (p_0,p_1)$ over inputs. Show that the capacity of this channel is $C_E = 1 - q$ bits.

- 3. Let X be an ensemble with $AX = \{a,b,c\}$ and probabilities $\mathbf{p} = (0.5,0.25,0.25)$. Write out the alphabet and probabilities for the extended ensemble X^2 .
- 4. Consider a binary erasure channel with input $x \in \{0,1\}$, and $p_x = \{0.6,0.4\}$, and transition matrix of

$$\begin{bmatrix} \frac{2}{3} & \frac{1}{4} \\ \frac{1}{3} & \frac{3}{4} \end{bmatrix}$$

An input sequence of length n = 10 is drawn and it is send through the channel. The resulting input and output sequences are 0001111000 and 0011110001, respectively.

- (a) Is the drawn input sequence typical in p_X ? Justify your answer.
- (b) Is the drawn input and output sequences jointly typical? Justify your answer.