

#1

Looking for, 44

Searching in subarray: [99, 67, 56, 51, 44, 39, 38, 23, 21, 17, 11, 2] (mid index: 5)

Searching in subarray: [99, 67, 56, 51, 44] (mid index: 2)

Searching in subarray: [51, 44] (mid index: 3)

Searching in subarray: [44] (mid index: 4)

44 is at index 4

Looking for, 56

Searching in subarray: [99, 67, 56, 51, 44, 39, 38, 23, 21, 17, 11, 2] (mid index: 5)

Searching in subarray: [99, 67, 56, 51, 44] (mid index: 2)

56 is at index 2

Looking for, 42

Searching in subarray: [99, 67, 56, 51, 44, 39, 38, 23, 21, 17, 11, 2] (mid index: 5)

Searching in subarray: [99, 67, 56, 51, 44] (mid index: 2)

Searching in subarray: [51, 44] (mid index: 3)

Searching in subarray: [44] (mid index: 4)

42 is at index None

Looking for, -1

Searching in subarray: [9, 7, 6, 4, 2, 0, -1, -3, -5, -8, -9] (mid index: 5)

Searching in subarray: [-1, -3, -5, -8, -9] (mid index: 8)

Searching in subarray: [-1, -3] (mid index: 6)

-1 is at index 6

Looking for, -7

Searching in subarray: [9, 7, 6, 4, 2, 0, -1, -3, -5, -8, -9] (mid index: 5)

Searching in subarray: [-1, -3, -5, -8, -9] (mid index: 8)

Searching in subarray: [-8, -9] (mid index: 9)

-7 is at index None

#2

First test A3

Recursive call with start = 0, end = 9
Recursive call with start = 0, end = 4
Recursive call with start = 0, end = 2
Recursive call with start = 0, end = 1
Recursive call with start = 0, end = 0
Recursive call with start = 1, end = 1
Returning index 0 with value 44
Recursive call with start = 2, end = 2
Returning index 0 with value 44
Recursive call with start = 3, end = 4
Recursive call with start = 3, end = 3
Recursive call with start = 4, end = 4
Returning index 3 with value 17
Returning index 3 with value 17
Recursive call with start = 5, end = 9
Recursive call with start = 5, end = 7
Recursive call with start = 5, end = 6
Recursive call with start = 5, end = 5
Recursive call with start = 6, end = 6
Returning index 6 with value 84
Recursive call with start = 7, end = 7
Returning index 7 with value 6
Recursive call with start = 8, end = 9
Recursive call with start = 8, end = 8
Recursive call with start = 9, end = 9
Returning index 8 with value 39
Returning index 7 with value 6
Returning index 7 with value 6
The minimum value of Array is 6

Second test A4

Recursive call with start = 0, end = 9

Recursive call with start = 0, end = 4

Recursive call with start = 0, end = 2

Recursive call with start = 0, end = 1

Recursive call with start = 0, end = 0

Recursive call with start = 1, end = 1

Returning index 0 with value 52

Recursive call with start = 2, end = 2

Returning index 2 with value 6

Recursive call with start = 3, end = 4

Recursive call with start = 3, end = 3

Recursive call with start = 4, end = 4

Returning index 4 with value 20

Returning index 2 with value 6

Recursive call with start = 5, end = 9

Recursive call with start = 5, end = 7

Recursive call with start = 5, end = 6

Recursive call with start = 5, end = 5

Recursive call with start = 6, end = 6

Returning index 6 with value 17

Recursive call with start = 7, end = 7

Returning index 6 with value 17

Recursive call with start = 8, end = 9

Recursive call with start = 8, end = 8

Recursive call with start = 9, end = 9

Returning index 8 with value 44

Returning index 6 with value 17

Returning index 2 with value 6

The minimum value of Array is 6

Third test A5

Recursive call with start = 0, end = 9
Recursive call with start = 0, end = 4
Recursive call with start = 0, end = 2
Recursive call with start = 0, end = 1
Recursive call with start = 0, end = 0
Recursive call with start = 1, end = 1
Returning index 0 with value 6
Recursive call with start = 2, end = 2
Returning index 0 with value 6
Recursive call with start = 3, end = 4
Recursive call with start = 3, end = 3
Recursive call with start = 4, end = 4
Returning index 3 with value 39
Returning index 0 with value 6
Recursive call with start = 5, end = 9
Recursive call with start = 5, end = 7
Recursive call with start = 5, end = 6
Recursive call with start = 5, end = 5
Recursive call with start = 6, end = 6
Returning index 5 with value 52
Recursive call with start = 7, end = 7
Returning index 5 with value 52
Recursive call with start = 8, end = 9
Recursive call with start = 8, end = 8
Recursive call with start = 9, end = 9
Returning index 8 with value 84
Returning index 5 with value 52
Returning index 0 with value 6
The minimum value of Array is 6