



Why Check an R Package?

Aimée Gott

Education Practice Lead, Mango Solutions



What Should You Check?

An R package check includes:

- If the package can be installed
- Description information is correct
- Dependencies
- Code syntax errors
- Documentation is complete
- Tests run
- Vignettes build



Running a Check

check("simutils")



Errors, Warnings, and Notes

```
* DONE

Status: 1 ERROR

See
    'C:/Users/ncrane/AppData/Local/Temp/RtmpWwK0AG/simutils.R

check/00check.log'
for details.

R CMD check results
1 error | 0 warnings | 0 notes

checking for file 'simutils/DESCRIPTION' ... ERROR

Required field missing or empty:
    'License'
```





Let's practice!





Errors, Warnings and Notes

Nic Crane

Data Science Consultant, Mango Solutions



Package Dependencies

```
check("simutils")
...
Updating simutils documentation
Loading simutils
Error in (function (dep_name, dep_ver = NA, dep_compare = NA) :
   Dependency package sasMap not available.
...
```



Documentation

```
check("simutils")

...
* checking Rd \usage sections ... WARNING
Undocumented arguments in documentation object 'sample_from_data'
    'replace'

Functions with \usage entries need to have the appropriate \alias
    entries, and all their arguments documented.
The \usage entries must correspond to syntactically valid R code.
See chapter 'Writing R documentation files' in the 'Writing R
Extensions' manual.
...
```



Documentation

```
check("simutils")
* checking examples ... ERROR
Running examples in 'simutils-Ex.R' failed
The error most likely occurred in:
> base::assign(".ptime", proc.time(), pos = "CheckExEnv")
> ### Name: sample from data
> ### Title: Sample from data
> ### Aliases: sample from data
> ### ** Examples
> sample from data(airuality, size=10)
Error in sample from data(airuality, size = 10) :
  object 'airuality' not found
```



PDF Documentation

```
check("simutils", manual = TRUE)
...
pdflatex not found! Not building PDF manual or vignettes.
If you are planning to release this package, please run a check with manual and vignettes beforehand.
...
```



Tests

```
check("simutils")

...
* checking tests ...
   Running 'testthat.R'
Warning message:
running command '"C:/PROGRA~1/R/R-34~1.2/bin/x64/R" CMD BATCH --vanilla
"testthat.R" "testthat.Rout"' had status 1
   ERROR
Running the tests in 'tests/testthat.R' failed.
...
```





Let's practice!





Differences in Package Dependencies

Aimée Gott

Education Practice Lead, Mango Solutions



The Depends Field

```
search()
     ".GlobalEnv"
                          "tools:rstudio"
                                               "package:stats"
                                               "package:utils"
     "package:graphics"
                          "package:grDevices"
                                               "Autoloads"
                          "package:methods"
     "package:datasets"
[10] "package:base"
library(tidyverse)
search()
     ".GlobalEnv"
                          "package:dplyr"
                                               "package:purrr"
                          "package:tidyr"
                                               "package:tibble"
     "package:readr"
     "package:ggplot2"
                                               "tools:rstudio"
                          "package:tidyverse"
[10] "package:stats"
                          "package:graphics"
                                               "package:grDevices"
     "package:utils"
                          "package:datasets"
                                               "package:methods"
[13]
[16] "Autoloads"
                          "package:base"
```



Imports

```
Package: simutils
Title: Simulation Analysis Tools
Version: 1.0.0.0
Authors@R: c(
    person("Nic", "Crane", email = "ncrane@mango-solutions.com", role = c("aut", "cre")),
    person("Aimee", "Gott", email = "agott@mango-solutions.com", role = c("aut", "ctb")))
Description: A series of tools for simulation analysis used for learning about
    distributions.
Depends:
    R (>= 3.4.2)
License: GPL-2
LazyData: true
RoxygenNote: 6.0.1
Imports: dplyr,
    purrr
Suggests: testthat,
    knitr,
    rmarkdown
VignetteBuilder: knitr
```



Suggests

```
Package: simutils
Title: Simulation Analysis Tools
Version: 1.0.0.0
Authors@R: c(
    person("Nic", "Crane", email = "ncrane@mango-solutions.com", role = c("aut", "cre")),
    person("Aimee", "Gott", email = "agott@mango-solutions.com", role = c("aut", "ctb")))
Description: A series of tools for simulation analysis used for learning about
    distributions.
Depends:
    R (>= 3.4.2)
License: GPL-2
LazyData: true
RoxygenNote: 6.0.1
Imports: dplyr,
    purrr
Suggests: testthat,
    knitr,
    rmarkdown
VignetteBuilder: knitr
```



Adding a Dependency

```
use_package("dplyr") ## adds to imports
use_package("ggplot2", "suggests") ## adds to suggests
```





Let's practice!





Building Packages with Continuous Integration

Nic Crane

Data Science Consultant, Mango Solutions



Building with devtools

Build the source:

```
build("simutils")
```

Build the binary:

```
build("simutils", binary = TRUE)
```



What is Continuous Integration?

- Automatically runs checks when code changed
- Used with version control
- Runs every time you make an update



Adding Continuous Integration for a Package

```
use_travis("simutils")
```





Let's practice!