




# Introduction to Package Building

Aimée Gott and Nic Crane Data Science Consultants, Mango Solutions







### The Structure of an R Package

#### An R package can include:

- Functions
- Data
- Documentation
- Vignettes
- Tests

#### Mandatory Components

As a minimum your package must include:

- R directory
- man directory
- NAMESPACE file
- DESCRIPTION file



## Packages for easily creating packages!

- devtools
- roxygen2



## Setting Up an R Package

#### Core devtools functions:

- create()
- document()
- check()
- build()
- test()



#### create()

```
library(devtools)
create("simutils")
```

Note: Avoid names already taken on CRAN.





# Let's practice!





# Description and Namespace files

Aimée Gott

Education Practice Lead, Mango Solutions



#### **DESCRIPTION** file

- General package information
- Author and maintainer details
- Package dependencies
- License



```
Package: simutils
Title: Simulation Analysis Tools
Version: 1.0.0.0
Authors@R: c(
    person("Nic", "Crane", email = "ncrane@mango-solutions.com", role = c("aut", "cre")),
    person("Aimee", "Gott", email = "agott@mango-solutions.com", role = c("aut", "ctb")))
Description: A series of tools for simulation analysis used for learning about
    distributions.
Depends:
    R (>= 3.4.2)
License: GPL-2
LazyData: true
RoxygenNote: 6.0.1
Imports: dplyr,
    purrr
Suggests: testthat,
    knitr,
    rmarkdown
VignetteBuilder: knitr
```



```
Package: simutils
Title: Simulation Analysis Tools
Version: 1.0.0.0
Authors@R: c(
    person("Nic", "Crane", email = "ncrane@mango-solutions.com", role = c("aut", "cre")),
    person("Aimee", "Gott", email = "agott@mango-solutions.com", role = c("aut", "ctb")))
Description: A series of tools for simulation analysis used for learning about
    distributions.
Depends:
    R (>= 3.4.2)
License: GPL-2
LazyData: true
RoxygenNote: 6.0.1
Imports: dplyr,
    purrr
Suggests: testthat,
    knitr,
    rmarkdown
VignetteBuilder: knitr
```



```
Package: simutils
Title: Simulation Analysis Tools
Version: 1.0.0.0
Authors@R: c(
    person("Nic", "Crane", email = "ncrane@mango-solutions.com", role = c("aut", "cre")),
    person("Aimee", "Gott", email = "agott@mango-solutions.com", role = c("aut", "ctb")))
Description: A series of tools for simulation analysis used for learning about
    distributions.
Depends:
    R (>= 3.4.2)
License: GPL-2
LazyData: true
RoxygenNote: 6.0.1
Imports: dplyr,
    purrr
Suggests: testthat,
    knitr,
    rmarkdown
VignetteBuilder: knitr
```



```
Package: simutils
Title: Simulation Analysis Tools
Version: 1.0.0.0
Authors@R: c(
    person("Nic", "Crane", email = "ncrane@mango-solutions.com", role = c("aut", "cre")),
    person("Aimee", "Gott", email = "agott@mango-solutions.com", role = c("aut", "ctb")))
Description: A series of tools for simulation analysis used for learning about
    distributions.
Depends:
    R (>= 3.4.2)
License: GPL-2
LazyData: true
RoxygenNote: 6.0.1
Imports: dplyr,
    purrr
Suggests: testthat,
    knitr,
    rmarkdown
VignetteBuilder: knitr
```



#### NAMESPACE file

#### The NAMESPACE file controls:

- Functions or packages imported for use by our package
- Functions exported by our package

#### We do NOT edit by hand!



#### Example NAMESPACE file

```
# Generated by roxygen2: do not edit by hand
export(na_counter)
export(sample_from_data)
import(dplyr)
import(purrr)
```





# Let's practice!





## **Optional Directories**

Nic Crane

Data Science Consultant, Mango Solutions



### **Optional Directories**

#### We can also include:

- Data
- Vignettes
- Tests
- Compiled code
- Translations
- Demos



#### Data

```
sim_dat <- data.frame(
    ID = 1:10,
    Value = sample(1:11, 10),
    Apples = sample(c(TRUE, FALSE), 10, replace = TRUE)
)

use_data(sim_dat, pkg = "simutils")</pre>
```



## Vignettes

```
use_vignette("my_first_vignette", pkg = "simutils")
```



#### Best Practice for Structuring Code

Guidelines for the R directory:

- No subdirectories
- Don't have everything in one script
- Don't have a large number of small files
- Group similar functions together





# Let's practice!