The fixed example was selected by hash, not by effect

QBR1-FINAL-0225 · target d0-02 · correct answer Yes · common suffix 20 tokens

A Stored seed 0

	Unchanged A	Refresh B values 16–23	Refresh C values 24–31	Full current record D
History 0	0.9973	0.9973	0.9973	0.9973
History 1	0.9957	0.9961	0.9960	0.9973
History 2	0.9979	0.9984	0.9981	0.9973
History 3	0.9954	0.9971	0.9960	0.9973
History 4	0.9986	0.9987	0.9986	0.9973
History 5	0.9968	0.9973	0.9969	0.9973
History 6	0.9985	0.9988	0.9984	0.9973
History 7	0.9945	0.9965	0.9950	0.9973
Facts	96/96	96/96	96/96	96/96
Other logic	64/64	64/64	64/64	64/64

B Stored seed 1

	Unchanged A	Refresh B values 16–23	Refresh C values 24–31	Full current record D
History 0	0.9980	0.9980	0.9980	0.9980
History 1	0.9920	0.9940	0.9922	0.9980
History 2	0.9973	0.9978	0.9973	0.9980
History 3	0.9938	0.9942	0.9941	0.9980
History 4	0.9973	0.9971	0.9973	0.9980
History 5	0.9844	0.9859	0.9846	0.9980
History 6	0.9964	0.9965	0.9965	0.9980
History 7	0.9878	0.9876	0.9890	0.9980
Facts	95/96	96/96	95/96	96/96
Other logic	57/64	57/64	57/64	56/64

All 64 displayed target responses are valid and correct. Cells show P(correct).
The first No/Yes joint query in frozen order was retained, regardless of effect.
D reuses one seed-specific context: invariance is automatic, not an extra success.
Both refreshes require preparing D. Keys, other values, positions, prompts and weights remain fixed. Full-precision scores and control counts are exported.