Queens College, CUNY, Department of Computer Science Numerical Methods CSCI 361 / 761 Summer 2018

Instructor: Dr. Sateesh Mane

© Sateesh R. Mane 2018

Final Part 1

Due Tuesday August 7, 2018 at 11.59 pm

- <u>NOTE</u>: It is the policy of the Computer Science Department to issue a failing grade to any student who either gives or receives help on any test.
- A student caught cheating on any question in an exam, project or quiz will fail the entire course.
- Any problem to which you give two or more (different) answers receives the grade of zero automatically.
- This is a take home exam. Answers should be typed in a file. See below for instructions.
- Please submit your solution via email, as a file attachment, to Sateesh.Mane@qc.cuny.edu.
- Please submit one zip archive with all your files in it.
 - 1. The zip archive should have either of the names (CS361 or CS761):

```
StudentId_first_last_CS361_final_pt1_Aug2018.zip
StudentId_first_last_CS761_final_pt1_Aug2018.zip
```

- 2. The archive should contain one "text file" named "Final_pt1.[txt/docx/pdf]" and one cpp file per question named "Q1.cpp" and "Q2.cpp" etc.
- 3. Note that text answers may not be required for all questions.
- 4. Note that not all questions may require a cpp file.
- In all questions where you are asked to submit programming code, programs which display any of the following behaviors will receive an automatic F:
 - 1. Programs which do not compile successfully (non-fatal compiler warnings are excluded).
 - 2. Array out of bounds, reading of uninitialized variables (including null pointers).
 - 3. Operations which yield NAN or infinity, e.g. divide by zero, square root of negative number, etc. *Infinite loops*.
 - 4. Programs which do NOT implement the public interface stated in the question.
- In addition, note the following:
 - 1. All debugging statements (for your personal testing) should be commented out.
 - 2. Program performance will be graded solely on the public interface stated in the questions.

General information

- The statements below are for general information only.
- Ignore them if they are not relevant for the exam questions below.
- The questions in this exam do not involve problems of overflow or underflow.
- Solutions involving the writing of algorithms will not be judged if they work on a 64-bit instead of a 32-bit computer.
- Value of π to machine precision on any computer.
 - 1. Some compilers support the constant M_PI for π , in which case you can write const double pi = M_PI;
 - 2. If your compiler does not support M_PI, the value of π can be computed via const double pi = 4.0*atan2(1.0,1.0);

1 Question 1

- Define x_1 and x_2 as follows.
 - 1. Take the first four digits of your student id and multiply by 10^{-4} .
 - 2. Take the last four digits of your student id and multiply by 10^{-4} .
 - 3. Then x_1 and x_2 are given as follows.

$$x_1 = (\text{first four digits of id}) \times 10^{-4},$$

 $x_2 = (\text{last four digits of id}) \times 10^{-4}.$

4. For example if your student id is 23054617, then

$$x_1 = 0.2305$$
, $x_2 = 0.4617$.

• Define two ellipses as follows.

$$(x - x_1)^2 + 2y^2 = 1$$
,
 $(x + x_2)^2 + 4y^2 = 1$.

- Calculate the area enclosed between the two ellipses, to 4 decimal places.
 - 1. Explain your algorithm to solve the problem.
 - 2. Justify that your answer is accurate to 4 decimal places.
 - 3. Submit your program code as part of your answer.
- There is more than one way to solve the problem. All correct solutions will be accepted.
- Solutions which employ $x_1 = 0.2305$ and $x_2 = 0.4617$ will score zero.