

Thursday, August 24, 2023

UNIVERSITY OF MINES AND TECHNOLOGY

SECOND SEMESTER EXAMINATION

SCHOOL OF RAILWAYS AND INFRASTRUCTURE DEVELOPMENT

FACULTY OF ENGINEERING


DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

COURSE NAME : PROGRAMMING WITH C#

COURSE CODE : CE380

CASE STUDY : STUDENT INFORMATION SYSTEM C# PROJECT

LOGIN PAGE



The image shows a screenshot of a web application window titled "School Information System". The window has a teal background. In the center, there is a light green rectangular box containing the login form. The form is titled "Sign in" in bold black text. Below the title, there are two input fields: "Username" and "Password", each with a corresponding label in a teal box. Below the "Password" field, there is a checkbox labeled "Show Password". At the bottom of the form, there is a teal button labeled "Login". The window has a standard Windows-style title bar with a close button (X) in the top right corner.

HOMEPAGE UI



Student Profile

Name Surname

Age Gender


Ref No. Contact

Course Hostel


✓ ADD

✓ UPDATE

✓ DELETE



COURSE CLASS UI



The screenshot shows a web application interface for managing courses. The header features a logo with three books and the word "COURSE" in bold. Below the header, there are three input fields: "Course Id", "Course Name" (with a dropdown arrow), and "Instructor Name". At the bottom, there are three green buttons: "ADD", "UPDATE", and "DELETE", each with a checkmark icon. The right side of the interface is a large, empty gray rectangular area, likely intended for displaying a list of courses.

STUDENT CLASS

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Data.SqlClient;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Xml.Linq;

namespace StudentInfo
{
    public partial class StudentProfileControl : UserControl
    {
        SqlConnection connect = new SqlConnection(@"Data
Source=(LocalDB)\MSSQLLocalDB;AttachDbFilename=""C:\Users\hp
pc\Documents\student.mdf"";Integrated Security=True;Connect Timeout=30");

        public void populate()
        {
```

```

connect.Open();
string Myquery = "select * from Profile";
SqlDataAdapter dataAdapter = new SqlDataAdapter(Myquery, connect);
SqlCommandBuilder commandBuilder = new SqlCommandBuilder(dataAdapter);
var ds = new DataSet();
dataAdapter.Fill(ds);
ProfileDataGridview.ReadOnly = true;
ProfileDataGridview.DataSource = ds.Tables[0];
connect.Close();
}

```

```

public StudentProfileControl()
{
    InitializeComponent();
}

```

```

private void StudentProfileControl_Load(object sender, EventArgs e)
{
}

```

```

private void textBox4_TextChanged(object sender, EventArgs e)
{
}

```

```

private void textBox7_TextChanged(object sender, EventArgs e)
{
}

```

```

private void label9_Click(object sender, EventArgs e)
{
}

```

```

private void textBox1_TextChanged(object sender, EventArgs e)
{
}

```

```

private void Add_Click(object sender, EventArgs e)
{
    if (Sname.Text == "" || Surname.Text == "" || Age.Text == "" ||
Gender.SelectedItem == null || Refno.Text == "" || Index.Text == "" ||
Course.SelectedItem == null || Hostel.SelectedItem == null || Course.SelectedItem ==
null )
    {
        MessageBox.Show("Missing Data.Fill All the Information");
    }
    else
    {

        connect.Open();

```

```

        SqlCommand cmd = new SqlCommand("insert into SData values('" +
Index.Text + "','" + Sname.Text + "','" + Surname.Text + "','" + Age.Text + "','" +
Gender.SelectedItem.ToString() + "','" + Refno.Text + "','" +
Hostel.SelectedItem.ToString() + "','" + Course.SelectedItem.ToString() + "')",
connect);

        cmd.ExecuteNonQuery();
        MessageBox.Show("Student Successfully Added");
        connect.Close();
        populate();
    }
}

private void ProfileDataGridView_CellContentClick(object sender,
DataGridViewCellEventArgs e)
{
    Sname.Text =
ProfileDataGridView.SelectedRows[0].Cells[0].Value.ToString();
    Surname.Text =
ProfileDataGridView.SelectedRows[0].Cells[1].Value.ToString();
    Age.Text =
ProfileDataGridView.SelectedRows[0].Cells[2].Value.ToString();
    Gender.Text =
ProfileDataGridView.SelectedRows[0].Cells[3].Value.ToString();
    Refno.Text =
ProfileDataGridView.SelectedRows[0].Cells[4].Value.ToString();
    Index.Text =
ProfileDataGridView.SelectedRows[0].Cells[5].Value.ToString();
    Course.Text =
ProfileDataGridView.SelectedRows[0].Cells[6].Value.ToString();
    Hostel.Text =
ProfileDataGridView.SelectedRows[0].Cells[7].Value.ToString();
}

private void Update_Click(object sender, EventArgs e)
{
    connect.Open();
    String Myquery = "UPDATE Profile SET NAME = '" + Sname.Text + "',
SURNAME = '" + Surname.Text + "', AGE = '" + Age.Text + "', Gender = '" +
Gender.SelectedItem.ToString() + "',REFNO = '" + Refno.Text + "',INDEX = '" +
Index.Text + "',COURSE = '" + Course.SelectedItem.ToString() + "',HOSTEL = '" +
Hostel.SelectedItem.ToString() + "' WHERE REFNO = '" + Refno.Text + "';";

    SqlCommand cmd = new SqlCommand(Myquery, connect);
    cmd.ExecuteNonQuery();
    MessageBox.Show("Student data Updated Successfully");
    connect.Close();
    populate();
}

private void Delete_Click(object sender, EventArgs e)
{
    if (Sname.Text == "")
    {
        MessageBox.Show("Wrong Operation.Click on the medicine to be
Deleted");
    }
}

```

```

        else
        {
            if (DialogResult.Yes == MessageBox.Show("Are you sure to delete
row?", "Confirmation", MessageBoxButtons.YesNo, MessageBoxIcon.Warning))
            {
                connect.Open();
                string query = "DELETE FROM Profile WHERE NAME = '" +
Stname.Text + "'";
                SqlCommand cmd = new SqlCommand(query, connect);
                cmd.ExecuteNonQuery();
                MessageBox.Show("Student Record Deleted Successfully");
                connect.Close();
                populate();
            }
        }
    }
}

```

GRADE CLASS

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Data.SqlClient;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Xml.Linq;

namespace StudentInfo
{
    public partial class GradeControl : UserControl
    {
        SqlConnection connect = new SqlConnection(@"Data
Source=(LocalDB)\MSSQLLocalDB;AttachDbFilename=""C:\Users\hp
pc\Documents\student.mdf"";Integrated Security=True;Connect Timeout=30");

        public void populate()
        {
            connect.Open();
            string Myquery = "select * from Grades";
            SqlDataAdapter dataAdapter = new SqlDataAdapter(Myquery, connect);
            SqlCommandBuilder commandBuilder = new SqlCommandBuilder(dataAdapter);
            var ds = new DataSet();
            dataAdapter.Fill(ds);
            GradeDataGridView.ReadOnly = true;
            GradeDataGridView.DataSource = ds.Tables[0];
            connect.Close();
        }
    }
}

```

```

public GradeControl()
{
    InitializeComponent();
}

private void label1_Click(object sender, EventArgs e)
{
}

private void GradeControl_Load(object sender, EventArgs e)
{
}

private void GradeDataGridView_CellContentClick(object sender,
DataGridViewCellEventArgs e)
{
    StdName.Text =
GradeDataGridView.SelectedRows[0].Cells[0].Value.ToString();
    Year1.Text =
GradeDataGridView.SelectedRows[0].Cells[1].Value.ToString();
    Year2.Text =
GradeDataGridView.SelectedRows[0].Cells[2].Value.ToString();
    Year3.Text =
GradeDataGridView.SelectedRows[0].Cells[3].Value.ToString();
    Year4.Text =
GradeDataGridView.SelectedRows[0].Cells[4].Value.ToString();
}

private void Add_Click(object sender, EventArgs e)
{
    if (StdName.Text == "" || Year1.Text == "" || Year2.Text == "" ||
Year3.Text == "" || Year4.Text == "")
    {
        MessageBox.Show("Missing Data.Fill All the Information");
    }
    else
    {
        connect.Open();
        SqlCommand cmd = new SqlCommand("insert into Grades values(' +
StdName.Text + "',' + Year1.Text + "',' + Year2.Text + "',' + Year3.Text + "',' +
Year4.Text + ')", connect);
        cmd.ExecuteNonQuery();
        MessageBox.Show("Grades Successfully Added");
        connect.Close();
        populate();
    }
}

private void Update_Click(object sender, EventArgs e)
{
    connect.Open();

```

```
String Myquery = "UPDATE Grades SET NAME = '" + StdName.Text + "', FYEAR
= '" + Year1.Text + "', SYEAR = '" + Year2.Text + "', TYEAR = '" + Year3.Text + "',
LYEAR = '" + Year4.Text + "' WHERE NAME = '" + StdName.Text + "';";
```

```
SqlCommand cmd = new SqlCommand(Myquery, connect);
cmd.ExecuteNonQuery();
MessageBox.Show("Grades Updated Successfully");
connect.Close();
populate();
}
```

```
private void Delete_Click(object sender, EventArgs e)
{
    if (StdName.Text == "")
    {
        MessageBox.Show("Wrong Operation.Click on the Grade to be Deleted");
    }
    else
    {
        if (DialogResult.Yes == MessageBox.Show("Are you sure to delete
row?", "Confirmation", MessageBoxButtons.YesNo, MessageBoxIcon.Warning))
        {
            connect.Open();
            string query = "insert into Grades values('" + StdName.Text +
";";

            SqlCommand cmd = new SqlCommand(query, connect);
            cmd.ExecuteNonQuery();
            MessageBox.Show("Grade Deleted Successfully");
            connect.Close();
            populate();
        }
    }
}
}
```

GRADES CLASS UI

COURSE CLASS

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Data.SqlClient;
using System.Drawing;
using System.Linq;
```

```

using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace StudentInfo
{
    public partial class DepartmentControl : UserControl
    {
        SqlConnection connect = new SqlConnection(@"Data
Source=(LocalDB)\MSSQLLocalDB;AttachDbFilename=""C:\Users\hp
pc\Documents\student.mdf"";Integrated Security=True;Connect Timeout=30");

        public void populate()
        {
            connect.Open();
            string Myquery = "select * from Department";
            SqlDataAdapter dataAdapter = new SqlDataAdapter(Myquery, connect);
            SqlCommandBuilder commandBuilder = new SqlCommandBuilder(dataAdapter);
            var ds = new DataSet();
            dataAdapter.Fill(ds);
            DeptDataGridView.ReadOnly = true;
            DeptDataGridView.DataSource = ds.Tables[0];
            connect.Close();
        }

        public DepartmentControl()
        {
            InitializeComponent();
        }

        private void DeptDataGridView_CellContentClick(object sender,
DataGridViewCellEventArgs e)
        {
            Deptid.Text =
            DeptDataGridView.SelectedRows[0].Cells[0].Value.ToString();
            Fac.Text = DeptDataGridView.SelectedRows[0].Cells[1].Value.ToString();
            DeptName.Text =
            DeptDataGridView.SelectedRows[0].Cells[2].Value.ToString();
        }

        private void Add_Click(object sender, EventArgs e)
        {
            if (Deptid.Text == "" || Fac.SelectedItem == null || DeptName.Text == ""
)
            {
                MessageBox.Show("Missing Data.Fill All the Information");
            }
            else
            {
                connect.Open();
                SqlCommand cmd = new SqlCommand("insert into Department values(' +
Deptid.Text + "',' + Fac.SelectedItem.ToString() + "',' + DeptName.Text + ')",
connect);
                cmd.ExecuteNonQuery();
                MessageBox.Show("Department Successfully Added");
                connect.Close();
            }
        }
    }
}

```

```

        populate();
    }
}

private void Update_Click(object sender, EventArgs e)
{
    connect.Open();
    String Myquery = "UPDATE Department SET DEPARTID = '" + Deptid.Text +
    "', FACULTY = '" + Fac.SelectedItem.ToString() + "',NAME ='" + DeptName.Text + "'
    WHERE DEPARTID = '" + Deptid.Text + "';";

    SqlCommand cmd = new SqlCommand(Myquery, connect);
    cmd.ExecuteNonQuery();
    MessageBox.Show("Department Updated Successfully");
    connect.Close();
    populate();
}

private void Delete_Click(object sender, EventArgs e)
{
    if (Deptid.Text == "")
    {
        MessageBox.Show("Wrong Operation.Click on the Department to be
Deleted");
    }
    else
    {
        if (DialogResult.Yes == MessageBox.Show("Are you sure to delete
row?", "Confirmation", MessageBoxButtons.YesNo, MessageBoxIcon.Warning))
        {
            connect.Open();
            string query = "insert into Department values('" + Deptid.Text +
            "';";

            SqlCommand cmd = new SqlCommand(query, connect);
            cmd.ExecuteNonQuery();
            MessageBox.Show("Departmen Deleted Successfully");
            connect.Close();
            populate();
        }
    }
}

private void DepartmentControl_Load(object sender, EventArgs e)
{
}
}

```

