



Interactive Digital Art and Design SE608 Proof of Concept - Concept Alignment Year IV

Student Name:	<i>Jeffrey Owens</i>	Student Number:	<i>C00314408</i>
Working Title:	<i>I'll do it later</i>		
PoC Date:	<i>26/09/2022</i>	PoC Version:	<i>Version 1</i>
How to use this document:	<i>Replace the grey guidance text with project-specific content. This Proof of Concept is intended to show whether the proposed FYP idea is coherent and achievable. The document should demonstrate a clear link between the project theme, objectives, user needs, features, tools/technologies, implementation approach, expected output, and evaluation. Keep the scope focused on proving the concept rather than developing the complete final project.</i>		
1. Project Theme / Problem:	My project, Do It Later, is an open-world task-management game based on procrastination and everyday responsibilities. The game explores how people sometimes put off important tasks because of distractions, lack of motivation, or poor time management. The player will explore a small interactive world where they must complete activities such as college assignments, cleaning their home, shopping, and attending college. However, they will also encounter distractions which can make the player lose track on completing a task. I want to explore this theme through a humorous and interactive experience that encourages players to think about how they manage their time and responsibilities.		
2. Project Aim:	The aim of this project is to develop an interactive task-management game that explores procrastination by allowing players to balance everyday responsibilities, deadlines, motivation, stress, and distractions within a small open-world environment and to build up my coding and art skills.		

3. Project Objectives:	1. To create a user interface that displays important information such as tasks, deadlines, time, and player status. 2. To create interactive distractions 3. Creates a task-management system that allows players to receive, track, and complete everyday tasks.
4. Target Users / Audience:	The target audience for Do It Later is mainly students and young adults who are familiar with procrastination and balancing everyday responsibilities. The game may also be good to casual players who enjoy simulation, exploration, and task-based games such as The Sims and House Flipper.
5. Main User Requirements / Use Cases:	Case 1 – moving around • User: Player • Action: Uses the keyboard to move in four directions. • System Response: The 2D character moves around the environment. • Outcome: The player can explore the game world. Case 2 – completing a task • User: Player • Action: Approaches and interacts with an object related to a task. • System Response: The game registers the interaction and updates the task when its requirements are met. • Outcome: The player progresses towards completing their responsibilities. Case 3 – managing time • User: Player • Action: Chooses which activity to complete first. • System Response: The in-game clock advances and deadlines become closer. • Outcome: The player must prioritise their tasks. Case 4 – choosing distractions • User: Player • Action: Interacts with an optional activity, such as watching television. • System Response: The activity consumes in-game time without completing the assigned task. • Outcome: The player experiences the consequences of procrastination.

6. Requ red Featu res / Functi onal Requi remen ts:	• 2D character movement • A small playable environment • Collision detection for walls, objects and furniture • Object interaction using keyboard input • A functional website to play the game • Ui displaying tasks and time • Background music and sound effects • Words of motivation
--	--

7. Proposed Tools and Technologies:


Tool / Technology	Purpose in Project	Feature / Objective Supported	Why Suitable?
JavaScript	Used to develop the main gameplay logic, including player interactions, task completion, time progression, deadlines, and distractions. For example, JavaScript will happen when the player interacts with their desk or television.	Collision detection for walls, objects and furniture	I have experience using JavaScript from my course. When it comes to the functions of games and websites, it's a reliable tool.
HTML and CSS	Used to build and style supporting interface elements such as the main menu, task list, clock, pause menu and player information, also used to build the website to run the game	Task list Clock Player info Website	HTML provides structure for the website while CSS allows me to customize the appearance and layout. I'm familiar with both tools when it comes to making websites
Aseprite	Used to create pixel-art character sprites, furniture, environmental tiles and animation frames. For example, I can design the player's character, desk, television	Designing furniture Creating environment Creating player Creating objects and furniture	Aseprite provides tools for pixel-art creation and frame-by-frame sprite animation, making it suitable for the game's proposed visual style.
Photoshop / Affinity	Used to create additional graphics such as title screens, interface icons, promotional artwork, and visual design concepts.	Title screens Interface icons Loading screen Starting screen Icons and logos	Used to create additional graphics such as title screens, interface icons, promotional artwork, and visual design concepts and these two tools are what I'm more familiar with when it comes to digital art and graphic design
Visual studio code	Used to write, edit, organize and debug the game's JavaScript, HTML, and CSS files.	To run and debug the code for the game	VS Code supports JavaScript development and provides features such as syntax highlighting, debugging, and project organization that's my main tool to

8. Project Alignment Matrix:

Project Objective	Required Feature	Tool / Technology	PoC Evidence / Test	Expected Final Outcome
Develop a top-down 2D environment where players can move and interact with objects.	Four-directional character movement, collisions, a playable house, and an interaction system for objects such as the desk and television.	JavaScript Asprite	Create a bedroom prototype. Test movement in all four directions, confirm the player cannot move through walls or furniture, and verify that interaction prompts to activate only when the player is close enough to an object. Record gameplay footage and screenshots.	A small explorable 2D world containing interactive locations such as the player's home, college and a shop
Implement a task-management system that allows players to receive, track, and complete tasks.	A task list, task descriptions, completion conditions messages and task status updates	Javascript Html and CSS	Give the player a task to complete an assignment. Test whether the task appears in the list, changes to completion after the required desk interaction, and cannot be completed repeatedly. Record the task states before and after completion.	A working task system containing everyday activities such as studying, cleaning and shopping.
Create an in-game time and deadline system that encourages players to priorities activities.	In-game clock, task deadlines, and consequences for missing deadlines.	Javascript Html CSS	Display an in-game clock and assign a deadline to the sample task. Test that time progresses, completing an activity uses the intended amount of time, and the task changes to an overdue or failed state when its deadline passes.	A functioning time-management system that makes deadlines for gameplay.
Develop interactive distractions that consume time and affect player progress.	Optional activities, such as watching television, consume time without completing an important task.	Javascript Asprite	Add an interactive television. Compare a playthrough where the player immediately completes their assignment with one where they watch television first. Verify that the distraction consumes time and can affect whether the deadline is met.	A system of distractions that creates choices between responsibilities and entertainment.
Design a user interface that displays tasks, deadlines, and player information.	Task panel, clock, interaction prompts, and clear feedback when tasks are completed or missed.	HTML, CSS, JavaScript, Photoshop / Affinity	Display the task list and clock during the prototype. Verify that the information updates correctly when tasks are completed until time advances and deadlines expire.	An understandable game interface that helps players track their responsibilities and manage their time

					Capture screenshots showing the different states.		
--	--	--	--	--	---	--	--

9. PoC Demostration / Evidence:




As part of planning my Proof of Concept, I have created some initial designs for the game do it later

The first design is a sketch layout of the player's bedroom. It shows where I plan to position objects such as the computer, bed, cabinet, and television. These objects will help me create an interactive environment where the player can explore and complete different activities.

The second design is a mock-up showing how the player will have to choose between completing an assignment and watching television. The player starts at 9:00 AM and has until 12:00 PM to complete their assignment. Both activities take two in-game hours, so the player's decision will affect how much time they have left.

The third design is a flowchart showing the main gameplay process, including receiving tasks, choosing activities, managing time, and the possible outcomes of completing or missing a deadline.

These are currently concept ideas I plan to use as a guide when developing my prototype and testing whether the gameplay mechanics work as intended.



10. Technology Suitability / Alternatives:	Requirement	Proposed Approach / Tool	Alternative Considered	Reason for Final Choice		
	Pixel art creation	Asprite	Photoshop		Aseprite is designed for pixel art and sprite animation if I choose a pixel-art visual style	
	Interface designs	Html css	Jed		Html and css are the programmes that build websites and im familiar with these tools	
	Audio	Bandlab	Readymade licensed audio		BandLab would allow me to produce or edit audio if custom sounds are needed	
	Data storage	Browser local storage	Sql database			Browser storage may be sufficient for a small offline prototype without a database server

11. Scope - Core vs Optional Features:		Feature	Priority	Reason / Objective Supported	Include in PoC?
		Top-down character movement	Must have	Enables exploration	yes
		Playable room	Must have	Demonstrates environment design	yes
		Collision detection	Must have	Supports realistic movement boundaries	yes
		Object interactions	Must have	Allows player activities	yes
		Task management system	Must have	Central gameplay mechanic	yes
		One distraction	Must have	Supports time-management gameplay	yes
		Stress and motivational system	Should have	Adds consequences to choices	no
		Additional locations	should have	Expands the environment	yes
		Character customization	Could have	Improve personalization	No
	Detailed animations	Could have	Improves presentation	No	

12. Feasibility Assessment:		Area	Question to Consider	Assessment / Evidence
		Technical	Can the 2D game mechanics be implemented?	JavaScript and a asprite are suitable for the

	<table border="1"> <tr> <td></td><td></td><td>proposed mechanics, but movement, collisions and task integration still need testing</td></tr> <tr> <td>Time</td><td>Can the project be developed within the FYP timeframe?</td><td>Starting with one room and a limited number of interactions will reduce the initial workload and if theres more time i can more locations</td></tr> <tr> <td>Skills</td><td>Do I have the required skills?</td><td>My IDAD course has provided experience in programming, graphic design, and animation. I may need to do more research and with that i learn along the way</td></tr> <tr> <td>Resources</td><td>Are tools and hardware available?</td><td>I plan to use a computer or laptop, VS Code, and graphics software. Software availability and compatibility need confirmation</td></tr> <tr> <td>Evaluation</td><td>Can project success be demonstrated?</td><td>I can test character movement, collisions, task completion, deadlines and distraction behaviour using defined test cases</td></tr> </table>			proposed mechanics, but movement, collisions and task integration still need testing	Time	Can the project be developed within the FYP timeframe?	Starting with one room and a limited number of interactions will reduce the initial workload and if theres more time i can more locations	Skills	Do I have the required skills?	My IDAD course has provided experience in programming, graphic design, and animation. I may need to do more research and with that i learn along the way	Resources	Are tools and hardware available?	I plan to use a computer or laptop, VS Code, and graphics software. Software availability and compatibility need confirmation	Evaluation	Can project success be demonstrated?	I can test character movement, collisions, task completion, deadlines and distraction behaviour using defined test cases					
		proposed mechanics, but movement, collisions and task integration still need testing																			
Time	Can the project be developed within the FYP timeframe?	Starting with one room and a limited number of interactions will reduce the initial workload and if theres more time i can more locations																			
Skills	Do I have the required skills?	My IDAD course has provided experience in programming, graphic design, and animation. I may need to do more research and with that i learn along the way																			
Resources	Are tools and hardware available?	I plan to use a computer or laptop, VS Code, and graphics software. Software availability and compatibility need confirmation																			
Evaluation	Can project success be demonstrated?	I can test character movement, collisions, task completion, deadlines and distraction behaviour using defined test cases																			
13. Risks and Plan B:	<table border="1"> <thead> <tr> <th>Risk / Uncertainty</th><th>What It Affects</th><th>Mitigation</th><th>Plan B / Alternative</th></tr> </thead> <tbody> <tr> <td>World becomes too large</td><td>Development time</td><td>Begin with a single room and expand gradually</td><td>Use a few smaller connected locations</td></tr> <tr> <td>Problems with collisions</td><td>Movement and exploration</td><td>Test collisions with simple objects early</td><td>Simplify furniture layouts and collision boundaries</td></tr> <tr> <td>Task and time systems become complicated</td><td>Main gameplay</td><td>Build and test each system separately</td><td>Reduce tasks to a simple checklist and countdown</td></tr> <tr> <td>Pixel-art production takes too long</td><td>Visual presentation</td><td>Use placeholder sprites initially</td><td>Reduce animation and environmental detail</td></tr> </tbody> </table>	Risk / Uncertainty	What It Affects	Mitigation	Plan B / Alternative	World becomes too large	Development time	Begin with a single room and expand gradually	Use a few smaller connected locations	Problems with collisions	Movement and exploration	Test collisions with simple objects early	Simplify furniture layouts and collision boundaries	Task and time systems become complicated	Main gameplay	Build and test each system separately	Reduce tasks to a simple checklist and countdown	Pixel-art production takes too long	Visual presentation	Use placeholder sprites initially	Reduce animation and environmental detail
Risk / Uncertainty	What It Affects	Mitigation	Plan B / Alternative																		
World becomes too large	Development time	Begin with a single room and expand gradually	Use a few smaller connected locations																		
Problems with collisions	Movement and exploration	Test collisions with simple objects early	Simplify furniture layouts and collision boundaries																		
Task and time systems become complicated	Main gameplay	Build and test each system separately	Reduce tasks to a simple checklist and countdown																		
Pixel-art production takes too long	Visual presentation	Use placeholder sprites initially	Reduce animation and environmental detail																		
14. PoC Outcome / Decision:	<i>Select one outcome and justify the decision below:</i> ☐ Proceed - the concept and proposed approach are suitable. ☐ Proceed with changes - the concept is feasible, but changes are required. ☐ Reconsider - the current concept or approach requires significant revision. <i>Justification: [Explain the decision in 3-5 sentences.]</i>																				

15. Required Changes Before Full Development:	
16. Next Steps:	<i>List the next 3-5 concrete development tasks in priority order. Each task should follow logically from the PoC decision and the revised project direction.</i>
17. Supporting Material / References:	<i>Provide links or references to supporting research, technical documentation, comparable systems, design references, GitHub repository, screenshots, diagrams or short demonstration videos used to justify the PoC decisions.</i>
Student declaration: The information in this Proof of Concept reflects the current proposed direction of the FYP and the evidence available at this stage. Signed: _____ Date: _____ 02 /10/26 _____	
For Office / Supervisor Use Only	
PoC reviewed:	<i>[Supervisor notes]</i>
Main issues / conditions:	<i>[Supervisor notes]</i>
Approved direction / required changes:	<i>[Supervisor notes]</i>

Super visor:	<i>[Supervisor notes]</i>
Signed / Date:	<i>[Supervisor notes]</i>