

FIGURE 4-41 Bones of the skull, hyoid apparatus, and larvngeal cartilages, lateral aspect.




FIGURE 4-48 Skull with calvaria removed, dorsal aspect.




FIGURE 4-44 Skull, ventral aspect (Right tympanic bulla removed. Left fourth premolar and left first molar removed).




FIGURE 4-47 Sagittal section of skull. The position of the vomer is indicated by a dotted line. Roman numerals indicate endoturbinates. Arabic numerals indicate ectoturbinates.





FIGURE 4-42 Disarticulated expanded skull of a puppy, lateral view. (From Evans HE, de Lahunta A: Gulde to the Dissection of the Dog, ed 7, Philadelphia, 2010 Saunders.)



Coronold process Ramus of Coronold crest mandible Mandibular Mandibular notch foramen Masseteric fossa Mylohyoid Condyloid crest Angular process Masseteric line Body of mandible

Condyloid process

FIGURE 4-38 Left and right mandibles, dorsal lateral aspect.

Mental foramina

Property of Veterinary Anatomy - DO NOT REMOVE




FIGURE 4-50 **A**, Atlas of a 3½-month-old Beagle, caudodorsal view. **B**, Developmental ossific components of the atlas. **C**, Atlas of an adult dog, caudodorsal view. (With permission from Watson AG: *The phylogeny and development of the occipito-atlas-axis complex in the dog*, Thesis, Ithaca, NY, 1981, Cornell University.)




FIGURE 4-54 A, Atlas and axis of an adult dog, cranial lateral aspect. (The transverse ligament over the dens has been removed.) B, Atlas and axis of a 6-month-old Beagle, cranial view. (With permission from Watson AG: The phylogeny and development of the occipito-atlas-axis complex in the dog, Thesis, Ithaca, NY, 1981, Cornell University.)




FIGURE 4-58 Seventh cervical vertebra, caudal aspect.




FIGURE 4-88 Ribs and sternum, ventral aspect.




FIGURE 4-89 Ribs and sternum, right lateral aspect.




FIGURE 4-64 First thoracic vertebra, left lateral aspect.




FIGURE 4-65 Sixth thoracic vertebra, cranial lateral aspect.




FIGURE 4-66 The last four thoracic vertebrae, lateral aspect.

<u>Property of Veterinary Anatomy – DO NOT REMOVE</u>




FIGURE 4-70 First lumbar vertebra, cranial lateral aspect.




FIGURE 4-71 Fifth lumbar vertebra, caudal lateral aspect.





FIGURE 4-83 Second and third caudal vertebrae, dorsolateral aspect.

Property of Veterinary Anatomy - DO NOT REMOVE






FIGURE 4-78 Sacrum, caudal lateral aspect.

FIGURE 4-80 Sacrum, ventral aspect.




FIGURE 4-79 Sacrum, dorsal aspect.




FIGURE 4-81 Sacrum and first caudal vertebra, lateral aspect.

Property of Veterinary Anatomy - DO NOT REMOVE




FIGURE 4-120 A, Pelvis, caudodorsal aspect. |




FIGURE 4-124 Ventral aspect of ossa coxae. Note the fused symphysis pelvis.

os coxae.