Profile Summary

Generated 24-Oct-2015 19:47:19 using cpu time.

Function Name	Calls	Total Time	Self Time *	Total Time Plot (dark band = self time)
main data exchange fixed top	1	197.486 s	63.040 s	
sensorProb	299	130.595 s	130.548 s	
legendcolorbarlayout>doLayoutCB	1566	1.927 s	0.145 s	1
legendcolorbarlayout>doLayout	1314	1.791 s	0.317 s	1
colorbar	27	0.884 s	0.004 s	
colorbar>make colorbar	27	0.880 s	0.000 s	
scribe.colorbar.colorbar	27	0.876 s	0.031 s	
scribe.colorbar.init	27	0.653 s	0.039 s	
xlabel	27	0.602 s	0.023 s	
scribe.colorbar.methods	480	0.508 s	0.016 s	
legendcolorbarlayout>getPixelBounds	1290	0.461 s	0.156 s	
ph.contourgroup.schema>LdoDirtyAction	99	0.438 s	0.004 s	
specgraph.contourgroup.refresh	66	0.434 s	0.055 s	
legendcolorbarlayout	156	0.368 s	0.012 s	
contourf	33	0.360 s	0.035 s	
legendcolorbarlayout>validateTextObjects	1314	0.352 s	0.109 s	
scribe/private/updateLegendMenuToolbar	99	0.305 s	0.027 s	
legendcolorbarlayout>doInOutLayout	1290	0.301 s	0.164 s	
allchild	1521	0.293 s	0.145 s	
graphics/private/clo	70	0.270 s	0.059 s	
graph2dhelper	516	0.258 s	0.020 s	
clf	37	0.246 s	0.012 s	
findall	537	0.231 s	0.121 s	
legendcolorbarlayout>makeSpace	30	0.223 s	0.023 s	
contours	27	0.215 s	0.176 s	
opaque.double	13426	0.207 s	0.207 s	
legendcolorbarlayout>localValidateLists	1314	0.180 s	0.117 s	
scribe.colorbar.methods>set contextmenu	27	0.168 s	0.031 s	
	-			

legendcolorbarlayout>doPixelBoundsCB	54	0.164 s	0.008 s
newplot	357	0.164 s	0.016 s
uigettool	198	0.164 s	0.063 s
isprop	2088	0.164 s	0.094 s
ndcolorbarlayout>localGetXLabelHeight	1389	0.145 s	0.082 s
newplot>ObserveAxesNextPlot	357	0.141 s	0.031 s
is2D_	5358	0.137 s	0.137 s
legendcolorbarlayout>doParentResize	3	0.133 s	0.008 s
scribe.colorbar.methods>deletecolorbars	24	0.117 s	0.000 s
scribe.colorbar.methods>PeerAxesDeleted	48	0.113 s	0.000 s
scribe.colorbar.init>colorbarDeleted	24	0.113 s	0.016 s
cla	33	0.109 s	0.008 s
onCleanup>onCleanup.onCleanup	2058	0.106 s	0.106 s
scribe.colorbar.methods>setConfiguration	54	0.102 s	0.012 s
legendcolorbarlayout>getListeners	1395	0.098 s	0.098 s
methods>PeerAxesChangedFontProperties	162	0.094 s	0.020 s
shading	27	0.090 s	0.008 s
hggetbehavior	135	0.086 s	0.012 s
onCleanup>onCleanup.delete	2058	0.082 s	0.043 s
lineseries	325	0.082 s	0.063 s
raph.contourgroup.refresh>LdrawFilled	27	0.078 s	0.074 s
scribe.colorbar.methods>doUpdateImage	54	0.074 s	0.020 s
hggetbehavior>localGet	135	0.074 s	0.008 s
specgraph.contourgroup.setLegendInfo	120	0.070 s	0.016 s
isprop>hasPropI	2088	0.070 s	0.070 s
legendcolorbarlayout>localGetYLabelWidth	1290	0.070 s	0.039 s
legendcolorbarlayout>localGetTitleHeight	1389	0.066 s	0.023 s
specgraph.contourgroup.contourgroup	33	0.063 s	0.043 s
scribe.colorbar.methods>updatefonts	162	0.063 s	0.027 s
setdiff	103	0.063 s	0.016 s
legendcolorbarlayout>topixels	1242	0.063 s	0.063 s

getpixelposition	1290	0.063 s	0.063 s
legendcolorbarlayout>toPoints	2580	0.059 s	0.059 s
meshgrid	355	0.051 s	0.051 s
e.colorbar.methods>update contextmenu	27	0.051 s	0.023 s
scribe/private/createScribeUIMenuEntry	54	0.051 s	0.004 s
axis	27	0.051 s	0.008 s
setdiff>setdifflegacy_	103	0.047 s	0.012 s
IMenuEntry>localCreateCustomEnumEntry	27	0.047 s	0.012 s
hgbehaviorfactory>localCreate	135	0.047 s	0.023 s
hgbehaviorfactory	135	0.047 s	0.000 s
legendinfo	27	0.043 s	0.020 s
axis>LocSetTight1	27	0.043 s	0.008 s
num2str	195	0.043 s	0.039 s
axis>LocSetTight	27	0.043 s	0.000 s
legendcolorbarlayout>createListeners	27	0.039 s	0.020 s
scribe.colorbar.methods>find colorbars	186	0.031 s	0.020 s
legendcolorbarlayout>reclaimSpace	27	0.031 s	0.012 s
xyzchk	54	0.027 s	0.020 s
subplot	6	0.027 s	0.020 s
contourf>parseargs	33	0.027 s	0.027 s
all>showHiddenHandlesToFindAllHandles	537	0.027 s	0.023 s
uitools/private/allchildRootHelper	1521	0.027 s	0.027 s
scribe.colorbar.init>changedLimits	162	0.023 s	0.016 s
set(rootobj,'ShowHiddenHandles',Temp)	537	0.023 s	0.023 s
contours>rotatecorner	2989	0.023 s	0.023 s
datestr	12	0.023 s	0.000 s
timefun/private/dateformverify	12	0.023 s	0.008 s
ismember	33	0.020 s	0.012 s
unique	57	0.020 s	0.008 s
hggetbehavior>localPeek	135	0.020 s	0.008 s
e(['MATLAB:uistring:scribemenu:',x]))	297	0.020 s	0.020 s

legendcolorbarlayout>layoutColorbar	1290	0.020 s	0.008 s
ethods>initialize colorbar properties	27	0.016 s	0.008 s
scribe.colorbar.methods>startlisteners	27	0.016 s	0.012 s
set(rootobj,'ShowHiddenHandles',Temp)	1521	0.016 s	0.016 s
set(rootobj,'ShowHiddenHandles',Temp)	1521	0.016 s	0.016 s
e.colorbar.methods>auto adjust colors	27	0.016 s	0.016 s
legendinfo>parsestruct	54	0.016 s	0.016 s
ontourgroup.schema>LdoMarkDirtyAction	288	0.016 s	0.012 s
view	33	0.016 s	0.008 s
refresh	37	0.016 s	0.016 s
hgbehaviorfactory>localGetBehaviorInfo	135	0.016 s	0.016 s
timefun/private/formatdate	12	0.016 s	0.008 s
hsv	27	0.012 s	0.004 s
scribe.colorbar.init>changedPos	261	0.012 s	0.012 s
legendcolorbarlayout>initInsetAppdata	27	0.012 s	0.008 s
dcolorbarlayout>preferredColorbarSize	1290	0.012 s	0.012 s
urgroup.setLegendInfo>makeEllipseData	81	0.012 s	0.008 s
subplot>addAxesToGrid	6	0.008 s	0.004 s
newplot>ObserveFigureNextPlot	357	0.008 s	0.008 s
ismember>ismemberlegacy	33	0.008 s	0.008 s
unique>uniquelegacy	24	0.008 s	0.008 s
caxis	27	0.008 s	0.008 s
scribe/private/getplotmanager	357	0.008 s	0.008 s
scribe.legend.schema	1	0.008 s	0.008 s
hsv2rgb	27	0.008 s	0.008 s
<u>objbounds</u>	27	0.008 s	0.008 s
scribe.colorbar.methods>iscolorbar	372	0.008 s	0.008 s
legendcolorbarlayout>offsetsInUnits	54	0.008 s	0.008 s
legendcolorbarlayout>rmListeners	24	0.008 s	0.008 s
specgraph.contourgroup.schema	1	0.008 s	0.008 s
legend	27	0.008 s	0.008 s

now	12	0.008 s	0.004 s
timefun/private/cnv2icudf	12	0.008 s	0.008 s
close	1	0.004 s	0.004 s
subplot>createListeners	6	0.004 s	0.004 s
tourgroup.schema>LdoUpdateColorAction	159	0.004 s	0.000 s
legendcolorbarlayout>localChangePosition	33	0.004 s	0.004 s
usev6plotapi	33	0.004 s	0.004 s
axescheck	66	0.004 s	0.004 s
set(rootobj,'ShowHiddenHandles',Temp)	537	0.004 s	0.004 s
unique>uniqueR2012a	33	0.004 s	0.004 s
colormap	54	0.004 s	0.004 s
int2str	195	0.004 s	0.004 s
plotdoneevent	33	0.004 s	0.000 s
gray	27	0.004 s	0.004 s
e.colorbar.schema>localGetOrientation	108	0.004 s	0.004 s
legendcolorbarlayout>initProperties	27	0.004 s	0.004 s
fliplr	161	0.004 s	0.004 s
ndcolorbarlayout>location to xy index	99	0.004 s	0.004 s
scribe.colorbar.schema>localSetLocation	54	0.004 s	0.004 s
specgraph.schema	1	0.004 s	0.004 s
linspace	81	0.004 s	0.004 s
specgraph.contourgroup.setContourMatrix	282	0.004 s	0.004 s
xyzchk>isvector	162	0.004 s	0.004 s
ntourgroup.schema>LdoModeSwitchAction	198	0.004 s	0.004 s
view>isAxesHandle	33	0.004 s	0.004 s
view>ViewCore	33	0.004 s	0.004 s
grid	33	0.004 s	0.004 s
title	6	0.004 s	0.004 s
graphics/private/clearscribe	37	0.004 s	0.004 s
sensorSim	60	0.004 s	0.004 s
colorbar>find colorbar	27	0.004 s	0.000 s

colorbar>iscolorbar	27	0.004 s	0.004 s
graphics.panbehavior.schema	1	0.004 s	0.004 s
graphics.ploteditbehavior.schema	1	0.004 s	0.004 s
graph2d/private/lineseriesmex (MEX-file)	325	0.004 s	0.004 s
datenum	12	0.004 s	0.004 s
close>getEmptyHandleList	1	0 s	0.000 s
close>safegetchildren	1	0 s	0.000 s
close>checkfigs	1	0 s	0.000 s
close>request close	1	0 s	0.000 s
datamanager.schema	1	0 s	0.000 s
olorbar.methods>get current data axes	27	0 s	0.000 s
datachildren	33	0 s	0.000 s
scribe.colorbar.init>changedVisibility	27	0 s	0.000 s
e.colorbar.methods>FigureChangedColor	48	0 s	0.000 s
hold	33	0 s	0.000 s
parseparams	33	0 s	0.000 s
specgraph/private/datachk	33	0 s	0.000 s
specgraph/private/checkpvpairs	27	0 s	0.000 s
graphics/private/clo>find kids	70	0 s	0.000 s
scribe.colorbar.methods>getfunhan	54	0 s	0.000 s
colormap>getColorMapContainer	27	0 s	0.000 s
@(x)(['scribe:colorbar:colormap:',x])	27	0 s	0.000 s
@(x)(['scribe:colorbar:colormap:',x])	135	0 s	0.000 s
ibeUIMenuEntry>localCreateActionEntry	27	0 s	0.000 s
flipud	27	0 s	0.000 s
cool	27	0 s	0.000 s
hot	27	0 s	0.000 s
<u>jet</u>	27	0 s	0.000 s
scribe.colorbar.getprivateprop	108	0 s	0.000 s
axis>allAxes	27	0 s	0.000 s
objbounds>allAxes	27	0 s	0.000 s

obįbounds>localGetImageBounds	27	0 s	0.000 s
obįbounds>localComputeImageEdges	54	0 s	0.000 s
layout>create@(obj.evd)(doLayout(ax))	27	0 s	0.000 s
legendcolorbarlayout>requestSpace	30	0 s	0.000 s
scribe.colorbar.init>changedOrientationI	27	0 s	0.000 s
scribe.colorbar.setprivateprop	81	0 s	0.000 s
be.colorbar.init>changedYAxisLocation	27	0 s	0.000 s
scribe.colorbar.methods>PeerAxesCleared	24	0 s	0.000 s
ishold	33	0 s	0.000 s
specgraph.contourgroup.schema>Lappend	35	0 s	0.000 s
scribe.schema	1	0 s	0.000 s
scribe.legendinfo.schema	1	0 s	0.000 s
te@(h,valProposed)handle(valProposed)	1	0 s	0.000 s
scribe.legendinfo.legendinfo	27	0 s	0.000 s
a>@(h,valProposed)handle(valProposed)	27	0 s	0.000 s
scribe.legendinfochild.schema	1	0 s	0.000 s
scribe.legendinfochild.legendinfochild	108	0 s	0.000 s
legendinfo>check xydata	108	0 s	0.000 s
legend>find legend	27	0 s	0.000 s
rgroup.schema>LdoUpdateChildrenAction	33	0 s	0.000 s
hgfeval	33	0 s	0.000 s
graph2d/private/labelcheck	33	0 s	0.000 s
colorbar>ishg2peer	27	0 s	0.000 s
scribe.colorbar.schema	1	0 s	0.000 s
graphics.schema	1	0 s	0.000 s
graphics.zoombehavior.schema	1	0 s	0.000 s
graphics.rotate3dbehavior.schema	1	0 s	0.000 s
graphics.datacursorbehavior.schema	1	0 s	0.000 s
loteditbehavior.schema>doEnableAction	27	0 s	0.000 s
graphics.panbehavior.dosupport	27	0 s	0.000 s
graphics.zoombehavior.dosupport	27	0 s	0.000 s

graphics.rotate3dbehavior.dosupport	27	0 s	0.000 s	
graphics.datacursorbehavior.dosupport	27	0 s	0.000 s	
graphics.ploteditbehavior.dosupport	27	0 s	0.000 s	
graph2d.schema	1	0 s	0.000 s	
datestr>getdateform	12	0 s	0.000 s	
calAngle	54	0 s	0.000 s	

Self time is the time spent in a function excluding the time spent in its child functions. Self time also includes overhead resulting from the process of profiling.