Profile Summary

Generated 24-Oct-2015 19:51:51 using cpu time.

Function Name	Calls	Total Time	Self Time *	Total Time Plot (dark band = self time)
main data exchange fixed top	1	46.991 s	5.531 s	
sensorProb	60	35.156 s	35.156 s	
legendcolorbarlayout>doLayoutCB	1716	3.555 s	0.264 s	
legendcolorbarlayout>doLayout	1451	3.270 s	0.494 s	
colorbar	30	1.357 s	0.021 s	L
colorbar>make colorbar	30	1.336 s	0.007 s	L
scribe.colorbar.colorbar	30	1.322 s	0.014 s	L
xlabel	30	1.162 s	0.035 s	1
scribe.colorbar.init	30	0.932 s	0.021 s	1
legendcolorbarlayout>getPixelBounds	1424	0.877 s	0.327 s	1
scribe.colorbar.methods	534	0.793 s	0.042 s	1
legendcolorbarlayout>validateTextObjects	1451	0.731 s	0.153 s	
allchild	1681	0.633 s	0.285 s	1
legendcolorbarlayout	176	0.584 s	0.035 s	1
legendcolorbarlayout>doInOutLayout	1424	0.487 s	0.257 s	1
ph.contourgroup.schema>LdoDirtyAction	108	0.480 s	0.007 s	1
specgraph.contourgroup.refresh	72	0.473 s	0.070 s	1
scribe/private/updateLegendMenuToolbar	111	0.452 s	0.049 s	1
clf	40	0.424 s	0.028 s	
opaque.double	14861	0.404 s	0.404 s	1
graphics/private/clo	76	0.369 s	0.049 s	1
graph2dhelper	573	0.369 s	0.014 s	1
legendcolorbarlayout>makeSpace	32	0.334 s	0.021 s	I
contourf	36	0.327 s	0.042 s	I
legendcolorbarlayout>localValidateLists	1451	0.320 s	0.167 s	
findall	600	0.278 s	0.195 s	
isprop	2294	0.257 s	0.125 s	
scribe.colorbar.methods>deletecolorbars	27	0.244 s	0.000 s	1

legendcolorbarlayout>doPixelBoundsCB	60	0.237 s	0.007 s
uigettool	222	0.230 s	0.153 s
is2D_	5900	0.230 s	0.230 s
scribe.colorbar.methods>PeerAxesDeleted	60	0.223 s	0.000 s
scribe.colorbar.methods>set contextmenu	30	0.216 s	0.070 s
scribe.colorbar.init>colorbarDeleted	30	0.209 s	0.021 s
ndcolorbarlayout>localGetXLabelHeight	1526	0.202 s	0.090 s
raph.contourgroup.refresh>LdrawFilled	30	0.195 s	0.188 s
hggetbehavior>localGet	150	0.188 s	0.035 s
hggetbehavior	150	0.188 s	0.000 s
scribe.colorbar.methods>setConfiguration	60	0.181 s	0.014 s
legendcolorbarlayout>getListeners	1543	0.181 s	0.181 s
legendcolorbarlayout>topixels	1380	0.153 s	0.153 s
scribe.colorbar.methods>doUpdateImage	60	0.146 s	0.035 s
methods>PeerAxesChangedFontProperties	180	0.146 s	0.035 s
legendcolorbarlayout>localGetYLabelWidth	1424	0.146 s	0.063 s
ismember	348	0.139 s	0.035 s
shading	30	0.139 s	0.007 s
legendcolorbarlayout>toPoints	2848	0.139 s	0.139 s
newplot	396	0.139 s	0.014 s
onCleanup>onCleanup.delete	2281	0.132 s	0.070 s
contours	30	0.132 s	0.111 s
isprop>hasPropI	2294	0.132 s	0.132 s
onCleanup>onCleanup.onCleanup	2281	0.118 s	0.118 s
getpixelposition	1424	0.111 s	0.111 s
hgbehaviorfactory>localCreate	150	0.111 s	0.049 s
hgbehaviorfactory	150	0.111 s	0.000 s
setdiff	114	0.104 s	0.035 s
legendcolorbarlayout>localGetTitleHeight	1526	0.104 s	0.077 s
newplot>ObserveAxesNextPlot	396	0.104 s	0.014 s
ismember>ismemberR2012a	312	0.097 s	0.056 s

legendcolorbarlayout>doParentResize	2	0.097 s	0.007 s
axis	30	0.097 s	0.007 s
legendcolorbarlayout>createListeners	30	0.090 s	0.063 s
axis>LocSetTight1	30	0.090 s	0.028 s
axis>LocSetTight	30	0.090 s	0.000 s
cla	36	0.090 s	0.007 s
specgraph.contourgroup.contourgroup	36	0.083 s	0.021 s
scribe.colorbar.methods>updatefonts	180	0.083 s	0.035 s
close	1	0.070 s	0.000 s
scribe/private/createScribeUIMenuEntry	60	0.070 s	0.007 s
uitools/private/allchildRootHelper	1681	0.070 s	0.070 s
specgraph.contourgroup.setLegendInfo	132	0.063 s	0.021 s
scribe.colorbar.methods>find colorbars	207	0.063 s	0.042 s
set(rootobj,'ShowHiddenHandles',Temp)	1681	0.063 s	0.063 s
lineseries	360	0.063 s	0.021 s
IMenuEntry>localCreateCustomEnumEntry	30	0.056 s	0.021 s
e.colorbar.methods>update contextmenu	30	0.056 s	0.007 s
hgbehaviorfactory>localGetBehaviorInfo	150	0.056 s	0.056 s
setdiff>setdifflegacy	112	0.049 s	0.021 s
num2str	216	0.049 s	0.042 s
set(rootobj, 'ShowHiddenHandles', Temp)	1681	0.049 s	0.049 s
all>showHiddenHandlesToFindAllHandles	600	0.049 s	0.042 s
legendcolorbarlayout>layoutColorbar	1424	0.049 s	0.035 s
ismember>ismemberBuiltinTypes	312	0.042 s	0.042 s
close>request close	1	0.042 s	0.000 s
hggetbehavior>localPeek	150	0.042 s	0.028 s
ontourgroup.schema>LdoMarkDirtyAction	318	0.042 s	0.035 s
legendinfo	30	0.035 s	0.007 s
scribe/private/getplotmanager	396	0.035 s	0.035 s
legendcolorbarlayout>reclaimSpace	29	0.035 s	0.021 s
close>safegetchildren	1	0.028 s	0.007 s

closereq	4	0.028 s	0.021 s
scribe.colorbar.init>changedLimits	180	0.028 s	0.028 s
refresh	40	0.028 s	0.028 s
objbounds	30	0.028 s	0.007 s
ishold	36	0.028 s	0.028 s
datestr	12	0.028 s	0.000 s
timefun/private/formatdate	12	0.028 s	0.014 s
timefun/private/dateformverify	12	0.028 s	0.000 s
setdiff>setdiffR2012a	2	0.021 s	0.007 s
unique	66	0.021 s	0.000 s
ethods>initialize colorbar properties	30	0.021 s	0.014 s
scribe.colorbar.methods>startlisteners	30	0.021 s	0.021 s
subplot	6	0.021 s	0.021 s
xyzchk	60	0.021 s	0.021 s
contourf>parseargs	36	0.021 s	0.021 s
newplot>ObserveFigureNextPlot	396	0.021 s	0.021 s
legendinfo>parsestruct	60	0.021 s	0.021 s
ntourgroup.schema>LdoModeSwitchAction	216	0.021 s	0.021 s
close>request close helper	8	0.014 s	0.000 s
unique>uniquelegacy	28	0.014 s	0.014 s
tourgroup.schema>LdoUpdateColorAction	174	0.014 s	0.007 s
set(rootobj,'ShowHiddenHandles',Temp)	600	0.014 s	0.014 s
dcolorbarlayout>preferredColorbarSize	1424	0.014 s	0.014 s
scribe.colorbar.methods>getfunhan	60	0.014 s	0.014 s
e(['MATLAB:uistring:scribemenu:',x]))	330	0.014 s	0.014 s
e.colorbar.methods>auto adjust colors	30	0.014 s	0.014 s
objbounds>allAxes	30	0.014 s	0.014 s
scribe.colorbar.methods>iscolorbar	414	0.014 s	0.014 s
sensorSim	60	0.014 s	0.014 s
timefun/private/cnv2icudf	12	0.014 s	0.014 s
ismember>ismemberlegacy	36	0.007 s	0.007 s

unique>uniqueR2012a	38	0.007 s	0.007 s	
subplot>axesDestroyed	6	0.007 s	0.000 s	
ibeUIMenuEntry>localCreateActionEntry	30	0.007 s	0.007 s	
int2str	216	0.007 s	0.007 s	
set(rootobj,'ShowHiddenHandles',Temp)	600	0.007 s	0.007 s	
plotdoneevent	36	0.007 s	0.000 s	
legendcolorbarlayout>rmListeners	30	0.007 s	0.007 s	
flipIr	176	0.007 s	0.007 s	
legendcolorbarlayout>offsetsInUnits	59	0.007 s	0.007 s	
ndcolorbarlayout>location to xy index	_ 102	0.007 s	0.007 s	
scribe.colorbar.init>changedPos	282	0.007 s	0.007 s	
colormap	60	0.007 s	0.007 s	
cool	30	0.007 s	0.007 s	
hot	30	0.007 s	0.007 s	
<u>jet</u>	30	0.007 s	0.007 s	
e.colorbar.schema>localGetOrientation	120	0.007 s	0.000 s	
scribe.colorbar.getprivateprop	120	0.007 s	0.007 s	
obįbounds>localGetImageBounds	30	0.007 s	0.000 s	
objbounds>localComputeImageEdges	60	0.007 s	0.007 s	
scribe.colorbar.init>changedOrientationI	30	0.007 s	0.000 s	
scribe.colorbar.schema>localSetLocation	60	0.007 s	0.007 s	
subplot>removeAxesFromGrid	6	0.007 s	0.007 s	
urgroup.setLegendInfo>makeEllipseData	90	0.007 s	0.007 s	
legend	30	0.007 s	0.007 s	
specgraph.contourgroup.setContourMatrix	312	0.007 s	0.007 s	
graphics/private/clearscribe	40	0.007 s	0.007 s	
colorbar>find colorbar	30	0.007 s	0.007 s	
loteditbehavior.schema>doEnableAction	_ 30	0.007 s	0.007 s	
now	12	0.007 s	0.000 s	
datenum	12	0.007 s	0.007 s	
close>getEmptyHandleList	3	0 s	0.000 s	

close>checkfigs	5	0 s	0.000 s
ddenHandles',oldUDDShowHiddenHandles)	4	0 s	0.000 s
ddenHandles',oldUDDShowHiddenHandles)	4	0 s	0.000 s
gcbf	8	0 s	0.000 s
e.colorbar.methods>FigureChangedColor	57	0 s	0.000 s
subplot>createListeners	6	0 s	0.000 s
legendcolorbarlayout>localChangePosition	34	0 s	0.000 s
scribe.colorbar.init>changedVisibility	30	0 s	0.000 s
legendcolorbarlayout>initProperties	30	0 s	0.000 s
layout>create@(obj.evd)(doLayout(ax))	30	0 s	0.000 s
legendcolorbarlayout>initInsetAppdata	30	0 s	0.000 s
legendcolorbarlayout>requestSpace	32	0 s	0.000 s
olorbar.methods>get current data axes	30	0 s	0.000 s
datachildren	36	0 s	0.000 s
colormap>getColorMapContainer	30	0 s	0.000 s
caxis	30	0 s	0.000 s
@(x)(['scribe:colorbar:colormap:',x])	30	0 s	0.000 s
@(x)(['scribe:colorbar:colormap:',x])	150	0 s	0.000 s
flipud	30	0 s	0.000 s
gray	30	0 s	0.000 s
hsv	30	0 s	0.000 s
hsv2rgb	30	0 s	0.000 s
axis>allAxes	30	0 s	0.000 s
scribe.colorbar.setprivateprop	90	0 s	0.000 s
be.colorbar.init>changedYAxisLocation	30	0 s	0.000 s
scribe.colorbar.methods>PeerAxesCleared	30	0 s	0.000 s
meshgrid	122	0 s	0.000 s
subplot>addAxesToGrid	6	0 s	0.000 s
usev6plotapi	36	0 s	0.000 s
hold	36	0 s	0.000 s
axescheck	72	0 s	0.000 s

parseparams	36	0 s	0.000 s
specgraph/private/datachk	36	0 s	0.000 s
specgraph/private/checkpvpairs	30	0 s	0.000 s
graphics/private/clo>find kids	76	0 s	0.000 s
linspace	90	0 s	0.000 s
scribe.legendinfo.legendinfo	30	0 s	0.000 s
a>@(h,valProposed)handle(valProposed)	30	0 s	0.000 s
scribe.legendinfochild.legendinfochild	120	0 s	0.000 s
legendinfo>check xydata	120	0 s	0.000 s
legend>find legend	30	0 s	0.000 s
xyzchk>isvector	180	0 s	0.000 s
rgroup.schema>LdoUpdateChildrenAction	36	0 s	0.000 s
hgfeval	36	0 s	0.000 s
view	36	0 s	0.000 s
view>isAxesHandle	36	0 s	0.000 s
view>ViewCore	36	0 s	0.000 s
grid	36	0 s	0.000 s
<u>title</u>	6	0 s	0.000 s
graph2d/private/labelcheck	36	0 s	0.000 s
colorbar>ishg2peer	30	0 s	0.000 s
colorbar>iscolorbar	30	0 s	0.000 s
graphics.panbehavior.dosupport	30	0 s	0.000 s
graphics.zoombehavior.dosupport	30	0 s	0.000 s
graphics.rotate3dbehavior.dosupport	30	0 s	0.000 s
graphics.datacursorbehavior.dosupport	30	0 s	0.000 s
graphics.ploteditbehavior.dosupport	30	0 s	0.000 s
graph2d/private/lineseriesmex (MEX-file)	360	0 s	0.000 s
datestr>getdateform	12	0 s	0.000 s

Self time is the time spent in a function excluding the time spent in its child functions. Self time also includes overhead resulting from the process of profiling.