Cross members to be cut at 15.4 in to maintain floor size of 16 in

To bind cowl pieces, epoxy first, then silicone

https://www.testritealuminum.com/products/1_aluminum_rod_round_solid?variant=45251962536234


Cowl

- CAD
  - ☑ ~~Floor/Cowl Connectors~~
    - ☑ ~~Flat~~
    - ☑ ~~Scen1~~
    - ☑ ~~Scen2~~
    - ☑ ~~Scen3~~
    - ☑ ~~Scen4~~
  - ☑ ~~Corners~~


- Materials:
  - Sheets: Dragon plate FDPLHP02S*TWL*901212
  - Floor/Cowl Connectors: Onyx 3D print
  - Corners: PLA
  - “Fabric”:
  - Epoxy:

Windshield

- Clear part of cowl is 3/16 in hard coated polycarbonate
- Hydraulic hinge for cowl: https://www.gasspringsshop.com/cart/
- 42 in x 21 in x 58.5 in triangle, height of 15.8 in
- 58.5 x 16
- Option 1



- Option 2: https://www.fixsupply.com/ps-pc-sr-5-scratch-uv-resistant-polycarbonate-sheet-3-8-thick-x-48-wide-x-96-long



- Option 3: https://www.zoro.com/zoro-select-clear-polycarbonate-sheet-stock-96-l-x-48-w-x-0375-thick-ps-pc-sr-196/i/G3713376/


zoro 19081 What can we help you find?

Shop All | Tools & Machining | Safety | Power Transmission | Electrical Supplies | Plumbing | Heating & Cooling | Ja

Shop Zoro Select | placed by 4pm local time. Shop Now | Apply Now

Home / Raw Materials / Plastics / Plastic Sheets / Clear Polycarbonate Sheet Stock 96" L x 48" W x 0.375" Thick

Shop All Plastic Sheets



ZORO SELECT

Clear Polycarbonate Sheet Stock 96" L x 48" W x 0.375" Thick

Mfr # PS-PC-SR-196 Zoro # G3713376

0 ratings | Write a Review

$467.99 /ea

Item requires special delivery charges. A $105.00 per item surcharge will be applied.

Length: 96"

12"	24"	48"	96"
$19.59	$67.55	$148.99	$467.99

Feedback

Delivering to 19081

-
- Hardware

Cart

Share

	Product	Price	Quantity	Total
	Gas spring 14-28 Stroke 500 Force: Calculated In stock	$86.76	2	$173.52
	M10 Eye and bearing shoe (max. 1200N) In stock	$6.62	2	$13.24
	M10 Eye and side bracket (max. 1200N) In stock	$6.62	2	$13.24

-
- Get foam tape for edge

The hydrogen issue

- Asked chem department
- Chem dept will likely buy it for us
- Just buy a new tank DO NOT bother with refilling

-

Brakes

- Tutorial
- Look at cad
- Josh says look at trike for tee connection and installation

Suspension

- OPTION? LINK