## Supplementary Materials: The role of mesotocin on social bonding in pinyon jays

Juan F. Duque  $^{1,2},$  Tanner Rasmussen  $^1,$  Anna Rodriguez  $^1,$  & Jeffrey R. Stevens  $^1$ 

 $^{1}$  University of Nebraska-Lincoln  $^{2}$  Arcadia University

Duque, J.F., Rasmussen, T., Rodriguez, A., & Stevens, J.R. (2020). Effects of mesotocin on social bonding in pinyon jays. Ethology, 126, 165-175. doi:10.1111/eth.12990.

Correspondence concerning this article should be addressed to Juan F. Duque, 450 South Easton Road, 125 Boyer Hall, Arcadia University, Glenside, PA 19038. E-mail: jfduque89@gmail.com




Figure S1. Pair-formation phase pair proximities for each session and condition in Experiment 1 (18 pairs) and Experiment 2 (36 pairs). Experiment 1 showed no effect of hormone condition or session on distance, but Experiment 2 showed a decrease in distance over session. Symbols represent means, error bars represent between-pair confidence intervals.




Figure S2. Pair-maintenance phase pair proximities for each session and condition in Experiment 1 (18 pairs) and Experiment 2 (36 pairs). In Experiment 1, pair distances decreased over session, but hormone condition did not influence distances. In Experiment 2, neither hormone condition nor session influenced distance. Symbols represent means, error bars represent between-pair confidence intervals.




Figure S3. Correlations of pair proximities across pair-formation and pair-maintenance phases in Experiment 1 (18 pairs) and Experiment 2 (36 pairs). In Experiment 1, we do not have evidence that pair proximities correlate across phases, but, in Experiment 2, proximities positively correlated across phases.

Table S1
Experiment 1 Pair-Formation Phase Model Comparison

			Model fit				Likelihood Ratio Tests			
Model specification	Random effects	Fixed effects	AIC	BIC	logLik	df	$\chi^2$	df	p-value	BF
Random effects models										
Pair	$(1 \mid pair)$	-	797.19	806.77	-395.60	3				
Pair + session slope	$(1 + session0 \mid pair)$	_	781.21	797.18	-385.61	5	19.98	2	0.000	
Group + pair + session	(1   group) + (1 + ses-)	_	779.96	799.12	-383.98	6	3.26	1	0.071	
slope	sion0   pair)									
Fixed effects models										
RE only	$(1 + session0 \mid pair)$	_	781.21	797.18	-385.61	5				
Session	$(1 + session0 \mid pair)$	session0	782.93	802.08	-385.46	6	0.29	1	0.592	0.007
Condition	$(1 + session0 \mid pair)$	condition	784.85	807.20	-385.43	7	0.07	1	0.787	0.007
Condition + session	$(1 + session0 \mid pair)$	condition + session0	786.57	812.11	-385.28	8	0.29	1	0.592	0.001
Condition $+$ session $+$ ses-	$(1 + session0 \mid pair)$	condition + session0 +	786.26	814.99	-384.13	9	2.31	1	0.129	0.000
sion squared		session0^2								
Condition $*$ session $+$ ses-	$(1 + session0 \mid pair)$	condition * session0 +	789.20	824.32	-383.60	11	1.06	2	0.588	0.000
sion squared		session0^2								

Table S2
Experiment 2 Pair-Formation Phase Model Comparison

			Model fit				Likelihood Ratio Tests				NIA
Model specification	Random effects	Fixed effects	AIC	BIC	logLik	df	$\chi^2$	df	p-value	BF	
Random effects models											KY
Pair	(1   pair)	-	1557.71	1569.37	-775.85	3					
Pair + session slope	$(1 + session0 \mid pair)$	_	1539.34	1558.77	-764.67	5	22.37	2	0.000		IA
Group + pair + session	(1   group) + (1 + ses-)	_	1541.34	1564.66	-764.67	6	0.00	1	1.000		MATEKI
slope	sion0   pair)										붓
Fixed effects models											A
RE only	$(1 + session0 \mid pair)$	-	1539.34	1558.77	-764.67	5					S
Session	$(1 + session0 \mid pair)$	session0	1540.28	1563.59	-764.14	6	1.07	1	0.301	0.090	
Session + session squared	$(1 + session0 \mid pair)$	$session0 + session0^2$	1534.39	1561.59	-760.19	7	7.89	1	0.005	0.245	
Condition $+$ session $+$ ses-	$(1 + session0 \mid pair)$	condition + session0 +	1536.04	1567.12	-760.02	8	0.35	1	0.553	0.015	
sion squared		session0^2									
Condition $*$ session $+$ ses-	$(1 + session0 \mid pair)$	condition * session0 +	1538.00	1572.97	-760.00	9	0.04	1	0.848	0.000	
sion squared		session0^2									

Table S3
Experiment 1 Pair-Maintenance Phase Model Comparison

			Model fit				Likelihood Ratio Tests			
Model specification	Random effects	Fixed effects	AIC	BIC	logLik	df	$\chi^2$	df	p-value	BF
Random effects models										
Empty	1	-	1644.98	1651.36	-820.49	2				
Pair	$(1 \mid pair)$	-	1641.93	1651.51	-817.97	3	5.05	1	0.025	
Group + pair	$(1 \mid \text{group}) + (1 \mid \text{pair})$	-	1643.15	1655.93	-817.58	4	0.78	1	0.377	
Group + pair + session	(1   group) + (1 + ses-)	-	1646.52	1665.68	-817.26	6	0.63	2	0.728	
slope	sion0   pair)									
Fixed effects models										
RE only	$(1 \mid pair)$	-	1641.93	1651.51	-817.97	3				
Session	$(1 \mid pair)$	session0	1637.81	1650.58	-814.91	4	6.12	1	0.013	1.592
Condition + session	$(1 \mid pair)$	condition + session0	1639.51	1658.67	-813.76	6	2.30	2	0.317	0.028
Condition * session	$(1 \mid pair)$	condition * session0	1643.47	1669.01	-813.73	8	0.04	2	0.980	0.000
Condition $*$ session $+$ ses-	$(1 \mid pair)$	condition * session0 +	1644.95	1673.68	-813.47	9	0.52	1	0.469	0.000
sion squared		session0^2								

Table S4
Experiment 2 Pair-Maintenance Phase Model Comparison

			Model fit				Likelihood Ratio Tests				][
Model specification	Random effects	Fixed effects	AIC	BIC	logLik	df	$\chi^2$	df	p-value	BF	NIA
Random effects models											72
Empty	1	-	3187.05	3194.82	-1591.53	2					
Pair	(1   pair)	-	3155.75	3167.41	-1574.87	3	33.30	1	0.000		17
Group	(1   group)	-	3149.62	3161.28	-1571.81	3	6.13	0	0.000		
Group + pair	$  (1 \mid \text{group}) + (1 \mid \text{pair})  $	-	3146.00	3161.55	-1569.00	4	5.62	1	0.018		3
Group + pair + session	(1   group) + (1 + ses-)	-	3147.89	3171.21	-1567.95	6	2.11	2	0.348		MATERIAL
slope	sion0   pair)										5
Fixed effects models											
RE only	$  (1 \mid \text{group}) + (1 \mid \text{pair})  $	-	3146.00	3161.55	-1569.00	4					
Session	$  (1 \mid \text{group}) + (1 \mid \text{pair})  $	session0	3146.92	3166.35	-1568.46	5	1.08	1	0.298	0.091	
Session + session squared	$  (1 \mid \text{group}) + (1 \mid \text{pair})  $	$session0 + session0^2$	3146.14	3169.45	-1567.07	6	2.78	1	0.095	0.019	
Condition $+$ session $+$ ses-	$  (1 \mid \text{group}) + (1 \mid \text{pair})  $	condition + session0	3148.09	3175.29	-1567.04	7	0.05	1	0.824	0.001	
sion squared		+ session0^2									
Condition $*$ session $+$ ses-	$  (1 \mid \text{group}) + (1 \mid \text{pair})  $	condition * session0 +	3148.53	3179.62	-1566.26	8	1.56	1	0.212	0.000	
sion squared		session0^2									